

Table 35.2
Comparison of Period Survival^a(Percent) using different Expected Survival Life Tables
By Primary Cancer Site, Race and Sex, 2014 Period Survival Estimate

Site	Male						Female					
	All Races		White		Black		All Races		White		Black	
	USLT ^b	SES ^c	USLT ^b	SES ^c	USLT ^b	SES ^c	USLT ^b	SES ^c	USLT ^b	SES ^c	USLT ^b	SES ^c
All Sites	65.7	65.7	65.7	65.7	63.1	63.0	68.0	67.9	68.6	68.5	59.7	59.7
Oral Cavity & Pharynx	64.4	64.4	66.0	66.0	47.2	47.2	67.6	67.6	68.3	68.2	54.4	54.4
Esophagus	19.9	19.9	20.8	20.8	12.0	12.0	23.0	22.9	24.0	23.9	16.1	16.1
Stomach	28.9	28.8	27.8	27.6	26.1	26.0	36.8	36.6	36.2	35.9	40.0	39.9
Colon & Rectum	63.5	63.5	64.0	64.0	55.8	55.7	64.9	64.8	65.4	65.2	60.0	60.0
Liver & Intrahepatic Bile Duct	17.6	17.6	17.1	17.0	14.0	14.0	18.8	18.7	17.9	17.8	16.5	16.6
Pancreas	9.5	9.5	9.4	9.4	8.4	8.4	9.4	9.3	9.0	9.0	10.9	10.9
Larynx	60.4	60.5	61.8	61.9	50.7	50.8	59.8	60.0	61.2	61.3	51.8	51.9
Lung & Bronchus	15.6	15.7	15.7	15.8	13.3	13.3	22.7	22.7	22.7	22.7	20.3	20.3
Melanoma of the Skin	90.0	89.9	89.1	89.0	57.1	56.9	94.5	94.4	94.1	94.0	67.5	67.5
Breast	-	-	-	-	-	-	89.9	89.9	90.8	90.7	81.6	81.6
Cervix	-	-	-	-	-	-	54.7	54.5	55.6	55.4	44.7	44.7
Corpus & Uterus, NOS	-	-	-	-	-	-	80.0	79.9	82.5	82.4	59.3	59.4
Ovary	-	-	-	-	-	-	31.5	31.5	32.1	32.1	21.3	21.3
Prostate	98.7	98.4	98.9	98.5	97.5	97.4	-	-	-	-	-	-
Urinary Bladder	77.8	77.9	78.1	78.1	66.0	65.5	72.4	72.3	73.4	73.3	55.5	55.4
Kidney & Renal Pelvis	74.1	74.1	73.9	73.9	75.3	75.3	76.4	76.4	76.3	76.3	78.0	78.2
Hodgkin Lymphoma	85.9	85.8	86.3	86.2	81.1	81.2	87.9	87.8	87.9	87.7	87.5	87.5
Non-Hodgkin Lymphoma	70.1	70.0	70.3	70.2	65.1	65.0	73.9	73.7	74.1	74.0	71.4	71.4
Myeloma	51.3	51.2	50.7	50.6	52.2	52.0	52.2	52.1	51.2	51.0	52.9	52.9
Leukemia	63.3	63.3	63.3	63.3	58.2	58.1	60.0	60.0	60.7	60.7	52.1	52.0
Acute Lymphocytic Leuk	68.9	68.9	68.5	68.5	64.3	64.3	68.5	68.5	69.0	68.9	59.9	60.0

^a SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).
Period survival provides a 2014 estimate of survival by piecing together the most recent conditional survival estimates from several cohorts. It is computed here using three year calendar blocks (2012-2014: 0-1 year survival), (2011-2013: 1-2 year survival), (2010-2012: 2-3 year survival), (2009-2011: 3-4 year survival), (2008-2010: 4-5 years survival).
Based on follow-up of patients into 2015.

^b Expected survival rates are derived from the U.S. Annual Life Tables.

^c Expected survival rates are derived from life tables by socio-economic status, geography and race developed by the SEER program.
For more information on the life tables, see: <https://seer.cancer.gov/expsurvival/>.