

Table 35.3
Comparison of 5-Year Relative Survival^a(Percent) using different Expected Rate Tables
By Primary Cancer Site, Race, and Age
Males, 2008-2014

Site	White						Black					
	Ages <65 USLT ^b	SES ^c	Ages 65-74 USLT ^b	SES ^c	Ages 75+ USLT ^b	SES ^c	Ages <65 USLT ^b	SES ^c	Ages 65-74 USLT ^b	SES ^c	Ages 75+ USLT ^b	SES ^c
All Sites	71.4	71.2	68.7	68.9	53.0	53.0	65.6	65.6	66.3	66.3	49.3	48.4
Oral Cavity & Pharynx	70.4	70.2	60.8	61.1	51.0	51.2	48.9	49.0	39.8	39.9	25.6	25.2
Esophagus	21.5	21.4	22.6	22.7	12.5	12.5	10.6	10.6	13.0	13.0	11.0	11.0
Stomach	29.7	29.6	29.0	29.0	20.7	20.3	29.9	29.9	24.6	24.5	18.6	18.3
Colon & Rectum	68.3	68.1	66.3	66.7	56.0	56.1	58.9	59.0	55.1	55.2	43.4	42.4
Liver & Intrahepatic Bile Duct	20.1	20.0	13.6	13.5	7.7	7.6	13.7	13.7	13.8	13.7	5.7	5.5
Pancreas	11.6	11.6	8.4	8.5	4.8	4.8	9.8	9.8	5.0	5.0	3.1	3.0
Larynx	63.9	63.9	61.2	61.7	61.2	61.1	52.8	52.9	53.8	53.9	45.7	45.2
Lung & Bronchus	17.5	17.5	16.7	16.9	11.9	12.0	14.9	14.9	13.1	13.1	8.3	8.1
Melanoma of the Skin	90.2	90.0	90.3	90.7	84.2	84.4	61.6	61.6	49.9	49.6	41.5	41.2
Prostate	99.1	98.8	100.0	100.0	92.2	92.1	97.6	97.6	97.1	97.1	86.5	85.2
Urinary Bladder	83.9	83.7	80.6	81.0	70.9	70.9	70.8	70.8	66.8	66.9	61.7	59.9
Kidney & Renal Pelvis	78.1	77.9	72.2	72.5	60.0	59.8	76.3	76.4	73.1	73.2	59.0	57.9
Hodgkin Lymphoma	91.2	91.1	64.2	64.4	47.4	47.2	80.7	80.8	74.2	74.4	-	-
Non-Hodgkin Lymphoma	78.2	78.0	70.0	70.2	52.4	52.3	65.4	65.4	63.1	63.0	44.0	43.2
Myeloma	62.5	62.2	50.0	50.1	30.3	30.1	57.2	57.3	50.9	50.8	33.1	32.1
Leukemia	73.1	73.0	59.1	59.3	42.5	42.5	62.8	62.9	52.1	52.1	35.4	34.5
Acute Lymphocytic Leuk	71.9	71.9	20.2	20.1	11.1	11.0	68.3	68.3	-	-	-	-

^a SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

Based on follow-up of patients into 2015

^b Expected survival rates are derived from the U.S. Annual Life Tables.

^c Expected survival rates are derived from life tables by socio-economic status, geography and race developed by the SEER program. For more information on the life tables, see: <https://seer.cancer.gov/expsurvival/>.

Table 35.3 cont.
Comparison of 5-Year Relative Survival^a(Percent) using different Expected Rate Tables
By Primary Cancer Site, Race, and Age
Females, 2008-2014

Site	White						Black					
	Ages <65 USLT ^b	SES ^c	Ages 65-74 USLT ^b	SES ^c	Ages 75+ USLT ^b	SES ^c	Ages <65 USLT ^b	SES ^c	Ages 65-74 USLT ^b	SES ^c	Ages 75+ USLT ^b	SES ^c
All Sites	78.3	78.2	64.8	65.0	49.6	49.2	66.3	66.4	54.8	55.1	39.5	38.9
Oral Cavity & Pharynx	75.9	75.9	66.0	66.1	50.9	50.5	55.7	55.8	54.8	55.2	35.3	35.0
Esophagus	26.0	25.9	26.7	26.7	11.2	11.1	17.4	17.5	16.5	16.6	10.6	10.5
Stomach	39.4	39.4	39.3	39.2	26.2	25.6	43.2	43.3	41.8	41.9	24.9	24.5
Colon & Rectum	71.6	71.5	68.4	68.5	57.7	57.2	64.6	64.8	62.9	63.3	46.6	45.9
Liver & Intrahepatic Bile Duct	26.8	26.8	14.8	14.8	6.2	6.1	20.0	20.1	13.0	13.0	6.8	6.7
Pancreas	14.8	14.8	7.4	7.5	3.6	3.5	15.7	15.7	6.9	7.0	3.8	3.8
Larynx	65.9	66.0	53.8	54.1	47.2	47.0	50.2	50.4	44.6	45.0	55.3	54.9
Lung & Bronchus	25.9	26.0	24.1	24.2	16.4	16.3	23.0	23.1	19.5	19.6	14.2	14.0
Melanoma of the Skin	95.7	95.6	94.2	94.4	85.4	85.0	79.3	79.4	64.5	64.8	49.9	49.2
Breast	91.2	91.1	92.2	92.4	87.6	87.0	81.3	81.4	84.1	84.6	75.6	74.5
Cervix	72.1	72.0	52.3	52.3	36.4	35.7	58.9	59.0	50.3	50.6	31.6	31.0
Corpus & Uterus, NOS	87.5	87.4	81.1	81.1	70.8	70.1	68.0	68.1	56.8	57.1	41.2	40.8
Ovary	60.7	60.6	40.6	40.6	21.9	21.8	49.9	50.0	28.0	28.2	11.1	10.9
Urinary Bladder	83.1	83.2	77.6	77.8	65.7	65.1	60.6	60.8	61.2	61.6	46.0	45.2
Kidney & Renal Pelvis	83.7	83.6	75.7	75.9	58.1	57.8	81.7	81.9	73.0	73.5	60.0	59.5
Hodgkin Lymphoma	92.9	92.8	70.8	70.9	48.6	47.9	90.9	91.0	56.4	56.2	38.3	38.1
Non-Hodgkin Lymphoma	84.5	84.5	74.9	75.0	57.8	57.4	75.1	75.2	68.7	69.1	50.3	49.6
Myeloma	64.5	64.4	52.4	52.4	31.7	31.4	64.6	64.7	49.1	49.4	31.6	31.2
Leukemia	73.1	73.0	60.0	60.1	41.2	41.1	62.0	62.1	51.9	52.2	31.4	30.7
Acute Lymphocytic Leuk	74.4	74.4	22.2	22.1	9.9	9.8	66.3	66.4	-	-	-	-

^a SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

Based on follow-up of patients into 2015

^b Expected survival rates are derived from the U.S. Annual Life Tables.

^c Expected survival rates are derived from life tables by socio-economic status, geography and race developed by the SEER program. For more information on the life tables, see: <https://seer.cancer.gov/expsurvival/>.