

Table 1.24
Age-Adjusted SEER Incidence Rates and Trends for the Top 15 Cancer Sites^a by Race/Ethnicity

All Races			White			Black		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2012-2016	2007-2016		2012-2016	2007-2016		2012-2016	2007-2016
All Sites	481.0	-2.3*	All Sites	486.0	-2.3*	All Sites	520.8	-3.0*
Prostate	109.5	-5.7*	Prostate	101.9	-6.2*	Prostate	176.7	-5.3*
Lung and Bronchus	63.0	-3.0*	Lung and Bronchus	63.5	-3.0*	Lung and Bronchus	73.5	-3.4*
Colon and Rectum	44.2	-2.8*	Colon and Rectum	43.4	-2.9*	Colon and Rectum	52.4	-3.1*
Urinary Bladder	35.2	-1.7*	Urinary Bladder	38.5	-1.7*	Kidney and Renal Pelvis	24.3	0.4
Melanoma of the Skin	28.8	1.2*	Melanoma of the Skin	33.9	1.2*	Urinary Bladder	19.7	-1.2*
Non-Hodgkin Lymphoma	23.9	-0.7*	Non-Hodgkin Lymphoma	25.0	-0.8*	Liver & IBD ^f	17.8	0.9
Kidney and Renal Pelvis	22.1	0.2	Kidney and Renal Pelvis	22.8	0.3	Non-Hodgkin Lymphoma	17.7	-0.5
Leukemia	18.1	0.0	Leukemia	19.1	-0.2	Pancreas	16.7	-0.2
Oral Cavity and Pharynx	17.0	0.6*	Oral Cavity and Pharynx	17.9	0.9*	Myeloma	16.3	0.2
Pancreas	14.6	0.3	Pancreas	14.8	0.4	Stomach	14.1	-2.7*
Liver & IBD ^f	13.6	1.4*	Liver & IBD ^f	12.2	1.9*	Leukemia	13.9	0.7
Stomach	10.0	-1.5*	Stomach	8.9	-1.4*	Oral Cavity and Pharynx	13.4	-1.8*
Myeloma	8.7	0.8	Thyroid	8.6	2.3*	Larynx	7.6	-2.9*
Thyroid	8.0	2.5*	Brain and ONS ^f	8.3	-0.9*	Esophagus	6.4	-4.8*
Brain and ONS ^f	7.5	-0.9*	Myeloma	8.1	0.7	Brain and ONS ^f	4.7	-0.7

Asian/Pacific Islander			American Indian/Alaska Native ^d			Hispanic ^e		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2012-2016	2007-2016		2012-2016	2007-2016		2012-2016	2007-2016
All Sites	301.1	-2.4*	All Sites	315.3	-1.7*	All Sites	370.4	-2.8*
Prostate	55.6	-6.6*	Prostate	55.4	-6.3*	Prostate	93.4	-6.5*
Lung and Bronchus	46.3	-2.1*	Lung and Bronchus	43.3	-3.3*	Colon and Rectum	40.0	-2.6*
Colon and Rectum	37.9	-2.4*	Colon and Rectum	41.2	-0.8	Lung and Bronchus	35.2	-3.6*
Liver & IBD ^f	19.9	-2.5*	Kidney and Renal Pelvis	21.2	-2.0	Kidney and Renal Pelvis	20.8	0.8
Non-Hodgkin Lymphoma	16.4	-0.5	Liver & IBD ^f	19.3	1.3	Non-Hodgkin Lymphoma	20.7	-0.7
Urinary Bladder	15.5	-1.3*	Urinary Bladder	14.9	-1.4	Liver & IBD ^f	20.3	0.3
Stomach	14.3	-2.9*	Non-Hodgkin Lymphoma	12.0	-3.7	Urinary Bladder	19.5	-1.5*
Kidney and Renal Pelvis	12.0	-0.1	Oral Cavity and Pharynx	11.8	-0.6	Leukemia	13.0	-0.2
Oral Cavity and Pharynx	11.8	0.5	Stomach	11.5	-1.5	Stomach	13.0	-3.0*
Pancreas	10.8	0.3	Pancreas	11.4	2.6	Pancreas	12.0	-0.1
Leukemia	9.7	-0.3	Leukemia	11.0	5.5	Oral Cavity and Pharynx	10.1	-1.3
Thyroid	7.7	3.9*	Myeloma	6.0	-	Myeloma	8.2	0.4
Myeloma	4.9	0.5	Esophagus	5.9	-	Brain and ONS ^f	5.8	-1.0*
Brain and ONS ^f	4.3	-0.5	Melanoma of the Skin	5.8	-	Thyroid	5.7	3.6*
Esophagus	3.6	-0.5	Testis	5.2	4.3	Testis	5.2	1.8*

Source: SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts).

^a Top 15 cancer sites selected based on 2012-2016 age-adjusted rates for the race/ethnic group.

^b Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^c The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^d Rates for American Indian/Alaska Native are based on the Purchased/Referred Care Delivery Area (PRCDA) counties.

^e Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

^f IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.