


Table 2.19
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death^a Rates by State, All Races, 2012-2016

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	193.11	0.16		
High Five States				
Mississippi	246.29	1.90	01(01,02)	27.54 ^c
Kentucky	243.97	1.52	02(01,02)	26.34 ^c
Arkansas	229.84	1.74	03(03,07)	19.02 ^c
Tennessee	228.43	1.21	04(03,07)	18.29 ^c
Louisiana	227.10	1.47	05(03,08)	17.60 ^c
Low Five States				
Arizona	169.21	0.97	47(44,48)	-12.38 ^c
Wyoming	166.15	3.43	48(43,50)	-13.96 ^c
Colorado	163.32	1.21	49(48,50)	-15.43 ^c
Hawaii	160.54	2.04	50(48,50)	-16.86 ^c
Utah	148.89	1.70	51(51,51)	-22.90 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	226.45	1.39	07(03,08)	17.27 ^c	Montana	178.09	2.48	43(35,45)	-7.78 ^c
Alaska	188.05	4.12	32(21,43)	-2.62	Nebraska	190.43	2.03	30(23,36)	-1.39
Arizona	169.21	0.97	47(44,48)	-12.38 ^c	Nevada	184.29	1.67	36(31,41)	-4.57
Arkansas	229.84	1.74	03(03,07)	19.02 ^c	New Hampshire	191.57	2.34	28(21,35)	-0.80
California	171.10	0.45	45(44,47)	-11.40 ^c	New Jersey	180.24	0.91	40(36,43)	-6.66 ^c
Colorado	163.32	1.21	49(48,50)	-15.43 ^c	New Mexico	171.01	1.80	46(43,48)	-11.45 ^c
Connecticut	173.25	1.36	44(42,47)	-10.28 ^c	New York	178.54	0.61	42(39,43)	-7.55 ^c
Delaware	201.73	2.86	18(13,26)	4.46	North Carolina	206.33	0.95	15(13,17)	6.85 ^c
D.C.	194.96	3.94	24(14,36)	0.96	North Dakota	179.08	3.12	41(32,46)	-7.26 ^c
Florida	182.29	0.54	37(35,41)	-5.60 ^c	Ohio	212.88	0.85	11(10,13)	10.24 ^c
Georgia	206.61	1.03	14(12,17)	6.99 ^c	Oklahoma	222.06	1.54	08(06,09)	14.99 ^c
Hawaii	160.54	2.04	50(48,50)	-16.86 ^c	Oregon	190.89	1.36	29(24,33)	-1.15
Idaho	181.37	2.15	39(33,43)	-6.08 ^c	Pennsylvania	203.63	0.76	16(14,20)	5.45 ^c
Illinois	201.57	0.82	19(16,22)	4.38	Rhode Island	201.05	2.72	21(13,27)	4.11
Indiana	217.84	1.18	09(08,10)	12.80 ^c	South Carolina	214.06	1.35	10(09,13)	10.85 ^c
Iowa	201.47	1.56	20(15,23)	4.33	South Dakota	195.40	2.97	22(16,33)	1.18
Kansas	194.71	1.66	26(21,31)	0.83	Tennessee	228.43	1.21	04(03,07)	18.29 ^c
Kentucky	243.97	1.52	02(01,02)	26.34 ^c	Texas	187.30	0.60	33(30,35)	-3.01
Louisiana	227.10	1.47	05(03,08)	17.60 ^c	Utah	148.89	1.70	51(51,51)	-22.90 ^c
Maine	208.25	2.30	13(10,19)	7.84 ^c	Vermont	194.90	3.37	25(16,34)	0.92
Maryland	190.26	1.19	31(25,33)	-1.48	Virginia	193.80	1.02	27(22,30)	0.36
Massachusetts	186.59	1.06	34(30,37)	-3.38	Washington	184.65	1.06	35(32,39)	-4.38
Michigan	202.09	0.89	17(16,22)	4.65	West Virginia	226.87	2.07	06(03,08)	17.48 ^c
Minnesota	181.80	1.17	38(34,42)	-5.86 ^c	Wisconsin	195.04	1.15	23(21,29)	1.00
Mississippi	246.29	1.90	01(01,02)	27.54 ^c	Wyoming	166.15	3.43	48(43,50)	-13.96 ^c
Missouri	210.76	1.17	12(10,14)	9.14 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.