



Table 5.14
Cancer of the Cervix Uteri (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2012-2016

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	2.27	0.02		
High Five States				
Mississippi	3.51	0.21	01(01,07)	54.54 ^c
Alabama	3.47	0.16	02(01,06)	52.67 ^c
Arkansas	3.44	0.21	03(01,08)	51.44 ^c
D.C.	3.36	0.45	04(01,27)	47.62 ^c
West Virginia	3.03	0.25	05(01,20)	33.02 ^c
Low Five States				
Minnesota	1.37	0.10	47(38,51)	-39.68 ^c
North Dakota	1.27	0.26	48(26,51)	-44.29 ^c
Utah	1.24	0.14	49(38,51)	-45.28 ^c
Vermont	1.18	0.26	50(28,51)	-48.04 ^c
Massachusetts	1.14	0.08	51(45,51)	-50.07 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	3.47	0.16	02(01,06)	52.67 ^c	Montana	1.93	0.27	33(09,50)	-15.29 ^c
Alaska	1.62	0.31	41(11,51)	-28.75 ^c	Nebraska	2.05	0.20	28(10,45)	-9.67
Arizona	2.20	0.11	23(13,35)	-3.13	Nevada	2.47	0.18	15(05,33)	8.55
Arkansas	3.44	0.21	03(01,08)	51.44 ^c	New Hampshire	1.43	0.19	46(28,51)	-36.97 ^c
California	2.25	0.05	21(16,28)	-1.25	New Jersey	2.09	0.09	26(17,37)	-8.03
Colorado	1.59	0.11	42(32,48)	-29.94 ^c	New Mexico	2.23	0.21	22(07,40)	-2.01
Connecticut	1.50	0.12	43(33,50)	-33.90 ^c	New York	2.30	0.06	20(13,28)	1.31
Delaware	2.41	0.30	16(04,42)	5.85	North Carolina	2.08	0.09	27(17,37)	-8.40
D.C.	3.36	0.45	04(01,27)	47.62 ^c	North Dakota	1.27	0.26	48(26,51)	-44.29 ^c
Florida	2.65	0.07	11(07,17)	16.53 ^c	Ohio	2.32	0.09	19(12,30)	2.04
Georgia	2.47	0.10	14(08,25)	8.55	Oklahoma	3.02	0.18	06(01,15)	32.59 ^c
Hawaii	1.83	0.22	36(14,49)	-19.76 ^c	Oregon	1.93	0.13	34(18,44)	-15.31 ^c
Idaho	1.75	0.21	37(16,49)	-22.97 ^c	Pennsylvania	2.12	0.08	25(17,35)	-6.63
Illinois	2.33	0.08	18(12,28)	2.52	Rhode Island	1.44	0.22	45(23,51)	-36.76 ^c
Indiana	2.41	0.12	17(09,29)	5.84	South Carolina	2.59	0.14	12(05,25)	13.80
Iowa	1.94	0.15	32(15,45)	-14.54	South Dakota	1.47	0.26	44(20,51)	-35.19 ^c
Kansas	2.19	0.18	24(09,39)	-3.87	Tennessee	2.76	0.12	09(04,18)	21.45 ^c
Kentucky	2.68	0.15	10(04,22)	17.80 ^c	Texas	2.86	0.07	08(04,12)	25.65 ^c
Louisiana	2.92	0.16	07(02,15)	28.58 ^c	Utah	1.24	0.14	49(38,51)	-45.28 ^c
Maine	1.73	0.21	38(16,50)	-23.85 ^c	Vermont	1.18	0.26	50(28,51)	-48.04 ^c
Maryland	1.95	0.11	31(20,41)	-14.42	Virginia	1.91	0.09	35(23,41)	-16.04 ^c
Massachusetts	1.14	0.08	51(45,51)	-50.07 ^c	Washington	1.62	0.09	40(33,48)	-28.59 ^c
Michigan	1.99	0.09	29(21,39)	-12.63	West Virginia	3.03	0.25	05(01,20)	33.02 ^c
Minnesota	1.37	0.10	47(38,51)	-39.68 ^c	Wisconsin	1.64	0.10	39(32,47)	-28.08 ^c
Mississippi	3.51	0.21	01(01,07)	54.54 ^c	Wyoming	1.99	0.37	30(05,51)	-12.70
Missouri	2.56	0.13	13(06,24)	12.52					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.