

Table 6.5  
Cancer of the Colon and Rectum (Invasive)

Delay-adjusted SEER Incidence<sup>a</sup> Rates by Year, Race and Sex

| Year of Diagnosis: | All Races |       |         | Whites |       |         | Blacks |       |         |
|--------------------|-----------|-------|---------|--------|-------|---------|--------|-------|---------|
|                    | Total     | Males | Females | Total  | Males | Females | Total  | Males | Females |
| 1975-1979          | 61.57     | 72.07 | 54.53   | 62.29  | 73.21 | 55.10   | 58.74  | 64.39 | 54.86   |
| 1980               | 63.75     | 74.55 | 56.54   | 63.95  | 74.88 | 56.84   | 70.83  | 79.71 | 64.23   |
| 1981               | 64.24     | 75.80 | 56.49   | 64.86  | 76.65 | 57.14   | 62.83  | 72.89 | 55.97   |
| 1982               | 62.78     | 75.20 | 54.49   | 63.45  | 76.28 | 55.03   | 61.25  | 68.97 | 55.92   |
| 1983               | 63.66     | 75.55 | 55.61   | 64.24  | 76.51 | 56.02   | 66.79  | 75.80 | 61.13   |
| 1984               | 64.80     | 77.65 | 56.05   | 65.81  | 79.26 | 56.71   | 62.54  | 70.57 | 58.20   |
| 1985               | 66.30     | 79.19 | 57.31   | 67.19  | 80.20 | 58.36   | 64.13  | 74.56 | 56.39   |
| 1986               | 64.18     | 77.79 | 54.69   | 64.57  | 78.89 | 54.71   | 64.68  | 72.98 | 58.88   |
| 1987               | 62.74     | 77.53 | 52.68   | 62.92  | 78.25 | 52.64   | 66.28  | 77.63 | 59.01   |
| 1988               | 61.38     | 75.20 | 51.81   | 61.56  | 75.78 | 51.75   | 63.00  | 72.41 | 56.62   |
| 1989               | 61.70     | 74.99 | 52.42   | 61.95  | 75.45 | 52.65   | 64.52  | 79.41 | 54.76   |
| 1990               | 60.70     | 74.36 | 51.28   | 60.66  | 74.75 | 51.03   | 66.87  | 75.15 | 61.66   |
| 1991               | 59.48     | 72.91 | 50.04   | 59.28  | 73.09 | 49.64   | 65.71  | 76.42 | 58.27   |
| 1992               | 58.00     | 70.41 | 49.22   | 57.82  | 70.66 | 48.70   | 65.66  | 78.59 | 57.57   |
| 1993               | 56.79     | 68.44 | 48.30   | 56.32  | 68.08 | 47.79   | 64.44  | 78.14 | 55.15   |
| 1994               | 55.64     | 66.28 | 47.73   | 55.39  | 66.33 | 47.19   | 64.51  | 75.45 | 57.98   |
| 1995               | 54.06     | 63.85 | 46.93   | 53.71  | 63.41 | 46.63   | 62.04  | 71.49 | 55.98   |
| 1996               | 54.79     | 65.61 | 46.68   | 54.74  | 65.94 | 46.35   | 58.67  | 66.74 | 53.12   |
| 1997               | 56.40     | 68.07 | 47.94   | 56.34  | 67.84 | 48.00   | 64.73  | 77.77 | 56.26   |
| 1998               | 56.80     | 67.10 | 49.33   | 56.69  | 67.24 | 49.00   | 63.36  | 74.49 | 56.38   |
| 1999               | 55.48     | 65.77 | 47.83   | 55.32  | 65.90 | 47.22   | 63.52  | 72.47 | 58.30   |
| 2000               | 54.15     | 63.70 | 46.78   | 53.83  | 63.12 | 46.55   | 64.55  | 74.40 | 58.15   |
| 2001               | 53.62     | 63.09 | 46.23   | 53.04  | 62.71 | 45.38   | 64.69  | 75.53 | 57.69   |
| 2002               | 53.17     | 61.55 | 46.64   | 52.34  | 60.40 | 45.91   | 63.31  | 74.32 | 56.56   |
| 2003               | 50.82     | 59.52 | 43.94   | 50.25  | 58.59 | 43.48   | 62.77  | 75.87 | 54.68   |
| 2004               | 49.91     | 58.63 | 43.18   | 49.05  | 57.89 | 42.10   | 62.58  | 74.48 | 54.72   |
| 2005               | 47.82     | 55.24 | 41.92   | 47.40  | 55.09 | 41.15   | 58.71  | 65.41 | 55.05   |
| 2006               | 46.89     | 53.32 | 41.67   | 46.16  | 52.69 | 40.69   | 58.40  | 65.62 | 53.68   |
| 2007               | 46.41     | 53.34 | 40.72   | 45.52  | 52.20 | 39.97   | 57.93  | 66.04 | 52.16   |
| 2008               | 45.31     | 51.58 | 40.12   | 44.52  | 50.53 | 39.48   | 54.92  | 64.55 | 47.90   |
| 2009               | 43.38     | 49.06 | 38.73   | 42.11  | 47.56 | 37.52   | 53.95  | 61.14 | 49.45   |
| 2010               | 41.05     | 47.15 | 36.11   | 39.76  | 45.79 | 34.71   | 49.93  | 57.06 | 45.27   |
| 2011               | 39.75     | 45.53 | 35.02   | 38.66  | 43.81 | 34.33   | 48.46  | 56.15 | 43.11   |
| 2012               | 38.90     | 44.05 | 34.54   | 38.06  | 42.67 | 34.03   | 48.26  | 57.19 | 41.90   |
| 2013               | 37.65     | 43.42 | 32.81   | 36.50  | 41.24 | 32.47   | 47.31  | 58.98 | 39.06   |
| 2014               | 38.76     | 44.01 | 34.34   | 38.01  | 42.67 | 33.99   | 44.98  | 51.70 | 40.18   |
| 2015               | 37.42     | 42.09 | 33.30   | 36.73  | 41.18 | 32.72   | 45.67  | 53.74 | 39.52   |
| 2016               | 38.02     | 43.07 | 33.71   | 37.12  | 41.72 | 33.07   | 46.88  | 52.54 | 42.89   |

Reference: [Cancer Incidence Rates Adjusted for Reporting Delay](#).

Individual rates for diagnosis years 1975-1979 available in web browser version of [Cancer Statistics Review](#).

<sup>a</sup> SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).

- Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

- Delay-adjusted rate is not shown for observed rates based on less than 16 cases for the time interval.