

Table 6.24
Cancer of the Colon and Rectum (Invasive)

Age-Adjusted SEER Death Rates^a
By Registry, Race and Sex

	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<u>SEER Death Rates^a, 2012-2016</u>									
California	12.94	15.14	11.13	13.03	15.21	11.22	18.30	21.16	16.11
Greater Bay Area	11.42	13.08	10.03	11.57	13.31	10.12	17.14	17.31	16.79
San Francisco-Oakland	11.96	13.39	10.73	12.07	13.56	10.77	17.56	17.32	17.48
San Jose-Monterey	10.38	12.51	8.66	10.70	12.89	8.96	15.02	17.70	12.57
Los Angeles	13.48	16.07	11.41	13.18	15.46	11.31	19.25	23.47	16.36
Greater California	13.24	15.46	11.39	13.39	15.64	11.49	17.99	20.91	15.55
Connecticut	11.36	13.35	9.84	11.33	13.33	9.76	13.37	17.00	11.24
Detroit	14.57	17.23	12.56	13.38	15.68	11.59	19.77	24.67	16.43
Georgia	15.12	19.13	12.11	14.00	17.52	11.17	19.17	25.87	15.07
Atlanta	14.61	19.10	11.46	12.89	16.29	10.39	18.30	25.45	13.92
Rural Georgia	19.71	23.39	16.73	15.92	17.73	13.87	28.11	39.25	22.06
Greater Georgia	15.37	19.21	12.41	14.42	18.04	11.45	19.67	25.77	15.95
Hawaii	12.81	15.52	10.51	13.48	14.40	12.74	-	-	-
Idaho	13.11	15.47	11.02	13.22	15.55	11.16	-	-	-
Iowa	15.07	17.45	13.10	15.05	17.42	13.11	18.41	19.24	17.71
Kentucky	16.68	20.24	13.89	16.60	20.17	13.78	19.54	23.08	17.06
Louisiana	17.09	20.94	14.11	15.43	18.77	12.76	22.02	28.04	17.88
Massachusetts	12.29	14.33	10.82	12.48	14.62	10.95	11.87	13.14	10.97
New Jersey	14.44	17.44	12.13	14.58	17.50	12.30	17.66	23.18	14.00
New Mexico	13.52	16.56	10.99	13.53	16.46	11.06	15.73	19.68	-
New York	13.24	15.70	11.36	13.31	15.80	11.37	14.98	17.72	13.12
Seattle-Puget Sound	12.12	14.49	10.12	12.27	14.58	10.30	14.12	17.22	11.36
Utah	11.23	13.08	9.65	11.01	12.74	9.51	22.11	-	-
SEER 9 Areas ^b	12.97	15.34	11.05	12.72	14.91	10.92	17.70	21.95	14.75
SEER 13 Areas ^b	12.98	15.37	11.05	12.71	14.89	10.91	18.12	22.44	15.13
SEER 18 Areas ^b	13.80	16.44	11.67	13.59	16.10	11.53	18.87	23.63	15.59
SEER 21 Areas ^b	13.60	16.17	11.56	13.46	15.95	11.46	17.63	21.78	14.79
Total U.S.	14.17	16.93	11.94	13.85	16.48	11.67	18.90	23.80	15.54

^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.
Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia.
The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

The SEER 21 areas comprise the SEER 18 areas plus Idaho, New York and Massachusetts.

- Statistic not shown. Rate based on less than 16 cases for the time interval.