


Table 6.26
Cancer of the Colon and Rectum (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2012-2016

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	16.93	0.05		
High Five States				
Mississippi	23.14	0.58	01(01,02)	36.69 ^c
Louisiana	20.94	0.45	02(01,09)	23.71 ^c
Oklahoma	20.92	0.47	03(01,09)	23.57 ^c
West Virginia	20.87	0.63	04(01,11)	23.24 ^c
Arkansas	20.56	0.52	05(02,12)	21.41 ^c
Low Five States				
Massachusetts	14.33	0.29	47(40,50)	-15.38 ^c
Colorado	14.08	0.35	48(40,51)	-16.86 ^c
New Hampshire	13.89	0.63	49(34,51)	-17.98 ^c
Connecticut	13.35	0.38	50(45,51)	-21.17 ^c
Utah	13.08	0.50	51(44,51)	-22.75 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	19.83	0.41	08(02,14)	17.13 ^c	Montana	16.34	0.75	31(13,48)	-3.50
Alaska	17.13	1.25	24(04,49)	1.16	Nebraska	17.63	0.62	20(08,35)	4.14
Arizona	15.21	0.29	42(32,47)	-10.17 ^c	Nevada	19.39	0.54	09(02,20)	14.55 ^c
Arkansas	20.56	0.52	05(02,12)	21.41 ^c	New Hampshire	13.89	0.63	49(34,51)	-17.98 ^c
California	15.14	0.13	43(36,45)	-10.55 ^c	New Jersey	17.44	0.28	23(15,30)	2.99
Colorado	14.08	0.35	48(40,51)	-16.86 ^c	New Mexico	16.56	0.56	30(15,43)	-2.19
Connecticut	13.35	0.38	50(45,51)	-21.17 ^c	New York	15.70	0.18	37(30,43)	-7.25
Delaware	16.59	0.82	29(10,47)	-2.04	North Carolina	16.74	0.27	28(20,35)	-1.11
D.C.	18.01	1.19	17(02,46)	6.37	North Dakota	16.25	0.95	33(10,50)	-4.04
Florida	15.75	0.16	35(30,42)	-7.00	Ohio	18.86	0.25	12(08,17)	11.40 ^c
Georgia	19.13	0.31	10(06,16)	12.99 ^c	Oklahoma	20.92	0.47	03(01,09)	23.57 ^c
Hawaii	15.52	0.63	40(22,49)	-8.35	Oregon	15.73	0.39	36(26,46)	-7.12
Idaho	15.47	0.63	41(21,49)	-8.64	Pennsylvania	18.15	0.23	16(11,23)	7.22
Illinois	18.56	0.25	13(09,20)	9.63	Rhode Island	15.94	0.77	34(15,49)	-5.87
Indiana	18.23	0.34	14(09,25)	7.66	South Carolina	17.67	0.39	19(11,31)	4.34
Iowa	17.45	0.46	22(12,34)	3.05	South Dakota	20.12	0.96	07(01,24)	18.85 ^c
Kansas	17.52	0.50	21(10,34)	3.46	Tennessee	19.11	0.35	11(06,17)	12.90 ^c
Kentucky	20.24	0.44	06(02,12)	19.56 ^c	Texas	17.80	0.18	18(14,25)	5.16
Louisiana	20.94	0.45	02(01,09)	23.71 ^c	Utah	13.08	0.50	51(44,51)	-22.75 ^c
Maine	15.01	0.63	44(26,51)	-11.32 ^c	Vermont	16.27	0.98	32(10,50)	-3.89
Maryland	16.87	0.35	25(17,36)	-0.34	Virginia	16.77	0.30	27(20,36)	-0.98
Massachusetts	14.33	0.29	47(40,50)	-15.38 ^c	Washington	14.62	0.30	45(37,49)	-13.63 ^c
Michigan	16.82	0.26	26(20,34)	-0.67	West Virginia	20.87	0.63	04(01,11)	23.24 ^c
Minnesota	14.42	0.33	46(39,50)	-14.83 ^c	Wisconsin	15.58	0.33	38(28,46)	-8.00
Mississippi	23.14	0.58	01(01,02)	36.69 ^c	Wyoming	15.54	1.04	39(12,51)	-8.21
Missouri	18.15	0.34	15(10,25)	7.23					



- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 10% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.