

Table 7.13  
Cancer of the Corpus and Uterus, NOS (Invasive)

Age-Adjusted SEER Death Rates<sup>a</sup>  
By Registry, Race and Age

|  | All Races |          |          | Whites   |          |          | Blacks   |          |          |
|--|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
|  | All Ages  | Ages <50 | Ages 50+ | All Ages | Ages <50 | Ages 50+ | All Ages | Ages <50 | Ages 50+ |
| <u>SEER Death Rates<sup>a</sup>, 2012-2016</u> |           |          |          |          |          |          |          |          |          |
| California                                     | 4.74      | 0.45     | 15.97    | 4.77     | 0.47     | 16.04    | 8.44     | 0.52     | 29.19    |
| Greater Bay Area                               | 4.65      | 0.42     | 15.74    | 4.81     | 0.43     | 16.28    | 9.14     | -        | 31.40    |
| San Francisco-Oakland                          | 4.91      | 0.45     | 16.61    | 4.87     | 0.42     | 16.53    | 9.31     | -        | 31.70    |
| San Jose-Monterey                              | 4.14      | 0.36     | 14.02    | 4.70     | -        | 15.84    | -        | -        | -        |
| Los Angeles                                    | 5.12      | 0.56     | 17.06    | 4.96     | 0.55     | 16.51    | 8.97     | -        | 31.12    |
| Greater California                             | 4.60      | 0.41     | 15.55    | 4.68     | 0.44     | 15.78    | 7.36     | -        | 25.41    |
| Connecticut                                    | 4.34      | -        | 15.21    | 4.01     | -        | 14.05    | 8.42     | -        | 29.52    |
| Detroit  | 5.48      | 0.62     | 18.21    | 4.57     | 0.52     | 15.17    | 8.87     | 0.90     | 29.73    |
| Georgia  | 4.81      | 0.48     | 16.15    | 3.71     | 0.41     | 12.33    | 8.31     | 0.62     | 28.45    |
| Atlanta  | 5.36      | 0.46     | 18.20    | 3.91     | -        | 13.18    | 8.42     | 0.54     | 29.04    |
| Rural Georgia                                  | 5.17      | -        | 17.40    | -        | -        | -        | -        | -        | -        |
| Greater Georgia                                | 4.58      | 0.50     | 15.26    | 3.64     | 0.43     | 12.05    | 8.31     | 0.73     | 28.16    |
| Hawaii   | 4.31      | 0.87     | 13.31    | 4.19     | -        | 13.29    | -        | -        | -        |
| Idaho  | 4.82      | -        | 16.00    | 4.84     | -        | 15.98    | -        | -        | -        |
| Iowa   | 5.06      | 0.38     | 17.31    | 5.04     | 0.41     | 17.16    | -        | -        | -        |
| Kentucky                                       | 4.15      | 0.62     | 13.41    | 3.85     | 0.54     | 12.52    | 8.54     | -        | 27.70    |
| Louisiana                                      | 4.36      | 0.59     | 14.23    | 3.25     | 0.47     | 10.53    | 7.48     | 0.89     | 24.72    |
| Massachusetts                                  | 4.58      | 0.26     | 15.87    | 4.53     | 0.30     | 15.60    | 7.11     | -        | 25.22    |
| New Jersey                                     | 5.63      | 0.39     | 19.35    | 5.35     | 0.37     | 18.40    | 8.96     | 0.65     | 30.73    |
| New Mexico                                     | 4.04      | 0.72     | 12.75    | 3.81     | -        | 12.30    | -        | -        | -        |
| New York                                       | 5.81      | 0.38     | 20.04    | 5.30     | 0.35     | 18.24    | 9.75     | 0.54     | 33.88    |
| Seattle-Puget Sound                            | 4.58      | 0.38     | 15.58    | 4.73     | 0.37     | 16.16    | 6.21     | -        | 21.42    |
| Utah   | 4.29      | 0.44     | 14.37    | 4.22     | -        | 14.27    | -        | -        | -        |
| SEER 9 Areas <sup>b</sup>                      | 4.77      | 0.46     | 16.07    | 4.46     | 0.39     | 15.11    | 8.48     | 0.62     | 29.08    |
| SEER 13 Areas <sup>b</sup>                     | 4.80      | 0.48     | 16.12    | 4.57     | 0.43     | 15.39    | 8.55     | 0.59     | 29.42    |
| SEER 18 Areas <sup>b</sup>                     | 4.77      | 0.47     | 16.05    | 4.51     | 0.44     | 15.16    | 8.31     | 0.66     | 28.34    |
| SEER 21 Areas <sup>b</sup>                     | 4.95      | 0.44     | 16.77    | 4.65     | 0.42     | 15.75    | 8.66     | 0.61     | 29.72    |
| Total U.S.                                     | 4.74      | 0.45     | 15.98    | 4.37     | 0.43     | 14.71    | 8.45     | 0.60     | 29.01    |

<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta. The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia. The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

The SEER 21 areas comprise the SEER 18 areas plus Idaho, New York and Massachusetts.

- Statistic not shown. Rate based on less than 16 cases for the time interval.