


Table 15.26
Cancer of the Lung And Bronchus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2012-2016

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	34.36	0.06		
High Five States				
Kentucky	52.22	0.61	01(01,01)	51.96 ^c
West Virginia	45.05	0.83	02(02,06)	31.11 ^c
Oklahoma	43.39	0.61	03(02,08)	26.27 ^c
Missouri	43.18	0.47	04(02,08)	25.66 ^c
Arkansas	43.03	0.67	05(02,10)	25.23 ^c
Low Five States				
Colorado	26.86	0.44	47(46,49)	-21.84 ^c
California	26.49	0.16	48(47,49)	-22.93 ^c
New Mexico	25.79	0.63	49(47,50)	-24.94 ^c
Hawaii	23.79	0.72	50(49,50)	-30.78 ^c
Utah	15.65	0.50	51(51,51)	-54.47 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	37.72	0.49	19(15,24)	9.76	Montana	36.42	1.04	23(14,36)	5.99
Alaska	37.79	1.69	18(05,37)	9.99	Nebraska	34.31	0.78	30(22,39)	-0.15
Arizona	29.52	0.37	45(41,46)	-14.09 ^c	Nevada	39.84	0.72	14(07,19)	15.92 ^c
Arkansas	43.03	0.67	05(02,10)	25.23 ^c	New Hampshire	39.87	0.96	12(05,21)	16.01 ^c
California	26.49	0.16	48(47,49)	-22.93 ^c	New Jersey	31.81	0.33	38(37,43)	-7.42
Colorado	26.86	0.44	47(46,49)	-21.84 ^c	New Mexico	25.79	0.63	49(47,50)	-24.94 ^c
Connecticut	31.62	0.51	39(36,44)	-8.00	New York	31.37	0.22	40(38,44)	-8.71
Delaware	39.86	1.12	13(04,22)	16.01 ^c	North Carolina	36.55	0.34	22(18,27)	6.37
D.C.	30.05	1.31	44(32,48)	-12.55 ^c	North Dakota	31.29	1.21	41(29,46)	-8.94
Florida	33.35	0.21	36(32,38)	-2.95	Ohio	41.11	0.33	09(06,13)	19.63 ^c
Georgia	33.32	0.35	37(30,39)	-3.02	Oklahoma	43.39	0.61	03(02,08)	26.27 ^c
Hawaii	23.79	0.72	50(49,50)	-30.78 ^c	Oregon	36.22	0.53	24(18,31)	5.41
Idaho	30.35	0.81	43(37,46)	-11.66 ^c	Pennsylvania	35.60	0.28	26(22,31)	3.60
Illinois	37.34	0.31	20(17,24)	8.66	Rhode Island	40.45	1.07	10(03,20)	17.72 ^c
Indiana	41.54	0.45	08(05,13)	20.89 ^c	South Carolina	35.54	0.47	28(21,33)	3.41
Iowa	35.98	0.60	25(18,32)	4.71	South Dakota	33.97	1.14	34(20,43)	-1.15
Kansas	37.31	0.65	21(15,28)	8.58	Tennessee	42.66	0.45	06(03,09)	24.16 ^c
Kentucky	52.22	0.61	01(01,01)	51.96 ^c	Texas	29.46	0.21	46(42,46)	-14.28 ^c
Louisiana	39.16	0.53	16(10,20)	13.97 ^c	Utah	15.65	0.50	51(51,51)	-54.47 ^c
Maine	41.85	0.92	07(02,15)	21.80 ^c	Vermont	38.30	1.34	17(07,31)	11.47 ^c
Maryland	34.24	0.44	32(26,37)	-0.35	Virginia	34.00	0.37	33(28,37)	-1.05
Massachusetts	35.57	0.40	27(21,32)	3.52	Washington	34.27	0.41	31(27,37)	-0.28
Michigan	39.77	0.35	15(09,18)	15.73 ^c	West Virginia	45.05	0.83	02(02,06)	31.11 ^c
Minnesota	33.38	0.45	35(29,39)	-2.87	Wisconsin	34.94	0.44	29(23,35)	1.67
Mississippi	39.99	0.66	11(07,18)	16.37 ^c	Wyoming	31.04	1.39	42(28,46)	-9.68
Missouri	43.18	0.47	04(02,08)	25.66 ^c					



- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 5% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.