

Table 18.12  
Myeloma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,  
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and  
Lifetime Risk of Dying from Cancer Given Alive at Current Age  
Both Sexes, 2014-2016 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.82	0.42	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.55	0.28
	10	0.00	0.00	0.01	0.82	0.43		10	0.00	0.00	0.00	0.55	0.28
	20	0.00	0.01	0.04	0.83	0.43		20	0.00	0.00	0.02	0.55	0.28
	30	0.01	0.04	0.13	0.83	0.43		30	0.00	0.02	0.07	0.55	0.28
	40	0.03	0.13	0.31	0.84	0.44		40	0.02	0.06	0.19	0.55	0.28
	50	0.09	0.29	0.57	0.82	0.44		50	0.05	0.17	0.36	0.54	0.28
	60	0.20	0.50	0.72	0.77	0.45		60	0.13	0.32	0.47	0.51	0.28
	70	0.33	0.58	-	0.64	0.42		70	0.21	0.36	-	0.41	0.25
80	0.33	-	-	0.40	0.33	80	0.18	-	-	0.23	0.19		
White	0	0.00	0.00	0.00	0.75	0.40	American Indian/ Alaska Native <sup>a</sup>	0	0.00	0.00	0.00	0.57	0.36
	10	0.00	0.00	0.01	0.75	0.40		10	0.00	0.00	0.01	0.58	0.37
	20	0.00	0.01	0.03	0.76	0.40		20	0.00	0.01	0.04	0.58	0.37
	30	0.01	0.03	0.11	0.76	0.41		30	0.01	0.04	0.11	0.59	0.37
	40	0.03	0.11	0.28	0.77	0.41		40	0.03	0.10	0.20	0.59	0.39
	50	0.08	0.26	0.51	0.76	0.42		50	0.07	0.17	0.40	0.58	0.40
	60	0.18	0.45	0.67	0.71	0.42		60	0.11	0.36	0.52	0.55	0.41
	70	0.30	0.54	-	0.59	0.40		70	0.28	0.47	-	0.50	0.40
80	0.32	-	-	0.38	0.31	80	0.25	-	-	0.29	0.32		
Black	0	0.00	0.00	0.00	1.39	0.69	Hispanic <sup>b</sup>	0	0.00	0.00	0.00	0.86	0.42
	10	0.00	0.00	0.02	1.41	0.70		10	0.00	0.00	0.01	0.86	0.43
	20	0.00	0.02	0.09	1.42	0.71		20	0.00	0.01	0.04	0.87	0.43
	30	0.01	0.09	0.26	1.44	0.71		30	0.01	0.04	0.13	0.87	0.43
	40	0.07	0.25	0.61	1.45	0.73		40	0.03	0.12	0.31	0.87	0.43
	50	0.18	0.55	1.04	1.42	0.74		50	0.09	0.28	0.57	0.86	0.43
	60	0.40	0.93	1.27	1.35	0.75		60	0.20	0.50	0.75	0.80	0.43
	70	0.63	1.03	-	1.12	0.72		70	0.33	0.61	-	0.65	0.40
80	0.57	-	-	0.70	0.58	80	0.34	-	-	0.40	0.30		

Devcan 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts). Mortality data are from the NCHS public use data file for the total US.

<sup>a</sup> Underlying incidence and mortality data for American Indian/Alaska Native are based on the PRCDA (Purchased/Referred Care Delivery Areas) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.