

Table 18.13

## Myeloma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,  
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and  
Lifetime Risk of Dying from Cancer Given Alive at Current Age  
Males, 2014-2016 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.93	0.47	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.67	0.31
	10	0.00	0.00	0.01	0.94	0.48		10	0.00	0.00	0.00	0.67	0.32
	20	0.00	0.01	0.04	0.95	0.48		20	0.00	0.00	0.02	0.67	0.32
	30	0.01	0.04	0.15	0.96	0.49		30	0.00	0.02	0.08	0.68	0.32
	40	0.04	0.14	0.37	0.97	0.50		40	0.02	0.07	0.23	0.68	0.32
	50	0.11	0.34	0.67	0.96	0.50		50	0.06	0.21	0.45	0.67	0.32
	60	0.25	0.60	0.86	0.91	0.51		60	0.16	0.40	0.58	0.63	0.31
	70	0.41	0.71	-	0.77	0.49		70	0.26	0.46	-	0.51	0.28
80	0.42	-	-	0.51	0.40	80	0.24	-	-	0.31	0.22		
White	0	0.00	0.00	0.00	0.87	0.45	American Indian/ Alaska Native <sup>a</sup>	0	0.00	0.00	0.00	0.59	0.35
	10	0.00	0.00	0.01	0.88	0.46		10	0.00	0.00	0.02	0.60	0.36
	20	0.00	0.01	0.04	0.89	0.46		20	0.00	0.02	0.05	0.60	0.36
	30	0.01	0.04	0.13	0.90	0.47		30	0.02	0.05	0.13	0.62	0.37
	40	0.03	0.13	0.33	0.91	0.47		40	0.03	0.11	0.21	0.62	0.38
	50	0.10	0.31	0.62	0.90	0.48		50	0.08	0.18	0.40	0.61	0.40
	60	0.23	0.56	0.81	0.86	0.49		60	0.11	0.34	0.52	0.58	0.41
	70	0.38	0.68	-	0.73	0.47		70	0.27	0.48	-	0.55	0.43
80	0.41	-	-	0.49	0.39	80	0.29	-	-	0.38	0.37		
Black	0	0.00	0.00	0.00	1.46	0.70	Hispanic <sup>b</sup>	0	0.00	0.00	0.00	0.96	0.47
	10	0.00	0.00	0.02	1.49	0.72		10	0.00	0.00	0.01	0.96	0.48
	20	0.00	0.02	0.09	1.50	0.72		20	0.00	0.01	0.04	0.97	0.48
	30	0.02	0.09	0.28	1.52	0.74		30	0.01	0.04	0.14	0.98	0.49
	40	0.08	0.27	0.69	1.55	0.75		40	0.03	0.13	0.34	0.98	0.49
	50	0.20	0.64	1.15	1.54	0.77		50	0.10	0.32	0.65	0.97	0.50
	60	0.48	1.05	1.40	1.48	0.79		60	0.23	0.58	0.87	0.92	0.50
	70	0.71	1.15	-	1.25	0.78		70	0.40	0.73	-	0.78	0.47
80	0.68	-	-	0.82	0.66	80	0.43	-	-	0.50	0.37		

Devcan 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts). Mortality data are from the NCHS public use data file for the total US.

<sup>a</sup> Underlying incidence and mortality data for American Indian/Alaska Native are based on the PRCD (Purchased/Referred Care Delivery Areas) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.