



Table 18.20
Myeloma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2012-2016

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	2.66	0.02		
High Five States				
South Carolina	3.68	0.15	01(01,06)	37.99 ^c
Maryland	3.40	0.14	02(01,11)	27.49 ^c
North Carolina	3.30	0.10	03(01,11)	23.82 ^c
Mississippi	3.24	0.19	04(01,24)	21.57 ^c
D.C.	3.16	0.43	05(01,50)	18.66 ^c
Low Five States				
Arizona	2.22	0.10	47(33,51)	-16.51 ^c
Nebraska	2.21	0.19	48(16,51)	-17.20 ^c
Nevada	2.13	0.17	49(23,51)	-20.22 ^c
Wyoming	1.92	0.34	50(09,51)	-27.95 ^c
Hawaii	1.91	0.20	51(29,51)	-28.48 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	2.84	0.13	14(04,38)	6.57	Montana	2.36	0.27	44(04,51)	-11.52
Alaska	2.44	0.42	39(01,51)	-8.56	Nebraska	2.21	0.19	48(16,51)	-17.20 ^c
Arizona	2.22	0.10	47(33,51)	-16.51 ^c	Nevada	2.13	0.17	49(23,51)	-20.22 ^c
Arkansas	2.63	0.16	27(07,48)	-1.37	New Hampshire	2.38	0.23	41(07,51)	-10.80
California	2.36	0.05	43(34,48)	-11.27	New Jersey	2.56	0.09	33(15,46)	-3.86
Colorado	2.48	0.13	37(12,49)	-6.86	New Mexico	2.46	0.20	38(07,51)	-7.61
Connecticut	2.64	0.14	26(07,47)	-1.03	New York	2.55	0.06	35(19,43)	-4.43
Delaware	3.05	0.31	08(01,47)	14.55	North Carolina	3.30	0.10	03(01,11)	23.82 ^c
D.C.	3.16	0.43	05(01,50)	18.66 ^c	North Dakota	2.74	0.35	20(01,51)	2.65
Florida	2.38	0.06	42(30,48)	-10.85	Ohio	2.93	0.09	11(05,26)	9.77
Georgia	3.16	0.11	06(02,17)	18.56 ^c	Oklahoma	2.62	0.15	29(07,47)	-1.56
Hawaii	1.91	0.20	51(29,51)	-28.48 ^c	Oregon	2.75	0.15	19(05,44)	3.12
Idaho	2.78	0.25	16(02,49)	4.17	Pennsylvania	2.68	0.08	23(11,39)	0.47
Illinois	2.69	0.08	22(10,39)	0.97	Rhode Island	2.35	0.26	45(06,51)	-11.81
Indiana	2.66	0.11	25(09,44)	-0.28	South Carolina	3.68	0.15	01(01,06)	37.99 ^c
Iowa	2.77	0.16	17(04,44)	3.99	South Dakota	2.58	0.30	32(02,51)	-3.24
Kansas	2.95	0.18	10(02,40)	10.69	Tennessee	2.99	0.12	09(03,28)	12.12
Kentucky	2.42	0.13	40(16,50)	-9.19	Texas	2.56	0.06	34(18,43)	-4.07
Louisiana	3.12	0.15	07(01,25)	17.19 ^c	Utah	2.88	0.22	13(02,46)	8.22
Maine	2.62	0.22	30(04,50)	-1.75	Vermont	2.33	0.33	46(03,51)	-12.72
Maryland	3.40	0.14	02(01,11)	27.49 ^c	Virginia	2.73	0.11	21(08,40)	2.34
Massachusetts	2.53	0.10	36(14,47)	-5.12	Washington	2.59	0.11	31(11,46)	-2.99
Michigan	2.89	0.09	12(05,30)	8.43	West Virginia	2.78	0.20	15(03,47)	4.38
Minnesota	2.68	0.13	24(08,45)	0.41	Wisconsin	2.75	0.12	18(06,41)	3.16
Mississippi	3.24	0.19	04(01,24)	21.57 ^c	Wyoming	1.92	0.34	50(09,51)	-27.95 ^c
Missouri	2.62	0.11	28(10,45)	-1.56					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.