

Table 19.16
Non-Hodgkin Lymphoma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Both Sexes, 2014-2016 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.01	0.03	0.06	2.17	0.72	Asian/ Pacific Islander	0	0.01	0.03	0.05	1.83	0.72
	10	0.02	0.05	0.11	2.18	0.73		10	0.02	0.04	0.09	1.84	0.73
	20	0.03	0.09	0.21	2.17	0.73		20	0.03	0.07	0.15	1.82	0.73
	30	0.06	0.18	0.42	2.16	0.73		30	0.05	0.13	0.29	1.80	0.73
	40	0.12	0.37	0.82	2.13	0.74		40	0.08	0.24	0.57	1.76	0.73
	50	0.25	0.72	1.39	2.06	0.74		50	0.17	0.49	1.01	1.70	0.73
	60	0.49	1.20	1.77	1.91	0.75		60	0.34	0.87	1.39	1.58	0.72
	70	0.80	1.44	-	1.60	0.72		70	0.56	1.12	-	1.33	0.68
80	0.85	-	-	1.06	0.62	80	0.66	-	-	0.91	0.56		
White	0	0.01	0.03	0.06	2.27	0.75	American Indian/ Alaska Native ^a	0	0.01	0.02	0.03	1.16	0.49
	10	0.02	0.05	0.11	2.28	0.76		10	0.02	0.02	0.05	1.17	0.50
	20	0.03	0.09	0.21	2.27	0.76		20	0.01	0.03	0.08	1.16	0.50
	30	0.06	0.18	0.43	2.26	0.77		30	0.03	0.07	0.22	1.17	0.51
	40	0.12	0.38	0.85	2.23	0.77		40	0.04	0.19	0.41	1.17	0.52
	50	0.26	0.75	1.47	2.17	0.78		50	0.16	0.38	0.78	1.18	0.53
	60	0.52	1.27	1.87	2.01	0.78		60	0.24	0.67	1.05	1.09	0.55
	70	0.85	1.53	-	1.69	0.76		70	0.48	0.91	-	0.96	0.55
80	0.90	-	-	1.11	0.65	80	0.57	-	-	0.64	0.43		
Black	0	0.01	0.02	0.06	1.38	0.42	Hispanic ^b	0	0.01	0.02	0.05	2.22	0.73
	10	0.02	0.05	0.11	1.40	0.43		10	0.01	0.04	0.09	2.23	0.74
	20	0.03	0.10	0.22	1.39	0.43		20	0.03	0.08	0.19	2.22	0.74
	30	0.06	0.19	0.41	1.37	0.43		30	0.05	0.16	0.40	2.21	0.74
	40	0.13	0.35	0.68	1.33	0.43		40	0.11	0.35	0.78	2.18	0.74
	50	0.23	0.57	0.93	1.25	0.43		50	0.24	0.68	1.33	2.11	0.74
	60	0.37	0.76	1.02	1.10	0.42		60	0.46	1.14	1.73	1.95	0.74
	70	0.47	0.78	-	0.87	0.38		70	0.75	1.40	-	1.64	0.70
80	0.44	-	-	0.57	0.32	80	0.81	-	-	1.12	0.57		

Devcan 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the PRCDA (Purchased/Referred Care Delivery Areas) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.