

Table 19.17  
Non-Hodgkin Lymphoma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,  
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and  
Lifetime Risk of Dying from Cancer Given Alive at Current Age  
Males, 2014-2016 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.01	0.04	0.07	2.43	0.81	Asian/ Pacific Islander	0	0.01	0.03	0.06	2.13	0.85
	10	0.02	0.06	0.13	2.44	0.82		10	0.02	0.05	0.11	2.13	0.86
	20	0.04	0.10	0.24	2.43	0.82		20	0.03	0.09	0.18	2.11	0.86
	30	0.07	0.21	0.49	2.43	0.83		30	0.06	0.15	0.34	2.10	0.86
	40	0.14	0.42	0.94	2.40	0.84		40	0.09	0.28	0.67	2.05	0.86
	50	0.29	0.82	1.58	2.33	0.85		50	0.19	0.59	1.17	1.99	0.86
	60	0.57	1.39	2.03	2.19	0.86		60	0.41	1.01	1.61	1.87	0.85
	70	0.95	1.70	-	1.88	0.84		70	0.66	1.31	-	1.59	0.82
80	1.05	-	-	1.30	0.73	80	0.80	-	-	1.14	0.69		
White	0	0.01	0.04	0.07	2.54	0.85	American Indian/ Alaska Native <sup>a</sup>	0	0.01	0.03	0.04	1.04	0.57
	10	0.02	0.06	0.13	2.55	0.86		10	0.02	0.03	0.06	1.05	0.58
	20	0.04	0.10	0.24	2.54	0.86		20	0.01	0.04	0.08	1.03	0.58
	30	0.07	0.20	0.49	2.53	0.87		30	0.03	0.08	0.21	1.04	0.59
	40	0.14	0.43	0.97	2.51	0.88		40	0.05	0.18	0.38	1.05	0.60
	50	0.30	0.86	1.67	2.44	0.89		50	0.14	0.35	0.71	1.05	0.62
	60	0.59	1.47	2.15	2.30	0.90		60	0.23	0.62	0.94	0.99	0.65
	70	1.01	1.80	-	1.98	0.88		70	0.46	0.84	-	0.90	0.66
80	1.12	-	-	1.36	0.76	80	0.53	-	-	0.61	0.53		
Black	0	0.01	0.03	0.07	1.52	0.46	Hispanic <sup>b</sup>	0	0.01	0.03	0.05	2.38	0.83
	10	0.02	0.06	0.14	1.54	0.47		10	0.02	0.05	0.11	2.39	0.84
	20	0.04	0.12	0.27	1.53	0.47		20	0.03	0.09	0.21	2.38	0.84
	30	0.08	0.23	0.48	1.52	0.47		30	0.06	0.18	0.43	2.38	0.84
	40	0.16	0.42	0.79	1.48	0.47		40	0.12	0.37	0.83	2.35	0.85
	50	0.27	0.66	1.05	1.38	0.47		50	0.26	0.73	1.45	2.28	0.85
	60	0.43	0.87	1.14	1.23	0.45		60	0.50	1.26	1.89	2.14	0.85
	70	0.54	0.88	-	0.99	0.42		70	0.86	1.57	-	1.85	0.81
80	0.53	-	-	0.70	0.36	80	0.94	-	-	1.31	0.66		

Devcan 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts). Mortality data are from the NCHS public use data file for the total US.

<sup>a</sup> Underlying incidence and mortality data for American Indian/Alaska Native are based on the PRCD (Purchased/Referred Care Delivery Areas) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.