

Table 19.20
Non-Hodgkin Lymphoma

Age-Adjusted SEER Incidence Rates^a
By Registry, Race and Sex

	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<u>SEER Incidence Rates^a, 2012-2016</u>									
California	18.44	22.41	15.15	19.38	23.49	15.91	13.90	16.39	11.82
Greater Bay Area	19.57	23.81	16.00	21.44	26.01	17.55	16.28	18.28	14.36
San Francisco-Oakland	19.56	24.21	15.70	21.74	26.60	17.65	16.03	18.16	14.08
San Jose-Monterey	19.62	23.11	16.60	20.97	25.03	17.42	18.00	18.91	16.46
Los Angeles	18.04	21.76	15.05	19.51	23.31	16.37	13.57	16.59	11.39
Greater California	18.22	22.20	14.89	18.76	22.86	15.29	13.14	15.34	11.13
Connecticut	21.16	26.07	17.33	21.54	26.42	17.71	13.86	18.29	10.51
Detroit	21.32	26.36	17.42	22.90	28.50	18.47	16.20	19.05	14.09
Georgia	18.26	22.44	14.87	19.36	23.46	15.88	14.62	18.33	11.87
Atlanta	19.25	23.81	15.55	21.19	25.67	17.36	16.01	20.34	12.72
Rural Georgia	15.84	17.90	14.01	19.53	22.98	15.67	8.07	-	9.88
Greater Georgia	17.84	21.86	14.59	18.72	22.74	15.37	13.80	17.03	11.46
Hawaii	16.60	20.24	13.49	19.58	22.75	15.93	-	-	-
Idaho	19.22	22.67	16.16	19.20	22.62	16.18	-	-	-
Iowa	21.34	26.01	17.56	21.48	26.12	17.73	13.52	16.02	11.00
Kentucky	20.39	25.05	16.66	20.70	25.38	16.93	14.03	17.88	11.12
Louisiana	19.44	23.52	16.14	21.06	25.37	17.44	14.69	17.69	12.37
Massachusetts	18.10	21.81	15.18	18.30	22.14	15.24	14.52	16.55	12.99
New Jersey	21.55	26.07	18.04	22.85	27.65	19.05	13.87	16.21	12.22
New Mexico	15.50	17.39	13.87	15.80	17.98	13.94	8.75	-	-
New York	21.52	26.20	17.88	23.06	27.92	19.15	15.45	18.52	13.33
Seattle-Puget Sound	21.16	26.27	16.95	21.77	26.67	17.66	16.31	19.73	13.16
Utah	18.43	22.33	14.98	18.62	22.58	15.13	20.89	-	-
SEER 9 Areas ^b	19.92	24.44	16.23	20.95	25.51	17.16	15.73	19.14	12.98
SEER 13 Areas ^b	19.46	23.73	15.97	20.64	25.02	17.00	15.19	18.53	12.58
SEER 18 Areas ^b	19.33	23.54	15.90	20.31	24.64	16.71	14.49	17.51	12.14
SEER 21 Areas ^b	19.63	23.88	16.20	20.61	24.98	17.02	14.71	17.71	12.45

^a Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130)

^b The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia.

The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

The SEER 21 areas comprise the SEER 18 areas plus Idaho, New York and Massachusetts.

- Statistic not shown. Rate based on less than 16 cases for the time interval.