


Table 20.26
Cancer of the Oral Cavity and Pharynx (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2012-2016


Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	1.34	0.01		
High Five States				
Vermont	1.84	0.29	01(01,47)	37.33 ^c
Oregon	1.75	0.12	02(01,22)	30.46 ^c
North Dakota	1.72	0.29	03(01,50)	28.51 ^c
Kentucky	1.69	0.11	04(01,25)	26.10 ^c
Hawaii	1.66	0.19	05(01,43)	23.71 ^c
Low Five States				
Rhode Island	1.12	0.17	47(05,51)	-16.30 ^c
New Jersey	1.06	0.06	48(36,51)	-21.15 ^c
Arizona	1.04	0.07	49(34,51)	-22.53 ^c
Utah	0.99	0.13	50(23,51)	-26.10 ^c
Connecticut	0.93	0.09	51(38,51)	-30.69 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	1.34	0.09	30(07,46)	-0.30	Montana	1.15	0.18	43(04,51)	-14.03
Alaska	1.20	0.30	40(01,51)	-10.78	Nebraska	1.37	0.15	26(01,50)	2.32
Arizona	1.04	0.07	49(34,51)	-22.53 ^c	Nevada	1.38	0.13	23(02,49)	3.10
Arkansas	1.66	0.14	06(01,35)	23.51 ^c	New Hampshire	1.30	0.18	32(02,51)	-2.77
California	1.33	0.04	31(16,39)	-0.49	New Jersey	1.06	0.06	48(36,51)	-21.15 ^c
Colorado	1.15	0.09	42(17,51)	-13.94	New Mexico	1.26	0.14	37(05,51)	-6.37
Connecticut	0.93	0.09	51(38,51)	-30.69 ^c	New York	1.15	0.04	44(33,49)	-14.36
Delaware	1.58	0.23	08(01,50)	18.00 ^c	North Carolina	1.40	0.07	20(07,40)	4.44
D.C.	1.49	0.29	14(01,51)	10.95	North Dakota	1.72	0.29	03(01,50)	28.51 ^c
Florida	1.38	0.04	24(12,38)	2.54	Ohio	1.40	0.06	22(08,39)	4.17
Georgia	1.59	0.08	07(01,26)	18.48 ^c	Oklahoma	1.34	0.10	28(05,48)	-0.23
Hawaii	1.66	0.19	05(01,43)	23.71 ^c	Oregon	1.75	0.12	02(01,22)	30.46 ^c
Idaho	1.40	0.18	21(01,50)	4.18	Pennsylvania	1.16	0.05	41(29,49)	-13.36
Illinois	1.49	0.06	13(04,31)	11.28	Rhode Island	1.12	0.17	47(05,51)	-16.30 ^c
Indiana	1.28	0.08	36(13,47)	-4.83	South Carolina	1.55	0.10	11(01,37)	15.64 ^c
Iowa	1.13	0.10	45(18,51)	-15.58 ^c	South Dakota	1.20	0.22	39(01,51)	-10.54
Kansas	1.22	0.12	38(09,51)	-9.27	Tennessee	1.46	0.08	17(03,38)	9.04
Kentucky	1.69	0.11	04(01,25)	26.10 ^c	Texas	1.30	0.04	33(17,42)	-3.00
Louisiana	1.49	0.10	15(02,41)	10.76	Utah	0.99	0.13	50(23,51)	-26.10 ^c
Maine	1.44	0.17	18(01,49)	7.13	Vermont	1.84	0.29	01(01,47)	37.33 ^c
Maryland	1.34	0.09	27(08,45)	0.07	Virginia	1.37	0.07	25(08,42)	2.40
Massachusetts	1.30	0.08	34(11,46)	-3.01	Washington	1.57	0.09	09(01,32)	17.22 ^c
Michigan	1.47	0.07	16(05,36)	9.34	West Virginia	1.56	0.15	10(01,43)	16.36 ^c
Minnesota	1.34	0.09	29(08,46)	-0.30	Wisconsin	1.29	0.08	35(11,48)	-3.99
Mississippi	1.53	0.13	12(01,41)	13.98	Wyoming	1.13	0.27	46(01,51)	-15.84 ^c
Missouri	1.41	0.08	19(05,42)	4.94					



Age-Adjusted Death
Rates per 100,000
Quantile Interval



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.