

Table 22.21  
Cancer of the Pancreas (Invasive)

Estimated United States Cancer Prevalence Counts<sup>a</sup> on January 1, 2016  
By Race/Ethnicity, Sex and Years Since Diagnosis

Years Since Diagnosis		0 to <5	5 to <10	10 to <15	15 to <20	20 to <24	0 to <24 <sup>b</sup>	>=24 <sup>d</sup>	Complete <sup>e</sup>
Race	Sex								
All Races	Both Sexes	53,929	10,127	4,024	1,824	832	70,735	2,819	73,554
	Males	27,124	5,187	1,759	810	208	35,088	1,330	36,418
	Females	26,805	4,940	2,265	1,014	623	35,647	1,489	37,136
White	Both Sexes	44,556	8,296	3,377	1,411	655	58,294	2,308	61,221
	Males	22,760	4,311	1,562	690	172	29,495	1,163	31,041
	Females	21,796	3,985	1,814	721	482	28,799	1,145	30,180
Black	Both Sexes	6,478	1,238	411	260	89	8,476	881	9,358
	Males	2,875	583	108	76	0	3,642	406	4,048
	Females	3,602	655	303	185	89	4,834	475	5,309
Asian/ Pacific Islander	Both Sexes	2,167	415	185	87	34	2,889	+	+
	Males	1,038	200	67	24	10	1,339	+	+
	Females	1,129	215	118	63	25	1,550	+	+
Hispanic	Both Sexes	4,279	724	362	177	96	5,638	+	+
	Males	1,873	332	121	67	6	2,400	+	+
	Females	2,406	392	241	110	89	3,238	+	+

Estimated prevalence percent<sup>a</sup> on January 1, 2016, of the SEER population diagnosed in the previous 24 years  
By Age at Prevalence, Race/Ethnicity and Sex

Age at Prevalence		All Ages	0-9	10-19	20-29	Age Specific (Crude)					Age-Adjusted <sup>c</sup>	
Race	Sex											
All Races	Both Sexes	0.0220	0.0000	0.0003	0.0010	0.0029	0.0095	0.0272	0.0613	0.0992	0.0938	0.0186
	Males	0.0221	0.0000	0.0003	0.0005	0.0025	0.0085	0.0269	0.0682	0.1132	0.1093	0.0201
	Females	0.0218	0.0001	0.0003	0.0015	0.0034	0.0105	0.0274	0.0551	0.0876	0.0842	0.0174
White	Both Sexes	0.0231	0.0001	0.0003	0.0011	0.0029	0.0091	0.0257	0.0604	0.1002	0.0940	0.0184
	Males	0.0236	0.0001	0.0002	0.0006	0.0025	0.0081	0.0261	0.0674	0.1148	0.1103	0.0200
	Females	0.0226	0.0001	0.0003	0.0016	0.0034	0.0101	0.0253	0.0539	0.0878	0.0838	0.0171
Black	Both Sexes	0.0188	-	0.0003	0.0007	0.0024	0.0123	0.0374	0.0721	0.0961	0.0891	0.0204
	Males	0.0168	-	0.0003	0.0005	0.0017	0.0105	0.0331	0.0791	0.0999	0.0904	0.0203
	Females	0.0206	-	0.0003	0.0009	0.0030	0.0139	0.0412	0.0666	0.0934	0.0885	0.0206
Asian/ Pacific Islander	Both Sexes	0.0142	-	-	0.0008	0.0037	0.0077	0.0209	0.0502	0.0759	0.0791	0.0151
	Males	0.0137	-	-	-	0.0036	0.0083	0.0194	0.0512	0.0906	0.0812	0.0159
	Females	0.0146	-	-	0.0013	0.0038	0.0072	0.0221	0.0494	0.0642	0.0777	0.0144
Hispanic	Both Sexes	0.0099	0.0001	0.0003	0.0011	0.0027	0.0076	0.0203	0.0467	0.0812	0.0836	0.0151
	Males	0.0083	-	0.0004	0.0003	0.0014	0.0057	0.0177	0.0449	0.0958	0.0717	0.0147
	Females	0.0115	0.0001	0.0003	0.0020	0.0041	0.0095	0.0229	0.0482	0.0700	0.0909	0.0157

<sup>a</sup> US 2016 cancer prevalence counts are based on 2016 cancer prevalence proportions from the SEER 13 Areas (excluding the Alaska Native Registry) and 1/1/2016 US population estimates based on the average of 2015 and 2016 population estimates from the US Bureau of the Census.

<sup>b</sup> Prevalence was calculated using the first invasive tumor for each cancer site diagnosed during the previous 24 years. Maximum limited-duration prevalence is 24 years for 1992-2016 data.

<sup>c</sup> Percentages are age-adjusted to the 2000 US Standard Population (19 age groups - Census P25-1130) by 5-year age groups.

<sup>d</sup> Cases diagnosed more than 24 years ago were estimated using the completeness index method (Capocaccia et. al. 1997, Merrill et. al. 2000).

<sup>e</sup> Complete prevalence is obtained by summing 0 to <24 and >=24.

- Statistic not shown. Statistic based on fewer than 5 cases estimated alive in SEER for the time interval.

+ Not available.