


Table 23.14
Cancer of the Prostate (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2012-2016

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	19.25	0.05		
High Five States				
D.C.	29.94	1.61	01(01,02)	55.57 ^c
Mississippi	24.80	0.64	02(01,03)	28.88 ^c
Idaho	23.39	0.80	03(02,10)	21.54 ^c
Georgia	22.22	0.36	04(03,10)	15.45 ^c
South Carolina	22.20	0.46	05(03,12)	15.38 ^c
Low Five States				
Connecticut	17.45	0.44	47(34,50)	-9.30
West Virginia	17.35	0.59	48(30,50)	-9.84
Florida	16.79	0.16	49(44,50)	-12.76 ^c
Wyoming	16.57	1.13	50(20,51)	-13.89 ^c
Hawaii	13.72	0.60	51(50,51)	-28.71 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	21.74	0.46	06(03,16)	12.95 ^c	Montana	21.20	0.88	08(03,36)	10.15 ^c
Alaska	18.19	1.41	38(04,50)	-5.49	Nebraska	18.94	0.65	34(10,48)	-1.58
Arizona	17.89	0.32	42(33,49)	-7.07	Nevada	20.22	0.59	16(05,38)	5.04
Arkansas	19.37	0.53	29(10,44)	0.67	New Hampshire	19.20	0.77	31(08,49)	-0.25
California	19.76	0.16	25(16,31)	2.69	New Jersey	18.01	0.30	40(33,48)	-6.41
Colorado	21.55	0.46	07(03,19)	11.99 ^c	New Mexico	19.89	0.64	21(06,41)	3.37
Connecticut	17.45	0.44	47(34,50)	-9.30	New York	18.09	0.20	39(34,47)	-5.99
Delaware	17.48	0.87	46(19,50)	-9.19	North Carolina	20.31	0.31	14(08,30)	5.56
D.C.	29.94	1.61	01(01,02)	55.57 ^c	North Dakota	17.83	0.98	43(10,50)	-7.36
Florida	16.79	0.16	49(44,50)	-12.76 ^c	Ohio	19.02	0.26	32(23,39)	-1.15
Georgia	22.22	0.36	04(03,10)	15.45 ^c	Oklahoma	20.48	0.49	13(05,32)	6.40
Hawaii	13.72	0.60	51(50,51)	-28.71 ^c	Oregon	21.00	0.46	10(04,26)	9.12
Idaho	23.39	0.80	03(02,10)	21.54 ^c	Pennsylvania	18.92	0.23	35(25,40)	-1.70
Illinois	20.22	0.27	15(09,29)	5.07	Rhode Island	17.63	0.81	45(18,50)	-8.37
Indiana	19.95	0.37	20(09,35)	3.67	South Carolina	22.20	0.46	05(03,12)	15.38 ^c
Iowa	19.66	0.49	26(09,40)	2.15	South Dakota	19.63	0.96	28(04,48)	1.99
Kansas	18.42	0.52	37(19,49)	-4.28	Tennessee	19.84	0.38	24(10,36)	3.07
Kentucky	19.88	0.46	22(08,37)	3.28	Texas	17.89	0.20	41(36,48)	-7.03
Louisiana	21.00	0.47	09(04,28)	9.14	Utah	20.56	0.66	12(04,37)	6.83
Maine	20.13	0.74	19(05,41)	4.60	Vermont	19.36	1.10	30(04,50)	0.60
Maryland	20.16	0.40	17(08,33)	4.73	Virginia	19.87	0.34	23(10,34)	3.25
Massachusetts	18.58	0.34	36(25,46)	-3.43	Washington	20.13	0.36	18(08,32)	4.62
Michigan	19.00	0.28	33(22,40)	-1.28	West Virginia	17.35	0.59	48(30,50)	-9.84
Minnesota	19.63	0.39	27(11,38)	1.99	Wisconsin	20.74	0.39	11(06,27)	7.79
Mississippi	24.80	0.64	02(01,03)	28.88 ^c	Wyoming	16.57	1.13	50(20,51)	-13.89 ^c
Missouri	17.80	0.35	44(33,49)	-7.51					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 10% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.