

Table 26.12
Cancer of the Thyroid (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Both Sexes, 2014-2016 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.03	0.12	1.31	0.06	Asian/ Pacific Islander	0	0.00	0.02	0.11	1.39	0.11
	10	0.02	0.12	0.32	1.33	0.07		10	0.02	0.11	0.30	1.40	0.11
	20	0.10	0.29	0.54	1.31	0.07		20	0.09	0.28	0.52	1.38	0.11
	30	0.20	0.44	0.70	1.22	0.07		30	0.19	0.44	0.71	1.30	0.11
	40	0.25	0.51	0.77	1.04	0.07		40	0.25	0.53	0.80	1.12	0.11
	50	0.27	0.53	0.72	0.81	0.07		50	0.28	0.56	0.75	0.88	0.11
	60	0.28	0.48	0.55	0.57	0.07		60	0.29	0.49	0.58	0.62	0.11
	70	0.23	0.31	-	0.33	0.06		70	0.21	0.31	-	0.35	0.10
White	80	0.12	-	-	0.14	0.05	American Indian/ Alaska Native ^a	80	0.12	-	-	0.16	0.08
	0	0.00	0.03	0.14	1.37	0.06		0	0.00	0.01	0.08	0.76	0.04
	10	0.03	0.14	0.34	1.38	0.07		10	0.01	0.08	0.19	0.77	0.04
	20	0.11	0.32	0.57	1.36	0.07		20	0.06	0.18	0.28	0.76	0.04
	30	0.21	0.46	0.73	1.26	0.07		30	0.12	0.22	0.36	0.71	0.04
	40	0.26	0.53	0.79	1.07	0.07		40	0.11	0.24	0.41	0.60	0.04
	50	0.28	0.55	0.74	0.83	0.07		50	0.15	0.32	0.43	0.52	0.04
	60	0.28	0.49	0.57	0.58	0.06		60	0.18	0.30	0.40	0.40	0.04
Black	70	0.23	0.32	-	0.33	0.06	Hispanic ^b	70	0.14	0.24	-	0.25	0.03
	80	0.12	-	-	0.13	0.05		80	0.14	-	-	0.15	0.02
	0	0.00	0.01	0.04	0.80	0.06		0	0.00	0.02	0.11	1.25	0.11
	10	0.01	0.04	0.14	0.82	0.06		10	0.02	0.11	0.26	1.26	0.11
	20	0.04	0.13	0.28	0.81	0.06		20	0.08	0.24	0.45	1.24	0.11
	30	0.10	0.25	0.42	0.79	0.06		30	0.16	0.37	0.62	1.17	0.11
	40	0.15	0.33	0.50	0.70	0.06		40	0.22	0.47	0.72	1.02	0.11
	50	0.18	0.36	0.49	0.57	0.06		50	0.26	0.51	0.72	0.82	0.11
	60	0.20	0.34	0.40	0.42	0.06		60	0.27	0.48	0.57	0.59	0.11
	70	0.17	0.24	-	0.26	0.06		70	0.23	0.33	-	0.35	0.10
	80	0.10	-	-	0.13	0.05		80	0.12	-	-	0.15	0.08

Devcan 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the PRCDA (Purchased/Referred Care Delivery Areas) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.