

Table 26.14
Cancer of the Thyroid (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Females, 2014-2016 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.04	0.21	1.93	0.07	Asian/ Pacific Islander	0	0.00	0.04	0.18	1.99	0.13
	10	0.04	0.21	0.52	1.95	0.07		10	0.04	0.18	0.47	2.00	0.13
	20	0.17	0.48	0.86	1.91	0.07		20	0.14	0.43	0.79	1.97	0.13
	30	0.32	0.70	1.08	1.76	0.07		30	0.29	0.65	1.05	1.83	0.13
	40	0.39	0.77	1.12	1.46	0.07		40	0.37	0.77	1.15	1.55	0.13
	50	0.40	0.75	0.99	1.09	0.07		50	0.41	0.79	1.04	1.20	0.13
	60	0.37	0.62	0.71	0.73	0.07		60	0.39	0.65	0.76	0.81	0.13
	70	0.28	0.38	-	0.40	0.06		70	0.27	0.39	-	0.44	0.12
White	80	0.13	-	-	0.15	0.05	American Indian/ Alaska Native ^a	80	0.13	-	-	0.19	0.10
	0	0.00	0.05	0.23	2.02	0.07		0	0.00	0.02	0.13	1.16	0.03
	10	0.05	0.23	0.57	2.03	0.07		10	0.02	0.12	0.33	1.17	0.03
	20	0.19	0.53	0.93	1.99	0.07		20	0.11	0.32	0.48	1.16	0.03
	30	0.34	0.74	1.14	1.82	0.07		30	0.21	0.38	0.59	1.06	0.03
	40	0.41	0.81	1.15	1.49	0.07		40	0.17	0.39	0.62	0.87	0.04
	50	0.41	0.76	1.01	1.11	0.07		50	0.22	0.47	0.60	0.72	0.04
	60	0.37	0.63	0.72	0.73	0.07		60	0.25	0.40	0.52	0.52	0.03
Black	70	0.28	0.38	-	0.40	0.06	Hispanic ^b	70	0.16	0.29	-	0.30	0.02
	80	0.13	-	-	0.15	0.05		80	0.17	-	-	0.18	0.01
	0	0.00	0.01	0.08	1.23	0.08		0	0.00	0.04	0.19	1.95	0.13
	10	0.01	0.08	0.24	1.25	0.08		10	0.04	0.19	0.46	1.96	0.13
	20	0.06	0.22	0.46	1.24	0.08		20	0.15	0.42	0.78	1.93	0.13
	30	0.16	0.40	0.66	1.19	0.08		30	0.27	0.63	1.03	1.79	0.13
	40	0.24	0.51	0.76	1.04	0.08		40	0.36	0.76	1.13	1.53	0.13
	50	0.27	0.53	0.71	0.82	0.08		50	0.41	0.78	1.05	1.18	0.13
	60	0.28	0.47	0.56	0.59	0.08		60	0.39	0.67	0.78	0.80	0.13
	70	0.22	0.31	-	0.35	0.07		70	0.30	0.42	-	0.45	0.12
	80	0.13	-	-	0.17	0.06		80	0.14	-	-	0.17	0.10

Devcan 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the PRCDA (Purchased/Referred Care Delivery Areas) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.