


Table 26.19
Cancer of the Thyroid (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2012-2016


Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.52	0.01		
High Five States				
Utah	0.84	0.13	01(01,31)	60.20 ^c
Rhode Island	0.76	0.17	02(01,42)	44.42 ^c
Idaho	0.72	0.13	03(01,41)	36.98 ^c
Oregon	0.69	0.08	04(01,31)	31.38 ^c
New Mexico	0.65	0.11	05(01,42)	23.97 ^c
Low Five States				
Mississippi	0.41	0.08	39(05,43)	-21.45 ^c
Alabama	0.41	0.06	40(11,43)	-21.67 ^c
Maine	0.40	0.10	41(03,43)	-22.67 ^c
Connecticut	0.39	0.06	42(10,43)	-24.65 ^c
West Virginia	0.35	0.09	43(08,43)	-32.39 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.41	0.06	40(11,43)	-21.67 ^c	Montana	0.53	0.13	18(01,43)	2.07
Alaska	-	-	-(-,-)	-	Nebraska	0.52	0.10	24(01,43)	-1.05
Arizona	0.57	0.06	12(02,38)	9.05	Nevada	0.49	0.08	27(02,43)	-6.06
Arkansas	0.54	0.09	16(02,43)	3.71	New Hampshire	-	-	-(-,-)	-
California	0.61	0.03	09(03,22)	15.83 ^c	New Jersey	0.53	0.05	21(04,40)	0.65
Colorado	0.62	0.08	06(01,38)	18.69 ^c	New Mexico	0.65	0.11	05(01,42)	23.97 ^c
Connecticut	0.39	0.06	42(10,43)	-24.65 ^c	New York	0.50	0.03	26(11,39)	-4.95
Delaware	-	-	-(-,-)	-	North Carolina	0.54	0.05	17(04,39)	2.59
D.C.	-	-	-(-,-)	-	North Dakota	-	-	-(-,-)	-
Florida	0.44	0.03	34(21,42)	-15.78 ^c	Ohio	0.48	0.04	32(09,41)	-8.81
Georgia	0.43	0.05	37(13,43)	-17.54 ^c	Oklahoma	0.44	0.07	35(06,43)	-16.85 ^c
Hawaii	0.62	0.13	08(01,43)	17.53 ^c	Oregon	0.69	0.08	04(01,31)	31.38 ^c
Idaho	0.72	0.13	03(01,41)	36.98 ^c	Pennsylvania	0.53	0.04	19(05,37)	1.74
Illinois	0.51	0.04	25(06,40)	-3.13	Rhode Island	0.76	0.17	02(01,42)	44.42 ^c
Indiana	0.52	0.06	23(03,41)	-0.40	South Carolina	0.58	0.07	11(02,40)	10.25
Iowa	0.49	0.08	29(03,43)	-6.44	South Dakota	-	-	-(-,-)	-
Kansas	0.45	0.08	33(04,43)	-14.14	Tennessee	0.48	0.06	30(05,43)	-8.16
Kentucky	0.49	0.07	28(04,43)	-6.40	Texas	0.56	0.03	14(04,31)	7.82
Louisiana	0.43	0.07	36(06,43)	-16.96 ^c	Utah	0.84	0.13	01(01,31)	60.20 ^c
Maine	0.40	0.10	41(03,43)	-22.67 ^c	Vermont	-	-	-(-,-)	-
Maryland	0.41	0.05	38(12,43)	-20.96 ^c	Virginia	0.48	0.05	31(06,42)	-8.66
Massachusetts	0.62	0.06	07(01,32)	18.62 ^c	Washington	0.55	0.06	15(03,40)	5.28
Michigan	0.53	0.05	22(04,40)	0.48	West Virginia	0.35	0.09	43(08,43)	-32.39 ^c
Minnesota	0.59	0.07	10(02,38)	13.11	Wisconsin	0.57	0.06	13(02,39)	7.98
Mississippi	0.41	0.08	39(05,43)	-21.45 ^c	Wyoming	-	-	-(-,-)	-
Missouri	0.53	0.06	20(03,41)	1.05					



Age-Adjusted Death
Rates per 100,000
Quantile Interval



U.S. rate: 0.52

- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.