



Table 2.19  
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates by State, All Races, 2013-2017

Males

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	189.46	0.15		
High Five States				
Mississippi	240.48	1.86	01(01,02)	26.93 <sup>c</sup>
Kentucky	239.64	1.49	02(01,02)	26.49 <sup>c</sup>
Tennessee	224.10	1.18	03(03,07)	18.28 <sup>c</sup>
Arkansas	223.89	1.70	04(03,08)	18.18 <sup>c</sup>
West Virginia	222.64	2.03	05(03,08)	17.51 <sup>c</sup>
Low Five States				
Arizona	165.03	0.94	47(45,49)	-12.90 <sup>c</sup>
Wyoming	163.41	3.36	48(43,50)	-13.75 <sup>c</sup>
Colorado	160.64	1.18	49(48,50)	-15.21 <sup>c</sup>
Hawaii	159.77	2.01	50(47,50)	-15.67 <sup>c</sup>
Utah	146.31	1.65	51(51,51)	-22.78 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	221.03	1.35	07(03,08)	16.66 <sup>c</sup>	Montana	177.75	2.45	40(31,44)	-6.18 <sup>c</sup>
Alaska	181.76	3.96	35(23,44)	-4.07	Nebraska	186.78	1.99	29(24,36)	-1.41
Arizona	165.03	0.94	47(45,49)	-12.90 <sup>c</sup>	Nevada	183.16	1.63	34(27,39)	-3.32
Arkansas	223.89	1.70	04(03,08)	18.18 <sup>c</sup>	New Hampshire	187.25	2.28	27(23,37)	-1.16
California	168.01	0.44	45(44,47)	-11.32 <sup>c</sup>	New Jersey	176.46	0.90	41(38,43)	-6.86 <sup>c</sup>
Colorado	160.64	1.18	49(48,50)	-15.21 <sup>c</sup>	New Mexico	167.15	1.76	46(44,49)	-11.78 <sup>c</sup>
Connecticut	170.41	1.34	44(43,46)	-10.05 <sup>c</sup>	New York	174.81	0.60	43(40,43)	-7.73 <sup>c</sup>
Delaware	199.03	2.79	17(12,25)	5.05 <sup>c</sup>	North Carolina	202.14	0.92	14(13,18)	6.69 <sup>c</sup>
D.C.	185.87	3.80	30(20,42)	-1.89	North Dakota	176.25	3.07	42(31,45)	-6.97 <sup>c</sup>
Florida	178.96	0.53	39(35,41)	-5.54 <sup>c</sup>	Ohio	209.73	0.83	10(10,13)	10.70 <sup>c</sup>
Georgia	201.37	1.00	15(13,19)	6.29 <sup>c</sup>	Oklahoma	219.18	1.51	08(04,09)	15.69 <sup>c</sup>
Hawaii	159.77	2.01	50(47,50)	-15.67 <sup>c</sup>	Oregon	185.86	1.32	31(26,36)	-1.90
Idaho	181.56	2.12	36(28,42)	-4.17	Pennsylvania	199.87	0.75	16(14,21)	5.49 <sup>c</sup>
Illinois	197.13	0.81	20(17,23)	4.05	Rhode Island	197.12	2.68	21(13,27)	4.04
Indiana	213.92	1.16	09(08,10)	12.91 <sup>c</sup>	South Carolina	209.13	1.31	11(09,13)	10.38 <sup>c</sup>
Iowa	198.44	1.54	18(14,24)	4.74	South Dakota	192.62	2.93	24(16,32)	1.67
Kansas	193.80	1.64	23(18,27)	2.29	Tennessee	224.10	1.18	03(03,07)	18.28 <sup>c</sup>
Kentucky	239.64	1.49	02(01,02)	26.49 <sup>c</sup>	Texas	183.81	0.59	32(29,36)	-2.98
Louisiana	221.54	1.44	06(03,08)	16.93 <sup>c</sup>	Utah	146.31	1.65	51(51,51)	-22.78 <sup>c</sup>
Maine	206.22	2.26	13(10,17)	8.85 <sup>c</sup>	Vermont	196.71	3.36	22(13,28)	3.83
Maryland	186.94	1.17	28(26,34)	-1.33	Virginia	190.54	1.00	26(23,29)	0.57
Massachusetts	183.56	1.04	33(28,37)	-3.11	Washington	180.82	1.03	37(32,40)	-4.56
Michigan	198.38	0.88	19(15,22)	4.71	West Virginia	222.64	2.03	05(03,08)	17.51 <sup>c</sup>
Minnesota	179.17	1.15	38(34,42)	-5.43 <sup>c</sup>	Wisconsin	191.97	1.13	25(21,28)	1.32
Mississippi	240.48	1.86	01(01,02)	26.93 <sup>c</sup>	Wyoming	163.41	3.36	48(43,50)	-13.75 <sup>c</sup>
Missouri	207.51	1.15	12(10,14)	9.53 <sup>c</sup>					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p \leq .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 5% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.