


Table 2.20  
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates by State, All Races, 2013-2017

Females

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	135.68	0.12		
High Five States				
Kentucky	162.31	1.08	01(01,02)	19.63 <sup>c</sup>
West Virginia	159.79	1.57	02(01,03)	17.77 <sup>c</sup>
Mississippi	154.21	1.29	03(02,06)	13.66 <sup>c</sup>
Oklahoma	152.22	1.14	04(03,09)	12.19 <sup>c</sup>
D.C.	150.76	2.91	05(02,17)	11.12 <sup>c</sup>
Low Five States				
New Mexico	122.31	1.38	47(43,49)	-9.85 <sup>c</sup>
Arizona	121.54	0.76	48(45,49)	-10.42 <sup>c</sup>
Colorado	118.65	0.90	49(47,49)	-12.55 <sup>c</sup>
Hawaii	111.06	1.56	50(50,51)	-18.15 <sup>c</sup>
Utah	109.05	1.30	51(50,51)	-19.62 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	143.20	0.95	15(12,21)	5.54 <sup>c</sup>	Montana	135.59	2.02	32(19,40)	-0.06
Alaska	140.20	3.14	22(08,39)	3.34	Nebraska	135.61	1.54	31(20,39)	-0.05
Arizona	121.54	0.76	48(45,49)	-10.42 <sup>c</sup>	Nevada	142.47	1.34	18(12,25)	5.00 <sup>c</sup>
Arkansas	150.27	1.26	06(03,12)	10.76 <sup>c</sup>	New Hampshire	138.64	1.78	25(15,37)	2.18
California	124.62	0.34	45(43,47)	-8.15 <sup>c</sup>	New Jersey	134.88	0.68	34(28,38)	-0.59
Colorado	118.65	0.90	49(47,49)	-12.55 <sup>c</sup>	New Mexico	122.31	1.38	47(43,49)	-9.85 <sup>c</sup>
Connecticut	125.52	1.01	44(41,47)	-7.49 <sup>c</sup>	New York	130.16	0.45	40(38,41)	-4.06
Delaware	142.52	2.11	17(09,30)	5.04 <sup>c</sup>	North Carolina	137.58	0.66	28(21,32)	1.41
D.C.	150.76	2.91	05(02,17)	11.12 <sup>c</sup>	North Dakota	127.10	2.41	43(35,48)	-6.32 <sup>c</sup>
Florida	127.35	0.41	42(41,45)	-6.14 <sup>c</sup>	Ohio	150.09	0.63	07(04,11)	10.62 <sup>c</sup>
Georgia	135.69	0.70	30(26,37)	0.01	Oklahoma	152.22	1.14	04(03,09)	12.19 <sup>c</sup>
Hawaii	111.06	1.56	50(50,51)	-18.15 <sup>c</sup>	Oregon	140.29	1.05	21(15,29)	3.40
Idaho	133.77	1.69	37(23,41)	-1.41	Pennsylvania	142.75	0.56	16(13,21)	5.22 <sup>c</sup>
Illinois	143.24	0.60	14(13,20)	5.57 <sup>c</sup>	Rhode Island	140.34	1.98	20(12,35)	3.44
Indiana	148.12	0.85	10(05,13)	9.17 <sup>c</sup>	South Carolina	139.16	0.94	23(18,31)	2.57
Iowa	138.15	1.17	26(18,34)	1.82	South Dakota	134.34	2.27	36(20,41)	-0.98
Kansas	138.71	1.25	24(17,33)	2.24	Tennessee	149.47	0.84	09(04,12)	10.17 <sup>c</sup>
Kentucky	162.31	1.08	01(01,02)	19.63 <sup>c</sup>	Texas	127.77	0.43	41(40,44)	-5.82 <sup>c</sup>
Louisiana	149.59	1.04	08(04,12)	10.25 <sup>c</sup>	Utah	109.05	1.30	51(50,51)	-19.62 <sup>c</sup>
Maine	146.70	1.72	12(05,19)	8.12 <sup>c</sup>	Vermont	140.90	2.57	19(10,37)	3.85
Maryland	137.77	0.87	27(20,33)	1.54	Virginia	135.18	0.73	33(27,37)	-0.37
Massachusetts	132.56	0.77	38(33,40)	-2.30	Washington	134.56	0.80	35(28,38)	-0.82
Michigan	145.66	0.67	13(10,16)	7.36 <sup>c</sup>	West Virginia	159.79	1.57	02(01,03)	17.77 <sup>c</sup>
Minnesota	131.72	0.89	39(34,41)	-2.92	Wisconsin	137.14	0.86	29(21,35)	1.08
Mississippi	154.21	1.29	03(02,06)	13.66 <sup>c</sup>	Wyoming	123.09	2.71	46(39,49)	-9.28 <sup>c</sup>
Missouri	147.32	0.86	11(07,14)	8.58 <sup>c</sup>					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p \leq .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 5% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.