Table 4.3 Cancer of the Female Breast (Invasive)

Trends in SEER Incidence^{ab} and U.S. Mortality^c Using the Joinpoint Regression Program, 1975-2017 With up to Five Joinpoints, 2000-2017 With up to Three Joinpoints, Ages 50+ by Race/Ethnicity

	JP Trend 1		JP Trend 2		JP Trend 3		JP Trend 4		JP Trend 5		JP Trend 6		AAPC ^d	
	Years	APC	Years	APC	Years	APC	Years	APC	Years	APC	Years	APC	2008-17	2013-17
SEER 9 Delay-Adjusted Incidence ^a , 1975-2017														
All Races	1975-82	0.9	1982-87	5.3*	1987-94	-0.1	1994-99	2.3*	1999-04	-3.0*	2004-17	0.3*	0.3*	0.3*
White	1975-82	0.9*	1982-87	5.5*	1987-93	-0.3	1993-00	1.7*	2000-04	-3.9*	2004-17	0.3*	0.3*	0.3*
Black	1975-92	2.6*	1992-17	0.4*									0.4*	0.4*
SEER 21 Delay-Adjusted Incidence ^b , 2000-2017														
All Races	2000-04	-2.8*	2004-17	0.3*									0.3*	0.3*
White	2000-04	-3.0*	2004-17	0.2*									0.2*	0.2*
White NH ^{ef}	2000-04	-3.1*	2004-17	0.3*									0.3*	0.3*
Black	2000-17	0.9*											0.9*	0.9*
Black NH ^{ef}	2000-17	0.9*											0.9*	0.9*
API ^e	2000-06	-0.2	2006-17	1.8*									1.8*	1.8*
AI/AN ^{eg}	2000-17	1.0*											1.0*	1.0*
Hispanic ^f	2000-17	0.5*											0.5*	0.5*
U.S. Cancer Mortal:	ity ^c , 1975-	2017												
All Races	1975-90	0.6*	1990-08	-2.0*	2008-17	-1.5*							-1.5*	-1.5*
White	1975-89	0.5*	1989-95	-1.4*	1995-98	-3.4*	1998-17	-1.7*					-1.7*	-1.7*
Black	1975-93	1.6*	1993-17	-1.3*									-1.3*	-1.3*
U.S. Cancer Mortality ^c , 2000-2017														
All Races	2000-13	-1.8*	2013-17	-1.1*									-1.5*	-1.1*
White	2000-09	-2.0*	2009-17	-1.5*									-1.5*	-1.5*
White NH ^{ef}	2000-13	-1.8*	2013-17	-1.0*									-1.5*	-1.0*
Black	2000-17	-1.4*											-1.4*	-1.4*
Black NH ^{ef}	2000-17	-1.3*											-1.3*	-1.3*
API ^e	2000-17	-0.5*											-0.5*	-0.5*
AI/AN ^{eg}	2000-04	9.1	2004-13	-4.0*	2013-17	5.7							0.2	5.7
Hispanic ^f	2000-17	-1.0*											-1.0*	-1.0*

Joinpoint Regression Program Version 4.8, April 2020, National Cancer Institute. (https://surveillance.cancer.gov/joinpoint/).
The APC is the Annual Percent Change based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
Trends are from the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).

API - Asian/Pacific Islander, AI/AN - American Indian/Alaska Native, NH - Non-Hispanic

Trends are from the SEER 21 areas (SEER 9 areas, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts).

Trends are from US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

d The AAPC is the Average Annual Percent Change and is based on the APCs calculated by Joinpoint.

Hispanic and Non-Hispanic are not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Incidence data for Hispanics and Non-Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

Data for American Indian/Alaska Native are based on the Purchased/Referred Care Delivery Area (PRCDA) counties.

The APC/AAPC is significantly different from zero (p<.05).

Joinpoint regression line analysis could not be performed on data series.