

Table 6.29

Cancer of the Colon And Rectum (Invasive)

Percent Distribution and Counts by Histology among Histologically Confirmed Cases, 2013-2017
Both Sexes by Race

Histology ^a	All Races		White		Black		Asian/Pacific Islander		American Indian/ Alaska Native ^b		Hispanic ^c	
	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Carcinoma	241,911	99.4%	188,153	99.5%	30,134	99.3%	19,065	99.3%	1,320	99.0%	28,315	99.3%
Epidermoid carcinoma ^d (8051-8131)	1,638	0.7%	1,378	0.7%	193	0.6%	29	0.2%	-	-	169	0.6%
Squamous cell carcinoma (8070-8078,8083-8084)	1,608	0.7%	1,358	0.7%	186	0.6%	28	0.1%	-	-	165	0.6%
Adenocarcinoma (8050,8140-8147, 8160-8162,8180-8221, 8250-8507,8520-8551,8560, 8570-8574,8576,8940-8941)	221,446	91.0%	173,696	91.8%	26,645	87.8%	17,463	91.0%	1,207	90.5%	25,545	89.6%
Adenocarcinoma, NOS (8140)	152,756	62.8%	119,478	63.2%	18,482	60.9%	12,497	65.1%	863	64.7%	17,859	62.7%
Adenocarcinoma in adenomatous polyp (8210)	21,938	9.0%	17,138	9.1%	2,474	8.2%	1,771	9.2%	135	10.1%	2,132	7.5%
Adenocarcinoma in villous adenoma (8261)	3,626	1.5%	2,932	1.5%	398	1.3%	249	1.3%	-	-	453	1.6%
Mucinous adenocarcinoma (8470-8473,8480,8482)	15,135	6.2%	12,237	6.5%	1,701	5.6%	1,024	5.3%	50	3.8%	1,947	6.8%
Mucin-producing adenocarcinoma (8481)	1,226	0.5%	962	0.5%	180	0.6%	71	0.4%	-	-	159	0.6%
Signet ring adenocarcinoma (8490)	2,703	1.1%	2,212	1.2%	282	0.9%	187	1.0%	-	-	316	1.1%
Other adenocarcinomas ^e	24,062	9.9%	18,737	9.9%	3,128	10.3%	1,664	8.7%	136	10.2%	2,679	9.4%
Other specific carcinomas (8012-8015,8030-8046, 8150-8155,8170-8175, 8230-8249,8508,8510-8513, 8561-8562,8575,8580-8671)	16,991	7.0%	11,672	6.2%	3,038	10.0%	1,449	7.5%	86	6.5%	2,379	8.3%
Neuroendocrine carcinoid (8240-8245)	13,270	5.5%	8,843	4.7%	2,498	8.2%	1,202	6.3%	73	5.5%	1,967	6.9%
Other ^f	3,721	1.5%	2,829	1.5%	540	1.8%	247	1.3%	-	-	412	1.4%
Unspecified, Carcinoma, NOS (8010-8011, 8020-8022)	1,836	0.8%	1,407	0.7%	258	0.9%	124	0.6%	18	1.4%	222	0.8%

Source: SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts).
Percents may not sum to 100 due to rounding.

^a Excludes Kaposi Sarcoma, mesothelioma, lymphomas, leukemias, myelomas, lymphoreticular, and immunoproliferative diseases.

^b Estimates for American Indian/Alaska Native are based on the Purchased/Referred Care Delivery Area (PRCDA) counties.

^c Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

^d Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

^e Epidermoid carcinoma includes squamous, basal, and transitional cell carcinomas.

^f Includes histologies 8050, 8141-8147, 8160-8162, 8180-8204, 8211-8221, 8250-8260, 8262-8264, 8270-8463, 8500-8507, 8514, 8520-8551, 8560, 8570-8574, 8576, 8940-8941.

^f Includes histologies 8012-8015, 8030-8046, 8150-8155, 8170-8175, 8230-8231, 8246-8249, 8508, 8510-8513, 8561-8562, 8575, 8580-8671.

- Statistic not shown due to fewer than 16 cases during the time period.

Table 6.29 - continued

Cancer of the Colon And Rectum (Invasive)

Percent Distribution and Counts by Histology among Histologically Confirmed Cases, 2013-2017
Both Sexes by Race

Histology ^a	All Races		White		Black		Asian/Pacific Islander		American Indian/ Alaska Native ^b		Hispanic ^c	
	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Sarcoma and other soft tissue tumors (8680-8713,8800-8921, 8990-8991,9040-9044, 9120-9136,9150-9252, 9370-9373,9540-9582)	160	0.1%	122	0.1%	22	0.1%	-	-	-	-	21	0.1%
Other specific types (8720-8790,8930-8936, 8950-8983,9000-9030, 9060-9110,9260-9365, 9380-9539)	434	0.2%	309	0.2%	69	0.2%	50	0.3%	-	-	48	0.2%
Unspecified (8000-8005)	798	0.3%	593	0.3%	114	0.4%	67	0.3%	-	-	119	0.4%
Total ^d	243,303	100.0%	189,177	100.0%	30,339	100.0%	19,195	100.0%	1,333	100.0%	28,503	100.0%

Source: SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts).

Percents may not sum to 100 due to rounding.

^a Excludes Kaposi Sarcoma, mesothelioma, lymphomas, leukemias, myelomas, lymphoreticular, and immunoproliferative diseases.

^b Estimates for American Indian/Alaska Native are based on the Purchased/Referred Care Delivery Area (PRCDA) counties.

^c Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

^d Total includes carcinoma cases from the previous page.

- Statistic not shown due to fewer than 16 cases during the time period.