

Table 8.13
Cancer of the Esophagus (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Males, 2015-2017 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.79	0.74	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.53	0.41
	10	0.00	0.00	0.01	0.80	0.75		10	0.00	0.00	0.00	0.53	0.41
	20	0.00	0.01	0.03	0.80	0.76		20	0.00	0.00	0.02	0.54	0.41
	30	0.00	0.03	0.13	0.81	0.77		30	0.00	0.02	0.07	0.54	0.42
	40	0.03	0.13	0.35	0.82	0.78		40	0.01	0.07	0.19	0.54	0.42
	50	0.11	0.33	0.60	0.82	0.78		50	0.06	0.18	0.33	0.53	0.41
	60	0.24	0.53	0.72	0.77	0.74		60	0.13	0.28	0.43	0.49	0.39
	70	0.33	0.56	-	0.61	0.62		70	0.17	0.33	-	0.40	0.33
80	0.31	-	-	0.38	0.42	80	0.20	-	-	0.28	0.25		
White	0	0.00	0.00	0.00	0.85	0.80	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	0.59	0.56
	10	0.00	0.00	0.01	0.85	0.81		10	0.00	0.00	0.00	0.60	0.57
	20	0.00	0.01	0.03	0.86	0.81		20	0.00	0.00	0.04	0.60	0.57
	30	0.01	0.03	0.14	0.87	0.82		30	0.00	0.05	0.14	0.61	0.59
	40	0.03	0.14	0.37	0.88	0.83		40	0.04	0.14	0.30	0.63	0.60
	50	0.11	0.35	0.64	0.88	0.83		50	0.10	0.27	0.51	0.62	0.63
	60	0.26	0.57	0.77	0.82	0.79		60	0.19	0.45	0.56	0.57	0.59
	70	0.36	0.59	-	0.64	0.65		70	0.31	0.44	-	0.44	0.46
80	0.33	-	-	0.40	0.44	80	0.19	-	-	0.19	0.34		
Black	0	0.00	0.00	0.00	0.55	0.46	Hispanic ^b	0	0.00	0.00	0.00	0.64	0.48
	10	0.00	0.00	0.00	0.56	0.47		10	0.00	0.00	0.00	0.65	0.48
	20	0.00	0.00	0.02	0.56	0.47		20	0.00	0.00	0.02	0.65	0.49
	30	0.00	0.02	0.11	0.57	0.48		30	0.00	0.02	0.08	0.66	0.49
	40	0.02	0.11	0.29	0.58	0.49		40	0.02	0.08	0.20	0.66	0.50
	50	0.10	0.28	0.47	0.59	0.50		50	0.06	0.19	0.39	0.66	0.50
	60	0.20	0.41	0.51	0.54	0.48		60	0.14	0.35	0.53	0.64	0.48
	70	0.26	0.39	-	0.43	0.39		70	0.24	0.43	-	0.56	0.42
80	0.21	-	-	0.26	0.27	80	0.26	-	-	0.42	0.31		

Devcan 6.7.8, April 2020, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the PRCA (Purchased/Referred Care Delivery Areas) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.