

Table 9.13
Hodgkin Lymphoma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Males, 2015-2017 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.03	0.06	0.23	0.04	Asian/ Pacific Islander	0	0.00	0.02	0.04	0.13	0.02
	10	0.02	0.06	0.09	0.23	0.04		10	0.02	0.04	0.05	0.13	0.02
	20	0.04	0.07	0.10	0.21	0.04		20	0.02	0.04	0.05	0.11	0.03
	30	0.03	0.06	0.09	0.17	0.04		30	0.02	0.03	0.04	0.09	0.02
	40	0.03	0.06	0.09	0.14	0.04		40	0.01	0.02	0.04	0.08	0.02
	50	0.03	0.06	0.09	0.11	0.04		50	0.01	0.03	0.05	0.07	0.02
	60	0.03	0.07	0.09	0.09	0.03		60	0.02	0.04	0.05	0.06	0.02
	70	0.04	0.06	-	0.06	0.03		70	0.03	0.04	-	0.04	0.02
White	80	0.03	-	-	0.04	0.03	American Indian/ Alaska Native ^a	80	0.01	-	-	0.02	0.01
	0	0.00	0.03	0.07	0.24	0.04		0	0.00	0.01	0.02	0.09	0.03
	10	0.02	0.07	0.10	0.24	0.04		10	0.01	0.02	0.03	0.09	0.04
	20	0.04	0.08	0.11	0.22	0.04		20	0.01	0.02	0.03	0.08	0.04
	30	0.04	0.07	0.10	0.18	0.04		30	0.01	0.02	0.03	0.07	0.03
	40	0.03	0.06	0.09	0.15	0.04		40	0.02	0.02	0.04	0.06	0.03
	50	0.03	0.06	0.10	0.12	0.04		50	0.01	0.02	0.03	0.05	0.04
	60	0.04	0.07	0.09	0.09	0.04		60	0.02	0.03	0.05	0.05	0.04
Black	70	0.04	0.06	-	0.07	0.03	Hispanic ^b	70	0.01	0.03	-	0.03	0.03
	80	0.03	-	-	0.04	0.03		80	0.04	-	-	0.04	0.05
	0	0.00	0.02	0.05	0.21	0.03		0	0.00	0.02	0.04	0.22	0.05
	10	0.02	0.05	0.08	0.21	0.03		10	0.02	0.04	0.06	0.22	0.05
	20	0.03	0.06	0.10	0.19	0.03		20	0.02	0.05	0.07	0.21	0.05
	30	0.03	0.07	0.11	0.16	0.02		30	0.02	0.05	0.07	0.18	0.05
	40	0.04	0.08	0.10	0.13	0.02		40	0.02	0.05	0.09	0.16	0.05
	50	0.04	0.07	0.09	0.10	0.02		50	0.03	0.07	0.11	0.14	0.05
	60	0.03	0.06	0.07	0.07	0.02		60	0.04	0.09	0.12	0.12	0.05
	70	0.03	0.04	-	0.04	0.02		70	0.05	0.09	-	0.09	0.05
	80	0.02	-	-	0.02	0.02		80	0.05	-	-	0.05	0.03

Devcan 6.7.8, April 2020, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the PRCDA (Purchased/Referred Care Delivery Areas) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.