


Table 9.20  
Hodgkin Lymphoma

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2013-2017

Females

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	0.23	0.00		
High Five States				
Idaho	0.34	0.09	01(01,37)	49.68 <sup>c</sup>
Louisiana	0.34	0.05	02(01,27)	46.09 <sup>c</sup>
Oklahoma	0.30	0.05	03(01,34)	29.78 <sup>c</sup>
West Virginia	0.29	0.07	04(01,37)	24.65 <sup>c</sup>
Missouri	0.28	0.04	05(01,34)	19.75 <sup>c</sup>
Low Five States				
Georgia	0.20	0.03	33(06,37)	-14.17
Iowa	0.19	0.04	34(03,37)	-15.25 <sup>c</sup>
New Jersey	0.19	0.03	35(08,37)	-18.18 <sup>c</sup>
Massachusetts	0.18	0.03	36(10,37)	-23.77 <sup>c</sup>
Connecticut	0.13	0.03	37(17,37)	-44.06 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	0.20	0.04	31(03,37)	-12.42	Montana	-	-	-(-,-)	-
Alaska	-	-	-(-,-)	-	Nebraska	-	-	-(-,-)	-
Arizona	0.22	0.03	22(03,36)	-3.89	Nevada	0.22	0.05	24(01,37)	-5.62
Arkansas	0.26	0.06	09(01,37)	14.30	New Hampshire	-	-	-(-,-)	-
California	0.27	0.02	06(02,22)	16.06 <sup>c</sup>	New Jersey	0.19	0.03	35(08,37)	-18.18 <sup>c</sup>
Colorado	0.21	0.04	28(03,37)	-10.65	New Mexico	0.27	0.06	07(01,37)	15.74 <sup>c</sup>
Connecticut	0.13	0.03	37(17,37)	-44.06 <sup>c</sup>	New York	0.25	0.02	12(03,30)	7.72
Delaware	-	-	-(-,-)	-	North Carolina	0.21	0.03	27(05,37)	-9.46
D.C.	-	-	-(-,-)	-	North Dakota	-	-	-(-,-)	-
Florida	0.23	0.02	15(04,32)	1.34	Ohio	0.20	0.02	29(06,36)	-10.94
Georgia	0.20	0.03	33(06,37)	-14.17	Oklahoma	0.30	0.05	03(01,34)	29.78 <sup>c</sup>
Hawaii	-	-	-(-,-)	-	Oregon	0.22	0.04	20(01,37)	-3.46
Idaho	0.34	0.09	01(01,37)	49.68 <sup>c</sup>	Pennsylvania	0.23	0.02	17(03,35)	-0.71
Illinois	0.20	0.02	32(08,37)	-13.46	Rhode Island	-	-	-(-,-)	-
Indiana	0.22	0.04	21(02,37)	-3.66	South Carolina	0.25	0.04	11(01,36)	10.79
Iowa	0.19	0.04	34(03,37)	-15.25 <sup>c</sup>	South Dakota	-	-	-(-,-)	-
Kansas	0.21	0.05	25(01,37)	-7.59	Tennessee	0.23	0.03	19(02,37)	-1.51
Kentucky	0.23	0.04	16(01,37)	0.57	Texas	0.26	0.02	08(02,25)	14.87
Louisiana	0.34	0.05	02(01,27)	46.09 <sup>c</sup>	Utah	-	-	-(-,-)	-
Maine	-	-	-(-,-)	-	Vermont	-	-	-(-,-)	-
Maryland	0.23	0.04	18(02,37)	-1.04	Virginia	0.23	0.03	14(02,36)	1.70
Massachusetts	0.18	0.03	36(10,37)	-23.77 <sup>c</sup>	Washington	0.21	0.03	26(03,37)	-8.08
Michigan	0.22	0.03	23(04,36)	-4.35	West Virginia	0.29	0.07	04(01,37)	24.65 <sup>c</sup>
Minnesota	0.20	0.04	30(03,37)	-10.95	Wisconsin	0.23	0.04	13(02,37)	1.78
Mississippi	0.26	0.06	10(01,37)	13.39	Wyoming	-	-	-(-,-)	-
Missouri	0.28	0.04	05(01,34)	19.75 <sup>c</sup>					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).  
<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p < .0002$ ).  
<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 15% or more.  
<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.  
SE Standard error of the rate.  
PD Percent difference between state rate and total U.S. rate.  
- Statistic not shown. Rate based on less than 16 cases for the time interval.