

Table 15.23  
Cancer of the Lung And Bronchus (Invasive)

Age-Adjusted SEER Death Rates<sup>a</sup>  
By Registry, Race and Sex

	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<u>SEER Death Rates<sup>a</sup>, 2013-2017</u>									
California	29.55	34.99	25.39	30.33	34.86	26.85	37.74	47.31	30.97
Greater Bay Area	26.81	31.43	23.30	27.16	30.05	25.00	38.40	47.92	31.55
San Francisco-Oakland	27.63	32.20	24.20	27.40	29.89	25.60	40.75	51.51	33.10
San Jose-Monterey	25.20	29.95	21.53	26.73	30.33	23.93	23.42	26.88	20.56
Los Angeles	26.35	32.92	21.51	25.70	31.26	21.53	39.31	49.18	32.84
Greater California	31.93	37.11	27.91	32.94	37.51	29.39	35.91	45.37	28.64
Connecticut	34.68	39.67	31.04	35.54	39.86	32.39	31.57	45.08	23.17
Detroit	45.37	53.60	39.46	45.05	51.72	40.32	50.10	66.23	39.39
Georgia	42.64	56.73	32.13	45.01	57.62	35.22	38.42	58.19	25.70
Atlanta	33.13	42.03	26.91	33.19	39.86	28.34	35.00	50.11	25.89
Rural Georgia	47.50	66.45	33.20	46.53	61.65	33.59	49.18	78.69	31.94
Greater Georgia	46.95	62.98	34.72	49.14	63.66	37.76	40.79	63.32	25.57
Hawaii	30.49	38.97	23.53	32.33	34.70	29.91	32.57	-	-
Idaho	33.57	39.05	29.04	33.81	39.39	29.19	-	-	-
Iowa	43.20	54.04	34.87	43.16	54.01	34.85	57.35	68.57	47.27
Kentucky	63.64	80.77	50.60	64.49	81.69	51.29	57.72	75.56	46.09
Louisiana	49.65	64.52	38.15	48.83	60.04	40.01	53.61	80.86	34.68
Massachusetts	38.69	44.86	34.33	40.02	45.86	35.93	26.86	35.28	20.91
New Jersey	35.24	41.04	31.14	36.91	42.28	33.12	36.08	47.35	29.01
New Mexico	28.48	33.42	24.60	29.93	34.76	26.10	34.15	46.34	23.27
New York	35.35	42.54	30.15	37.87	44.32	33.17	28.93	39.01	22.60
Seattle-Puget Sound	35.99	41.70	31.50	37.11	42.07	33.18	36.89	47.62	27.22
Utah	18.55	22.31	15.40	18.50	22.29	15.32	34.17	-	-
SEER 9 Areas <sup>b</sup>	34.17	40.69	29.21	34.82	40.31	30.62	40.48	54.33	31.20
SEER 13 Areas <sup>b</sup>	32.08	38.57	27.16	32.66	38.11	28.48	40.00	52.88	31.37
SEER 18 Areas <sup>b</sup>	36.10	43.84	30.18	37.17	43.99	31.90	41.65	57.48	30.84
SEER 21 Areas <sup>b</sup>	36.09	43.60	30.41	37.42	44.08	32.35	37.81	52.07	28.27
Total U.S.	40.23	49.33	33.23	41.05	49.44	34.51	42.30	58.83	31.07

<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia. The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

The SEER 21 areas comprise the SEER 18 areas plus Idaho, New York and Massachusetts.

- Statistic not shown. Rate based on less than 16 cases for the time interval.