


Table 15.26  
Cancer of the Lung And Bronchus (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2013-2017

Females

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	33.23	0.06		
High Five States				
Kentucky	50.60	0.60	01(01,01)	52.27 <sup>c</sup>
West Virginia	43.64	0.81	02(02,06)	31.32 <sup>c</sup>
Arkansas	42.53	0.66	03(02,08)	27.96 <sup>c</sup>
Oklahoma	41.92	0.59	04(02,09)	26.12 <sup>c</sup>
Missouri	41.79	0.46	05(02,09)	25.75 <sup>c</sup>
Low Five States				
Colorado	25.64	0.42	47(46,49)	-22.84 <sup>c</sup>
California	25.39	0.15	48(46,49)	-23.59 <sup>c</sup>
New Mexico	24.60	0.61	49(47,50)	-25.99 <sup>c</sup>
Hawaii	23.53	0.71	50(47,50)	-29.20 <sup>c</sup>
Utah	15.40	0.49	51(51,51)	-53.65 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	36.75	0.47	18(14,23)	10.59 <sup>c</sup>	Montana	35.84	1.02	21(12,33)	7.85
Alaska	34.20	1.57	27(12,42)	2.90	Nebraska	33.24	0.76	32(22,39)	0.03
Arizona	28.42	0.36	46(41,46)	-14.50 <sup>c</sup>	Nevada	38.37	0.69	13(08,19)	15.46 <sup>c</sup>
Arkansas	42.53	0.66	03(02,08)	27.96 <sup>c</sup>	New Hampshire	38.18	0.93	14(07,22)	14.90 <sup>c</sup>
California	25.39	0.15	48(46,49)	-23.59 <sup>c</sup>	New Jersey	31.14	0.32	38(36,42)	-6.29
Colorado	25.64	0.42	47(46,49)	-22.84 <sup>c</sup>	New Mexico	24.60	0.61	49(47,50)	-25.99 <sup>c</sup>
Connecticut	31.04	0.50	39(34,43)	-6.60	New York	30.15	0.22	40(39,44)	-9.28
Delaware	37.28	1.06	17(08,28)	12.18 <sup>c</sup>	North Carolina	35.64	0.33	22(17,26)	7.23
D.C.	28.97	1.28	44(34,48)	-12.83 <sup>c</sup>	North Dakota	29.73	1.17	41(32,46)	-10.55 <sup>c</sup>
Florida	32.27	0.20	36(31,38)	-2.90	Ohio	39.44	0.32	10(08,14)	18.67 <sup>c</sup>
Georgia	32.13	0.34	37(31,39)	-3.31	Oklahoma	41.92	0.59	04(02,09)	26.12 <sup>c</sup>
Hawaii	23.53	0.71	50(47,50)	-29.20 <sup>c</sup>	Oregon	34.82	0.52	24(18,31)	4.77
Idaho	29.04	0.78	43(38,46)	-12.62 <sup>c</sup>	Pennsylvania	34.81	0.28	25(20,29)	4.75
Illinois	36.07	0.30	19(16,24)	8.52	Rhode Island	39.85	1.05	09(03,18)	19.91 <sup>c</sup>
Indiana	40.81	0.45	07(04,10)	22.79 <sup>c</sup>	South Carolina	34.04	0.46	29(22,34)	2.42
Iowa	34.87	0.58	23(18,32)	4.93	South Dakota	33.94	1.13	30(16,40)	2.12
Kansas	35.94	0.64	20(15,29)	8.15	Tennessee	41.07	0.44	06(03,10)	23.59 <sup>c</sup>
Kentucky	50.60	0.60	01(01,01)	52.27 <sup>c</sup>	Texas	28.46	0.20	45(41,46)	-14.37 <sup>c</sup>
Louisiana	38.15	0.52	15(09,18)	14.79 <sup>c</sup>	Utah	15.40	0.49	51(51,51)	-53.65 <sup>c</sup>
Maine	40.74	0.90	08(02,15)	22.60 <sup>c</sup>	Vermont	37.35	1.31	16(06,31)	12.37 <sup>c</sup>
Maryland	33.36	0.42	31(25,37)	0.37	Virginia	32.61	0.36	35(29,38)	-1.86
Massachusetts	34.33	0.39	26(21,32)	3.30	Washington	32.77	0.40	33(28,38)	-1.41
Michigan	38.83	0.34	12(08,16)	16.84 <sup>c</sup>	West Virginia	43.64	0.81	02(02,06)	31.32 <sup>c</sup>
Minnesota	32.63	0.44	34(28,38)	-1.82	Wisconsin	34.15	0.43	28(22,33)	2.75
Mississippi	39.12	0.64	11(07,17)	17.70 <sup>c</sup>	Wyoming	29.17	1.32	42(32,48)	-12.23 <sup>c</sup>
Missouri	41.79	0.46	05(02,09)	25.75 <sup>c</sup>					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p \leq .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 5% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.