

Table 22.17  
Cancer of the Pancreas (Invasive)

Age-Adjusted SEER Death Rates<sup>a</sup>  
By Registry, Race and Sex

	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<u>SEER Death Rates<sup>a</sup>, 2013-2017</u>									
California	10.34	11.79	9.12	10.70	12.27	9.36	12.57	14.41	11.15
Greater Bay Area	9.83	11.00	8.84	10.37	11.57	9.33	13.16	15.53	11.37
San Francisco-Oakland	9.91	11.09	8.91	10.37	11.51	9.37	13.25	15.42	11.56
San Jose-Monterey	9.68	10.84	8.69	10.36	11.67	9.23	13.05	16.78	-
Los Angeles	10.45	11.75	9.40	10.71	12.17	9.51	12.91	14.23	11.97
Greater California	10.47	12.08	9.09	10.79	12.51	9.30	11.91	13.96	10.17
Connecticut	10.69	12.21	9.45	10.75	12.38	9.41	11.55	12.23	10.94
Detroit	12.36	13.73	11.21	12.02	13.66	10.59	14.30	14.98	13.71
Georgia	10.64	12.33	9.27	10.33	12.22	8.75	12.17	13.47	11.17
Atlanta	10.34	11.75	9.26	9.88	11.42	8.67	11.79	13.46	10.63
Rural Georgia	9.88	12.25	7.85	9.92	12.69	7.45	10.36	-	-
Greater Georgia	10.86	12.66	9.37	10.55	12.55	8.83	12.64	13.64	11.79
Hawaii	10.98	12.39	9.78	12.36	13.04	11.45	-	-	-
Idaho	11.54	13.22	9.98	11.70	13.50	10.01	-	-	-
Iowa	11.19	13.00	9.64	11.14	12.98	9.58	15.37	15.77	14.52
Kentucky	11.21	12.96	9.76	11.12	12.90	9.64	13.48	14.71	12.15
Louisiana	12.75	14.82	11.04	12.08	14.36	10.22	14.94	16.60	13.48
Massachusetts	11.29	12.98	9.93	11.57	13.27	10.20	10.04	12.72	8.01
New Jersey	11.31	12.79	10.11	11.60	13.16	10.31	12.53	14.01	11.47
New Mexico	9.79	11.22	8.54	9.96	11.27	8.78	12.75	15.96	-
New York	11.11	12.77	9.78	11.49	13.27	10.02	11.06	12.66	9.91
Seattle-Puget Sound	10.47	11.91	9.23	10.64	11.99	9.44	13.35	16.77	10.65
Utah	9.48	10.80	8.30	9.50	10.78	8.35	-	-	-
SEER 9 Areas <sup>b</sup>	10.63	12.05	9.44	10.68	12.13	9.42	12.72	14.10	11.65
SEER 13 Areas <sup>b</sup>	10.54	11.91	9.40	10.68	12.11	9.44	12.74	14.16	11.68
SEER 18 Areas <sup>b</sup>	10.79	12.31	9.51	10.89	12.51	9.51	12.94	14.41	11.79
SEER 21 Areas <sup>b</sup>	10.89	12.45	9.60	11.06	12.71	9.66	12.35	13.91	11.15
Total U.S.	10.99	12.68	9.57	10.94	12.70	9.43	13.30	14.91	12.04

<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia. The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

The SEER 21 areas comprise the SEER 18 areas plus Idaho, New York and Massachusetts.

- Statistic not shown. Rate based on less than 16 cases for the time interval.