

Table 23.13
Cancer of the Prostate (Invasive)

Age-Adjusted SEER Death Rates^a
By Registry, Race and Age

	All Races			Whites			Blacks		
	All Ages	Ages <65	Ages 65+	All Ages	Ages <65	Ages 65+	All Ages	Ages <65	Ages 65+
<u>SEER Death Rates^a, 2013-2017</u>									
California	19.76	1.59	145.34	20.45	1.53	151.21	41.31	4.57	295.23
Greater Bay Area	16.87	1.23	125.05	18.44	1.19	137.69	39.73	4.43	283.74
San Francisco-Oakland	17.07	1.27	126.28	17.75	1.13	132.64	41.46	4.45	297.26
San Jose-Monterey	16.50	1.15	122.60	19.62	1.28	146.40	28.35	-	195.54
Los Angeles	19.63	1.60	144.28	19.57	1.37	145.37	45.04	5.03	321.66
Greater California	20.85	1.72	153.04	21.34	1.70	157.17	38.37	4.26	274.10
Connecticut	17.91	1.40	132.06	17.25	1.21	128.12	30.77	3.85	216.80
Detroit	19.41	1.91	140.38	16.05	1.31	117.91	35.21	4.30	248.93
Georgia	22.01	1.99	160.36	17.43	1.44	127.98	42.91	3.60	314.67
Atlanta	24.37	2.02	178.84	18.12	1.37	133.87	44.40	3.41	327.74
Rural Georgia	31.07	-	231.85	22.32	-	170.06	58.00	-	432.50
Greater Georgia	20.83	1.98	151.10	17.04	1.47	124.65	41.47	3.74	302.23
Hawaii	14.04	1.27	102.32	19.82	1.30	147.89	42.06	-	-
Idaho	22.94	1.35	172.13	23.08	1.32	173.52	-	-	-
Iowa	19.54	1.45	144.52	19.53	1.45	144.53	26.61	-	193.86
Kentucky	19.55	1.45	144.67	18.85	1.37	139.66	35.24	2.77	259.65
Louisiana	20.78	2.04	150.30	17.04	1.35	125.50	34.79	3.90	248.28
Massachusetts	18.42	1.37	136.31	18.24	1.37	134.89	32.57	2.22	242.37
New Jersey	17.78	1.37	131.19	16.31	1.17	121.02	38.92	3.37	284.64
New Mexico	19.59	1.44	145.02	19.56	1.50	144.43	24.07	-	186.28
New York	18.03	1.56	131.90	16.86	1.35	124.13	32.61	3.23	235.68
Seattle-Puget Sound	19.74	1.58	145.28	20.17	1.55	148.89	28.76	3.56	202.99
Utah	20.05	1.34	149.33	20.35	1.36	151.59	-	-	-
SEER 9 Areas ^b	19.01	1.54	139.76	18.59	1.36	137.73	37.23	3.74	268.72
SEER 13 Areas ^b	19.02	1.53	139.92	18.84	1.36	139.63	39.35	4.03	283.49
SEER 18 Areas ^b	19.57	1.61	143.69	18.98	1.43	140.32	38.73	3.87	279.66
SEER 21 Areas ^b	19.27	1.59	141.50	18.62	1.41	137.61	36.92	3.67	266.82
Total U.S.	19.12	1.66	139.78	17.92	1.42	131.96	37.86	3.96	272.24

^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta. The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia. The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

The SEER 21 areas comprise the SEER 18 areas plus Idaho, New York and Massachusetts.

- Statistic not shown. Rate based on less than 16 cases for the time interval.