


Table 23.14
Cancer of the Prostate (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2013-2017

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	19.12	0.05		
High Five States				
D.C.	28.07	1.54	01(01,03)	46.83 ^c
Mississippi	24.67	0.63	02(01,04)	29.03 ^c
Idaho	22.94	0.78	03(02,13)	19.98 ^c
Montana	22.69	0.90	04(02,18)	18.69 ^c
Georgia	22.01	0.35	05(03,10)	15.11 ^c
Low Five States				
West Virginia	17.39	0.59	47(28,50)	-9.03
Florida	16.71	0.16	48(45,50)	-12.58 ^c
Delaware	16.59	0.83	49(27,51)	-13.23 ^c
Wyoming	15.94	1.09	50(28,51)	-16.62 ^c
Hawaii	14.04	0.59	51(49,51)	-26.58 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	21.15	0.44	08(04,21)	10.62 ^c	Montana	22.69	0.90	04(02,18)	18.69 ^c
Alaska	18.01	1.38	40(04,51)	-5.79	Nebraska	18.35	0.63	38(13,49)	-4.02
Arizona	17.47	0.31	46(35,49)	-8.60	Nevada	19.77	0.57	22(07,39)	3.43
Arkansas	18.55	0.51	36(16,48)	-2.98	New Hampshire	18.89	0.75	31(08,48)	-1.20
California	19.76	0.15	23(13,30)	3.37	New Jersey	17.78	0.29	43(32,48)	-7.00
Colorado	21.47	0.45	07(03,18)	12.33 ^c	New Mexico	19.59	0.62	24(07,43)	2.47
Connecticut	17.91	0.44	41(27,49)	-6.31	New York	18.03	0.20	39(32,46)	-5.67
Delaware	16.59	0.83	49(27,51)	-13.23 ^c	North Carolina	19.87	0.30	19(10,33)	3.93
D.C.	28.07	1.54	01(01,03)	46.83 ^c	North Dakota	17.76	0.98	44(11,50)	-7.11
Florida	16.71	0.16	48(45,50)	-12.58 ^c	Ohio	19.08	0.26	29(19,38)	-0.18
Georgia	22.01	0.35	05(03,10)	15.11 ^c	Oklahoma	20.35	0.48	13(06,32)	6.44
Hawaii	14.04	0.59	51(49,51)	-26.58 ^c	Oregon	20.68	0.45	11(05,28)	8.15
Idaho	22.94	0.78	03(02,13)	19.98 ^c	Pennsylvania	18.75	0.23	32(24,40)	-1.90
Illinois	20.14	0.27	15(09,28)	5.33	Rhode Island	18.70	0.84	33(08,50)	-2.20
Indiana	19.46	0.37	27(12,37)	1.80	South Carolina	21.81	0.45	06(03,13)	14.09 ^c
Iowa	19.54	0.49	26(09,40)	2.19	South Dakota	18.96	0.93	30(05,50)	-0.84
Kansas	18.60	0.52	35(15,47)	-2.72	Tennessee	19.83	0.37	21(09,34)	3.71
Kentucky	19.55	0.45	25(09,39)	2.25	Texas	17.90	0.19	42(34,47)	-6.36
Louisiana	20.78	0.46	10(04,27)	8.70	Utah	20.05	0.64	16(05,39)	4.85
Maine	20.41	0.73	12(04,38)	6.75	Vermont	19.10	1.08	28(05,50)	-0.10
Maryland	20.02	0.40	17(08,33)	4.69	Virginia	19.83	0.34	20(10,33)	3.71
Massachusetts	18.42	0.34	37(25,46)	-3.64	Washington	20.19	0.36	14(08,30)	5.59
Michigan	18.69	0.28	34(24,42)	-2.24	West Virginia	17.39	0.59	47(28,50)	-9.03
Minnesota	19.91	0.39	18(08,34)	4.14	Wisconsin	20.84	0.38	09(05,24)	8.98
Mississippi	24.67	0.63	02(01,04)	29.03 ^c	Wyoming	15.94	1.09	50(28,51)	-16.62 ^c
Missouri	17.50	0.34	45(34,49)	-8.45					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 10% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.