

Table 24.13  
Cancer of the Stomach (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,  
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and  
Lifetime Risk of Dying from Cancer Given Alive at Current Age  
Males, 2015-2017 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	1.04	0.43	Asian/ Pacific Islander	0	0.00	0.00	0.01	1.89	1.12
	10	0.00	0.00	0.02	1.05	0.44		10	0.00	0.01	0.02	1.90	1.13
	20	0.00	0.02	0.07	1.05	0.44		20	0.01	0.02	0.08	1.90	1.14
	30	0.02	0.06	0.18	1.06	0.44		30	0.02	0.08	0.23	1.91	1.14
	40	0.05	0.17	0.40	1.06	0.45		40	0.06	0.22	0.56	1.90	1.14
	50	0.13	0.36	0.70	1.05	0.44		50	0.16	0.51	1.08	1.87	1.13
	60	0.26	0.62	0.91	0.99	0.43		60	0.36	0.95	1.52	1.78	1.11
	70	0.42	0.76	-	0.85	0.39		70	0.64	1.26	-	1.54	1.04
80	0.48	-	-	0.60	0.32	80	0.76	-	-	1.10	0.91		
White	0	0.00	0.00	0.00	0.93	0.38	American Indian/ Alaska Native <sup>a</sup>	0	0.00	0.00	0.00	0.96	0.53
	10	0.00	0.00	0.02	0.94	0.38		10	0.00	0.00	0.03	0.97	0.54
	20	0.00	0.02	0.06	0.94	0.38		20	0.00	0.02	0.08	0.97	0.54
	30	0.02	0.06	0.17	0.95	0.39		30	0.02	0.08	0.20	0.99	0.56
	40	0.04	0.15	0.36	0.95	0.39		40	0.06	0.19	0.43	1.00	0.56
	50	0.11	0.33	0.63	0.93	0.38		50	0.13	0.39	0.69	0.99	0.57
	60	0.23	0.56	0.82	0.88	0.37		60	0.28	0.61	0.88	0.94	0.56
	70	0.38	0.68	-	0.75	0.33		70	0.38	0.70	-	0.76	0.52
80	0.43	-	-	0.53	0.27	80	0.45	-	-	0.54	0.37		
Black	0	0.00	0.00	0.00	1.27	0.71	Hispanic <sup>b</sup>	0	0.00	0.00	0.01	1.57	0.82
	10	0.00	0.00	0.02	1.30	0.73		10	0.00	0.01	0.04	1.59	0.83
	20	0.00	0.02	0.08	1.31	0.73		20	0.01	0.04	0.10	1.59	0.83
	30	0.02	0.07	0.23	1.33	0.74		30	0.03	0.10	0.24	1.61	0.84
	40	0.06	0.22	0.53	1.34	0.76		40	0.07	0.22	0.53	1.60	0.84
	50	0.17	0.49	0.90	1.35	0.77		50	0.15	0.47	0.97	1.57	0.82
	60	0.36	0.81	1.17	1.30	0.76		60	0.33	0.86	1.35	1.50	0.80
	70	0.57	1.02	-	1.19	0.73		70	0.60	1.15	-	1.31	0.74
80	0.69	-	-	0.95	0.63	80	0.73	-	-	0.94	0.60		

Devcan 6.7.8, April 2020, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 21 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts). Mortality data are from the NCHS public use data file for the total US.

<sup>a</sup> Underlying incidence and mortality data for American Indian/Alaska Native are based on the PRCDA (Purchased/Referred Care Delivery Areas) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.