


Table 26.18
Cancer of the Thyroid (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2013-2017

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.51	0.01		
High Five States				
Utah	0.65	0.07	01(01,38)	26.68 ^c
California	0.64	0.02	02(01,10)	26.16 ^c
Hawaii	0.63	0.09	03(01,45)	24.41 ^c
Idaho	0.62	0.08	04(01,46)	20.89 ^c
Oregon	0.60	0.05	05(01,33)	18.69 ^c
Low Five States				
Alabama	0.41	0.04	45(16,49)	-18.85 ^c
West Virginia	0.40	0.06	46(08,49)	-21.98 ^c
Maine	0.38	0.06	47(07,49)	-24.49 ^c
New Hampshire	0.38	0.07	48(06,49)	-25.64 ^c
Delaware	0.38	0.08	49(04,49)	-26.35 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.41	0.04	45(16,49)	-18.85 ^c	Montana	0.52	0.09	18(01,49)	1.22
Alaska	-	-	-(-,-)	-	Nebraska	0.46	0.06	38(02,49)	-9.82
Arizona	0.45	0.03	41(10,49)	-11.07	Nevada	0.50	0.06	21(02,49)	-1.59
Arkansas	0.50	0.05	25(02,48)	-2.42	New Hampshire	0.38	0.07	48(06,49)	-25.64 ^c
California	0.64	0.02	02(01,10)	26.16 ^c	New Jersey	0.50	0.03	23(06,45)	-1.78
Colorado	0.57	0.05	10(01,40)	11.95	New Mexico	0.57	0.07	09(01,47)	12.77
Connecticut	0.47	0.05	33(05,49)	-6.95	New York	0.53	0.02	13(06,35)	3.37
Delaware	0.38	0.08	49(04,49)	-26.35 ^c	North Carolina	0.52	0.03	15(05,41)	2.54
D.C.	0.60	0.14	06(01,49)	18.08 ^c	North Dakota	0.50	0.11	26(01,49)	-2.45
Florida	0.45	0.02	42(21,47)	-11.99	Ohio	0.46	0.03	37(14,47)	-9.64
Georgia	0.43	0.03	44(16,49)	-15.01 ^c	Oklahoma	0.47	0.05	36(06,49)	-8.25
Hawaii	0.63	0.09	03(01,45)	24.41 ^c	Oregon	0.60	0.05	05(01,33)	18.69 ^c
Idaho	0.62	0.08	04(01,46)	20.89 ^c	Pennsylvania	0.49	0.02	30(09,44)	-3.76
Illinois	0.48	0.03	32(10,46)	-5.59	Rhode Island	0.49	0.09	31(01,49)	-4.03
Indiana	0.46	0.03	40(10,49)	-10.62	South Carolina	0.51	0.04	19(03,46)	1.10
Iowa	0.49	0.05	27(03,48)	-3.05	South Dakota	0.55	0.11	11(01,49)	8.26
Kansas	0.50	0.06	24(02,49)	-2.39	Tennessee	0.44	0.03	43(13,49)	-12.82
Kentucky	0.50	0.04	22(04,47)	-1.72	Texas	0.52	0.02	14(07,34)	2.94
Louisiana	0.49	0.04	28(04,48)	-3.07	Utah	0.65	0.07	01(01,38)	26.68 ^c
Maine	0.38	0.06	47(07,49)	-24.49 ^c	Vermont	0.59	0.12	07(01,49)	16.10 ^c
Maryland	0.50	0.04	20(05,47)	-1.16	Virginia	0.46	0.03	39(10,48)	-10.07
Massachusetts	0.52	0.04	16(04,44)	2.38	Washington	0.54	0.04	12(02,40)	6.87
Michigan	0.47	0.03	34(11,47)	-7.71	West Virginia	0.40	0.06	46(08,49)	-21.98 ^c
Minnesota	0.52	0.04	17(03,45)	1.69	Wisconsin	0.58	0.04	08(01,35)	13.97
Mississippi	0.47	0.05	35(04,49)	-7.99	Wyoming	-	-	-(-,-)	-
Missouri	0.49	0.04	29(06,47)	-3.57					



- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.