Table 1.22
U.S. Complete Prevalence Counts, Invasive Cancers Only, January 1, 2018^a
By Age at Prevalence

Site/Sex	Age at Prevalence									
	All Ages ^c	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70+	
All Sites										
Males	7,505,669	19,862	49,240	96,083	180,670	335,822	909,233	1,971,545	3,943,213	
Females	8,847,752	17,753	41,566	96,287	268,119	650,428	1,475,237	2,302,303	3,996,060	
Oral Cavity & Pharynx										
Males	269,596	73	484	1,500	3,868	13,005	48,826	90,629	111,211	
Females	127,341	38	526	1,677	3,761	8,853	20,939	33,857	57,690	
Esophagus										
Males	38,335	0	0	27	161	969	4,638	12,150	20,390	
Females	11,115	0	0	16	65	201	1,051	3,171	6,610	
Stomach										
Males	68,418	0	33	160	931	2,864	8,900	18,019	37,512	
Females	51,883	0	31	239	1,059	2,809	7,732	12,431	27,582	
Colon & Rectum										
Males	684,455	8	658	1,921	8,059	27,902	98,969	176,027	370,911	
Females	680,680	38	828	2,515	8,193	27,136	88,095	151,975	401,899	
Liver & Intrahep										
Males	66,438	670	806	590	659	1,663	9,884	30,858	21,308	
Females	29,740	575	733	421	682	1,150	4,070	10,305	11,805	
Pancreas										
Males	41,865	14	73	122	606	1,893	6,875	13,689	18,592	
Females	41,912	0	104	373	1,005	2,551	5,920	12,411	19,547	
Larynx										
Males	78,352	0	5	79	333	1,448	8,233	22,428	45,826	
Females	17,670	0	0	53	163	528	2,868	5,296	8,763	
Lung & Bronchus										
Males	258,486	73	114	428	1,308	4,405	22,920	70,123	159,114	
Females	324,145	74	80	490	1,576	5,917	31,857	82,223	201,928	
Melanoma of the Skin										
Males	663,784	46	500	4,021	16,372	39,705	98,334	173,862	330,944	
Females	631,102	126	746	7,416	33,393	66,792	126,331	160,996	235,302	

U.S. 2018 cancer prevalence counts are based on 2018 cancer prevalence proportions from the SEER 13 areas not including the Alaska Natives Registry (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, Rural Georgia, San Jose-Monterey, and Los Angeles) and 1/1/2018 U.S. population estimates based on the average of 2017 and 2018 population estimates from the U.S. Bureau of the Census.

Prevalence was calculated using the first invasive tumor for each cancer site diagnosed during the previous 26 years.

Cases diagnosed more than 26 years ago were estimated using the completeness index method (Capocaccia et. al. 1997, Merrill et. al. 2000).

Due to rounding, the sum of the age specific estimates may not equal the all ages estimate.

Table 1.22 - continued
U.S. Complete Prevalence Counts, Invasive Cancers Only, January 1, 2018^a
By Age at Prevalence

Site/Sex	Age at Prevalence									
	All Ages ^c	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70+	
Breast										
Males	20,786	0	0	4	153	573	2,317	4,929	12,810	
Males Females	3,676,262	8	82		42,927	211,749	605,824	1,005,322	•	
remales	3,6/6,262	8	82	3,180	42,927	211,749	605,824	1,005,322	1,807,170	
Cervix										
Females	293,394	0	33	1,511	14,936	39,664	64,977	74,049	98,224	
Corpus & Uterus, NOS										
Females	813,861	0	44	894	7,867	30,259	101,835	238,387	434,574	
Ovary ^d										
-	025 001	4.0	1 106	4 200	0 165	10 677	44 600	CE 022	01 001	
Females	235,081	48	1,186	4,398	9,165	18,677	44,682	65,833	91,091	
Prostate										
Males	3,245,430	32	61	81	142	11,967	207,046	855,584	2,170,516	
Urinary Bladder										
Males	544,935	81	69	621	2,135	8,355	38,095	118,443	377,136	
Females	178,810	33	82	274	1,004	2,909	12,556	35,885	126,067	
Kidney & Renal Pelvis										
Males	356,913	1,494	2,197	2,587	9,229	23,570	58,084	100,411	159,341	
Females	225,814	1,675	2,628	3,291	7,228	16,209	34,668	57,445	102,668	
	223,011	2,0,0	2,020	3,231	,,220	10,203	31,000	37,7113	102,000	
Hodgkin Lymphoma										
Males	112,578	169	2,333	10,026	15,925	20,933	27,090	21,569	14,532	
Females	106,550	29	1,774	9,047	16,474	21,063	25,044	18,966	14,154	
Non-Hodgkin Lymphoma										
Males	394,545	946	4,144	8,455	14,859	28,296	61,683	100,701	175,460	
Females	348,631	524	1,900	4,969	10,369	21,583	49,290	86,675	173,321	
Myeloma										
Males	83,038	0	8	72	702	3,692	11,948	24,947	41,669	
Females	66,918	3	9	78	504	2,844	9,857	20,284	33,339	
	00/510	3		, 0	301	2,011	3,03.	20,201	33,333	
Leukemia										
Males	260,650	6,976	16,133	17,880	14,147	17,808	33,353	55,685	98,669	
Females	198,408	6,391	12,430	14,279	12,520	14,524	23,954	38,278	76,033	
Acute Lymphocytic Leuk										
Males	56,452	5,705	13,467	13,809	9,153	7,129	4,281	1,912	994	
Females	47,084	5,197	10,623	10,597	8,134	6,150	3,628	1,657	1,098	
	,	-	•		•	•	,	,	,	

U.S. 2018 cancer prevalence counts are based on 2018 cancer prevalence proportions from the SEER 13 areas not including the Alaska Natives Registry (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, Rural Georgia, San Jose-Monterey, and Los Angeles) and 1/1/2018 U.S. population estimates based on the average of 2017 and 2018 population estimates from the U.S. Bureau of the Census.

Prevalence was calculated using the first invasive tumor for each cancer site diagnosed during the previous 26 years.

Cases diagnosed more than 26 years ago were estimated using the completeness index method (Capocaccia et. al. 1997, Merrill et. al. 2000).

Due to rounding, the sum of the age specific estimates may not equal the all ages estimate.