Table 29.2

## Age-Adjusted SEER Cancer Incidence Ratesa

By International Classification of Childhood Cancer(ICCC) Belected Group and Subgroup and Year of Diagnosis Excluding benign brain and myelodysplastic syndromes

All Races, Males and Females, Ages 0-19

ICCC Group and Subgroup	1975-2015	1975-1985	1986-1995	1996-2005	2006-2015
All ICCC Groups Combined	161.9	145.1	158.8	165.6	177.2
<pre>I Leukemia   I(a) Lymphoid leukemia   I(b) Acute myeloid leukemia</pre>	39.5	35.3	37.9	41.5	42.9
	29.5	26.0	28.5	31.2	32.1
	7.2	6.1	6.7	8.1	7.9
II Lymphomas and reticuloendothelial neoplasms II(a) Hodgkin lymphoma II(b,c,e) Non-Hodgkin lymphoma	24.9	24.6	24.4	23.7	26.9
	13.1	14.4	13.3	11.7	13.0
	11.3	9.5	10.5	11.4	13.6
<pre>III CNS &amp; misc intracranial &amp; intraspinal neoplasms     III(a) Ependymomas and choroid plexus tumor     III(b) Astrocytoma     III(c) Intracranial and intraspinal embryonal tumors     III(d) Other gliomas</pre>	28.7	23.4	30.1	29.7	31.6
	2.4	1.8	2.6	2.5	2.8
	14.6	11.8	15.7	14.8	16.1
	5.6	4.4	5.7	6.2	6.1
	5.2	4.5	5.1	5.5	5.7
IV Neuroblastoma and other peripheral nervous cell tumors ${\tt IV}({\tt a})$ Neuroblastoma and ganglioneuroblastoma	8.5	8.2	8.3	8.8	8.8
	8.3	8.0	8.0	8.6	8.5
V Retinoblastoma	3.1	2.8	3.2	3.2	3.0
VI Renal tumors VI(a) Nephroblastoma and other nonepithelial renal tumor	6.7	6.5	6.8	6.8	6.7
	6.2	6.1	6.4	6.2	6.0
VII Hepatic tumors VII(a) Hepatoblastoma	2.0	1.4	1.5	2.3	2.6
	1.4	0.9	1.1	1.7	1.7
VIII Malignant bone tumors VIII(a) Osteosarcoma VIII(c) Ewing tumor and related sarcomas of bone	8.7	8.4	9.0	8.4	9.1
	4.8	4.3	5.0	4.7	5.1
	3.0	3.1	2.9	2.8	3.1
IX Soft tissue and other extraosseous sarcomas IX(a) Rhabdomyosarcoma	11.6	10.5	11.0	12.5	12.5
	4.5	4.1	4.8	4.7	4.5
X Germ cell & trophoblastic tumors & neoplasms of gonads $X(a)$ Intracranial and intraspinal germ-cell tumor $X(c)$ Malignant gonadal germ cell tumor	10.7	9.3	10.8	11.1	11.6
	1.5	0.9	1.5	1.9	1.7
	6.8	5.9	6.7	7.1	7.6
XI Other malignant epithelial neoplasms and melanomas $^{\rm d}$ XI(b) Thyroid carcinoma XI(d) Malignant melanoma	16.8	13.9	15.1	17.0	21.1
	6.5	5.0	5.3	6.0	9.7
	5.1	4.1	5.1	6.0	5.2

SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).

Rates are per 1,000,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

International Classification of Childhood Cancer is based on ICD-0-3. Steliarova-Foucher E, Stiller C, Lacour B, Kaatsch P.

International Classification of Childhood Cancer, Third Edition. Cancer. April 1, 2005: Vol 103, No. 7 , pg 1457-1467.

Classifications are shown for invasive cases only except as noted. For ICCC groups and subgroups that include in situ behavior, only invasive cases are shown except as noted.

Includes in situ urinary bladder tumors.

Statistic could not be calculated. Rate based on less than 16 cases for the time interval.