

Table 18.9  
MyelomaSEER<sup>a</sup> Relative Survival (Percent)  
By Year of Diagnosis

All Races, Males and Females

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990- 1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Survival Time																									
1-year	68.0	69.5	72.3	71.9	74.0	70.5	74.3	75.0	73.7	72.5	72.7	73.6	77.3	74.8	76.2	74.2	77.2	77.9	82.1	81.4	79.9	81.6	81.5	83.1	81.9
2-year	52.1	54.5	57.6	57.4	58.7	57.5	60.6	62.4	59.9	60.0	59.9	62.9	65.1	66.5	64.9	66.4	66.8	69.0	72.8	72.1	71.8	73.6	72.4	75.1	
3-year	39.6	42.8	45.3	46.2	47.8	44.9	48.7	51.2	48.0	50.0	49.6	53.5	55.9	58.7	57.6	58.3	58.1	61.8	65.4	65.5	65.0	66.6	66.3		
4-year	31.5	34.2	35.7	36.9	40.1	38.1	38.7	40.0	39.1	41.3	44.2	46.9	47.9	50.9	50.9	51.3	50.7	55.9	59.7	58.9	58.0	60.1			
5-year	25.1	26.9	27.5	29.9	33.3	31.8	31.4	34.3	31.5	34.6	37.6	40.0	42.2	45.5	46.7	46.3	46.5	50.3	52.9	53.2	51.1				
6-year	20.1	21.0	22.1	24.5	28.3	27.1	26.4	29.9	27.3	29.3	32.9	35.3	37.8	40.1	41.7	41.2	41.5	44.6	48.7	49.6					
7-year	16.2	16.7	17.5	20.4	23.7	23.6	22.6	24.6	23.6	25.5	29.4	31.8	33.3	35.8	37.0	36.6	37.3	41.7	43.7						
8-year	13.5	13.4	14.9	17.4	20.4	21.3	19.9	22.5	20.3	22.9	25.9	28.7	30.1	32.1	33.8	32.9	34.1	38.4							
9-year	11.5	11.2	11.9	15.4	18.2	19.4	17.2	19.8	18.5	20.7	23.3	25.8	27.3	30.2	31.3	30.8	30.8								
10-year	9.8	9.6	10.4	13.7	17.1	17.1	15.6	18.1	16.6	19.6	21.3	23.1	24.3	27.2	28.6	28.6									
11-year	8.7	8.6	9.2	12.7	15.6	15.5	14.4	17.0	14.4	18.6	20.1	20.1	22.1	25.1	25.6										
12-year	7.8	7.6	8.4	11.2	14.3	14.8	13.1	15.3	13.9	17.1	19.0	19.0	20.8	23.2											
13-year	6.7	6.6	7.6	10.3	13.6	13.2	11.9	14.4	13.0	16.1	17.0	18.1	19.0												
14-year	6.1	6.0	7.0	9.6	12.4	12.6	11.3	14.1	11.7	15.1	16.2	16.9													
15-year	5.3	5.7	6.2	9.3	12.0	11.5	11.0	12.4	11.4	14.3	15.0														
16-year	4.9	5.1	5.7	8.7	10.8	9.8	10.6	11.4	10.5	13.5															
17-year	4.6	4.7	5.4	8.2	10.1	8.9	9.9	10.7	10.3																
18-year	4.0	4.3	5.1	7.6	9.9	8.4	8.7	9.9																	
19-year	3.8	3.8	4.9	7.0	9.0	7.8	8.1																		
20-year	3.3	3.5	4.7	6.8	7.7	7.1																			

<sup>a</sup> Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta). [Expected survival rates](#) are derived from the U.S. Annual Life Tables.