

SEER RESEARCH DATA RECORD DESCRIPTION

CASES DIAGNOSED IN 1975-2016*

Submission: *November 2018*

Follow-up Cutoff Date: *December 31, 2016*

Documentation Version: *April 2019*

Diagnosis Years: *1975-2016*

* This documentation describes the data files in the incidence/yr1975_2016.seer9, yr1992_2016.sj_lx_rg_ak, yr2000_2016.gc_ky_la_nj_gg, and yr2005.la_2nd_half directories. Refer to individual variable definitions to determine the differences between the directory files.

Starting with November 2017 submission, all cervix *in situ* cases have been removed. In prior submissions, cervix *in situ* cases were included for 1975-1995 diagnoses

Starting with November 2018 submission, all 1973-1974 diagnosed cases have been removed.

TABLE OF CONTENTS

PATIENT ID NUMBER	10
REGISTRY ID.....	10
MARITAL STATUS AT DX.....	11
RACE / ETHNICITY	12
SEX	13
AGE AT DIAGNOSIS	13
BIRTHDATE—YEAR	13
SEQUENCE NUMBER--CENTRAL	14
MONTH OF DIAGNOSIS	15
YEAR OF DIAGNOSIS	15
PRIMARY SITE.....	15
LATERALITY.....	16
HISTOLOGY (92-00) ICD-O-2.....	16
BEHAVIOR (92-00) ICD-O-2.....	18
HISTOLOGIC TYPE ICD-O-3	19
BEHAVIOR CODE ICD-O-3.....	19
GRADE	20
DIAGNOSTIC CONFIRMATION.....	20
TYPE OF REPORTING SOURCE.....	21
EOD—TUMOR SIZE	22
EOD—EXTENSION	22
EOD—EXTENSION PROST PATH.....	22
EOD—LYMPH NODE INVOLV	23
REGIONAL NODES POSITIVE.....	23
REGIONAL NODES EXAMINED	24
EOD—OLD 13 DIGIT	24
EOD—OLD 2 DIGIT	25
EOD—OLD 4 DIGIT	25
CODING SYSTEM FOR EOD.....	25
TUMOR MARKER 1.....	26
TUMOR MARKER 2.....	27
TUMOR MARKER 3.....	28
CS TUMOR SIZE	29
CS EXTENSION	29
CS LYMPH NODES	30
CS METS AT DX	30
CS SITE-SPECIFIC FACTOR 1.....	31
CS SITE-SPECIFIC FACTOR 2.....	31
CS SITE-SPECIFIC FACTOR 3.....	31
CS SITE-SPECIFIC FACTOR 4.....	32
CS SITE-SPECIFIC FACTOR 5.....	32
CS SITE-SPECIFIC FACTOR 6.....	33
CS SITE-SPECIFIC FACTOR 25.....	33
DERIVED AJCC-6 T	34
DERIVED AJCC-6 N.....	35
DERIVED AJCC-6 M	36
DERIVED AJCC-6 STAGE GRP.....	36
DERIVED SS1977.....	38
SEER COMBINED SUMMARY STAGE 2000 (2004+).....	38
CS VERSION INPUT ORIGINAL	39
CS VERSION DERIVED	39
CS VERSION INPUT CURRENT.....	39

TABLE OF CONTENTS

RX SUMM—SURG PRIM SITE.....	40
RX SUMM—SCOPE REG LN SUR.....	41
RX SUMM—SURG OTH REG/DIS.....	41
RX SUMM—REG LN EXAMINED.....	42
REASON FOR NO SURGERY.....	42
RX SUMM—SURG TYPE	43
RX SUMM—SCOPE REG 98-02.....	43
RX SUMM—SURG OTH 98-02	44
RECORD NUMBER RECODE.....	44
SEER TYPE OF FOLLOW-UP	44
AGE RECODE <1 YEAR OLDS.....	45
SITE RECODE ICD-O-3/WHO 2008.....	45
RECODE ICD-O-2 TO 9.....	46
RECODE ICD-O-2 TO 10.....	46
ICCC SITE RECODE ICD-O-3/WHO 2008	46
ICCC SITE REC EXTENDED ICD-O-3/WHO 2008	47
BEHAVIOR RECODE FOR ANALYSIS.....	47
HISTOLOGY RECODE—BROAD GROUPINGS.....	47
HISTOLOGY RECODE—BRAIN GROUPINGS	50
CS SCHEMA v0204+	51
RACE RECODE (WHITE, BLACK, OTHER)	55
RACE RECODE (W, B, AI, API)	56
ORIGIN RECODE NHIA (HISPANIC, NON-HISP)	56
SEER HISTORIC STAGE A	56
AJCC STAGE 3 RD EDITION (1988-2003)	57
SEER MODIFIED AJCC STAGE 3 RD ED (1988-2003)	58
SEER SUMMARY STAGE 1977	58
SEER SUMMARY STAGE 2000.....	59
FIRST MALIGNANT PRIMARY INDICATOR	59
STATE-COUNTY RECODE	59
CAUSE OF DEATH TO SEER SITE RECODE.....	60
COD TO SITE REC KM	60
VITAL STATUS RECODE.....	60
IHS LINK	61
SUMMARY STAGE 2000 (1998+).....	61
AYA SITE RECODE/WHO 2008.....	61
LYMPHOMA SUBTYPE RECODE/WHO 2008.....	62
SEER CAUSE-SPECIFIC DEATH CLASSIFICATION	62
SEER OTHER CAUSE OF DEATH CLASSIFICATION	62
CS TUMOR SIZE EXT/EVAL.....	63
CS LYMPH NODES EVAL	63
CS METS EVAL	63
PRIMARY BY INTERNATIONAL RULES	63
ER STATUS RECODE BREAST CANCER (1990+)	64
PR STATUS RECODE BREAST CANCER (1990+).....	64
CS SCHEMA—AJCC 6 TH ED (PREVIOUSLY CALLED V1).....	65
CS SITE-SPECIFIC FACTOR 8.....	67
CS SITE-SPECIFIC FACTOR 10.....	68
CS SITE-SPECIFIC FACTOR 11.....	68
CS SITE-SPECIFIC FACTOR 13.....	68
CS SITE-SPECIFIC FACTOR 15.....	69
CS SITE-SPECIFIC FACTOR 16.....	69

TABLE OF CONTENTS

LYMPH VASCULAR INVASION	69
SURVIVAL MONTHS	70
SURVIVAL MONTHS FLAG	70
INSURANCE RECODE (2007+)	70
DERIVED AJCC-7 T	71
DERIVED AJCC-7 N	72
DERIVED AJCC-7 M	73
DERIVED AJCC-7 STAGE GRP	73
BREAST ADJUSTED AJCC 6 TH T (1988-2015).....	75
BREAST ADJUSTED AJCC 6 TH N (1988-2015).....	76
BREAST ADJUSTED AJCC 6 TH M (1988-2015)	77
BREAST ADJUSTED AJCC 6TH STAGE (1988-2015).....	78
CS SITE-SPECIFIC FACTOR 7.....	79
CS SITE-SPECIFIC FACTOR 9.....	80
CS SITE-SPECIFIC FACTOR 12.....	80
DERIVED HER2 RECODE (2010+).....	80
BREAST SUBTYPE (2010+).....	81
LYMPHOMAS: ANN ARBOR STAGING (1983-2015)	81
SEER COMBINED METS AT DX-BONE	81
SEER COMBINED METS AT DX-BRAIN.....	82
SEER COMBINED METS AT DX-LIVER	82
SEER COMBINED METS AT DX-LUNG	82
T VALUE - BASED ON AJCC 3RD (1988-2003).....	83
N VALUE - BASED ON AJCC 3RD (1988-2003).....	83
M VALUE - BASED ON AJCC 3RD (1988-2003).....	83
TOTAL NUMBER OF IN SITU/MALIGNANT TUMORS FOR PATIENT	84
TOTAL NUMBER OF BENIGN/BORDERLINE TUMORS FOR PATIENT	84
TUMOR SIZE SUMMARY	84
DERIVED SEER CMB STG GRP	85
DERIVED SEER COMBINED T	85
DERIVED SEER COMBINED N	85
DERIVED SEER COMBINED M	85
DERIVED SEER COMBINED T SRC	86
DERIVED SEER COMBINED N SRC	86
DERIVED SEER COMBINED M SRC	86
TNM EDITION NUMBER	87
METS AT DX—DISTANT LN	87
METS AT DX—OTHER	88

COMPUTER RECORD FORMAT

NAACCR Name	NAACCR Item #	SAS Variable Name	Applicable Years	Position	Length
Patient ID number	20	PUBCSNUM		1-8	8
Registry ID	40	REG		9-18	10
Marital Status at DX	150	MAR_STAT		19	1
Race/Ethnicity	160	RACE1V		20-21	2
Sex	220	SEX		24	1
Age at diagnosis	230	AGE_DX		25-27	3
Year of Birth	240	YR_BRTH		28-31	4
Sequence Number—Central	380	SEQ_NUM		35-36	2
Month of diagnosis	390	MDXRECMP		37-38	2
Year of diagnosis	390	YEAR_DX		39-42	4
Primary Site	400	PRIMSITE		43-46	4
Laterality	410	LATERAL		47	1
Histology (92-00) ICD-O-2	420	HISTO2V		48-51	4
Behavior (92-00) ICD-O-2	430	BEHO2V		52	1
Histologic Type ICD-O-3	522	HISTO3V		53-56	4
Behavior Code ICD-O-3	523	BEHO3V		57	1
Grade	440	GRADE		58	1
Diagnostic Confirmation	490	DX_CONF		59	1
Type of Reporting Source	500	REPT_SRC		60	1
EOD—Tumor Size	780	EOD10_SZ	1988-2003	61-63	3
EOD—Extension	790	EOD10_EX	1988-2003	64-65	2
EOD—Extension Prost Path	800	EOD10_PE	1985-2003	66-67	2
EOD—Lymph Node Involv	810	EOD10_ND	1988-2003	68	1
Regional Nodes Positive	820	EOD10_PN	1988+	69-70	2
Regional Nodes Examined	830	EOD10_NE	1988+	71-72	2
EOD—Old 13 Digit	840	EOD13	1975-1982	73-85	13
EOD—Old 2 Digit	850	EOD2	1975-1982	86-87	2
EOD—Old 4 Digit	860	EOD4	1983-1987	88-91	4
Coding System for EOD	870	EOD_CODE	1975-2003	92	1
Tumor Marker 1	1150	TUMOR_1V	1990-2003	93	1
Tumor Marker 2	1160	TUMOR_2V	1990-2003	94	1
Tumor Marker 3	1170	TUMOR_3V	1998-2003	95	1
CS Tumor Size	2800	CSTUMSIZ	2004-2015	96-98	3
CS Extension	2810	CSEXTEN	2004-2015	99-101	3
CS Lymph Nodes	2830	CSLYMPHN	2004-2015	102-104	3
CS Mets at Dx	2850	CSMETSDX	2004-2015	105-106	2
CS Site-Specific Factor 1	2880	CS1SITE	2004+*	107-109	3
CS Site-Specific Factor 2	2890	CS2SITE	2004+*	110-112	3
CS Site-Specific Factor 3	2900	CS3SITE	2004+*	113-115	3
CS Site-Specific Factor 4	2910	CS4SITE	2004+*	116-118	3
CS Site-Specific Factor 5	2920	CS5SITE	2004+*	119-121	3
CS Site-Specific Factor 6	2930	CS6SITE	2004+*	122-124	3

COMPUTER RECORD FORMAT

NAACCR Name	NAACCR Item #	SAS Variable Name	Applicable Years	Position	Length
CS Site-Specific Factor 25	2879	CS25SITE	2004+*	125-127	3
Derived AJCC T	2940	DAJCCT	2004-2015	128-129	2
Derived AJCC N	2960	DAJCCN	2004-2015	130-131	2
Derived AJCC M	2980	DAJCCM	2004-2015	132-133	2
Derived AJCC Stage Group	3000	DAJCCSTG	2004-2015	134-135	2
Derived SS1977	3010	DSS1977S	2004-2015	136	1
SEER Combined Summary Stage 2000 (2004+)	N/A	SCSSM2KO	2004+	137	1
CS Version Input Original	2935	CSVFIRST	2004-2015	141-146	6
CS Version Derived	2936	CSVLATES	2004-2015	147-152	6
CS Version Input Current	2937	CSVCURRENT	2004-2015	153-158	6
RX Summ—Surg Prim Site	1290	SURGPRIF	1998+	159-160	2
RX Summ—Scope Reg LN Sur	1292	SURGSCOF	2003+	161	1
RX Summ—Surg Oth Reg/Dis	1294	SURGSITF	2003+	162	1
RX Summ—Reg LN Examined	1296	NUMNODES	1998-2002	163-164	2
Reason for no surgery	1340	NO_SURG		166	1
RX Summ—Surgery Type	1640	SS_SURG	1975-1997	170-171	2
RX Summ—Scope Reg 98-02	1647	SURGSCOP	1998-2002	174	1
RX Summ—Surg Oth 98-02	1648	SURGSITE	1998-2002	175	1
Record Number Recode	1775	RECNOREC		176-177	2
SEER Type of Follow-up	2180	TYPE_FU		191	1
Age Recode <1 Year olds	N/A	AGE_1REC		192-193	2
Site Recode ICD-O-3/WHO 2008	N/A	SITERWHO		199-203	5
Recode ICD-O-2 to 9	N/A	ICDOTO9V		204-207	4
Recode ICD-O-2 to 10	N/A	ICDOT10V		208-211	4
ICCC site recode ICD-O-3/WHO 2008	N/A	ICCC3WHO		218-220	3
ICCC site rec extended ICD-O-3/WHO 2008	N/A	ICCC3XWHO		221-223	3
Behavior Recode for Analysis	N/A	BEHTREND		224	1
Histology Recode—Broad Groupings	N/A	HISTREC		226-227	2
Histology Recode—Brain Groupings	N/A	HISTRECB		228-229	2
CS Schema v0204+	N/A	cs0204schema		230-232	3
Race recode (White, Black, Other)	N/A	RAC_RECA		233	1
Race recode (W, B, AI, API)	N/A	RAC_RECY		234	1
Origin recode NHIA (Hispanic, Non-Hisp)	N/A	ORIGRECB		235	1
SEER historic stage A	N/A	HST_STGA	1975-2015	236	1
AJCC stage 3 rd edition (1988-2003)	N/A	AJCC_STG		237-238	2
SEER modified AJCC Stage 3 rd ed (1988-2003)	N/A	AJ_3SEER		239-240	2
SEER Summary Stage 1977 (1995-2000)	N/A	SSS77VZ	1995-2000	241	1
SEER Summary Stage 2000 (2001-2003)	N/A	SSSM2KPZ	2001-2003	242	1
First malignant primary indicator	N/A	FIRSTPRM		245	1

COMPUTER RECORD FORMAT

NAACCR Name	NAACCR Item #	SAS Variable Name	Applicable Years	Position	Length
State-county recode	N/A	ST_CNTY		246-250	5
Cause of Death to SEER site recode	N/A	CODPUB		255-259	5
COD to site rec KM	N/A	CODPUBKM		260-264	5
Vital Status recode	N/A	STAT_REC		265	1
IHS Link	192	IHSLINK		266	1
Summary stage 2000 (1998+)	N/A	SUMM2K	1998+	267	1
AYA site recode/WHO 2008	N/A	AYASITERWHO		268-269	2
Lymphoma subtype recode/WHO 2008	N/A	LYMSUBRWHO		270-271	2
SEER Cause-Specific Death Classification	N/A	VSRTSADX		272	1
SEER Other Cause of Death Classification	N/A	ODTHCLASS		273	1
CS Tumor Size/Ext Eval	2820	CSTSEVAL	2004-2015	274	1
CS Lymph Nodes Eval	2840	CSRGEVAL	2004-2015	275	1
CS Mets Eval	2860	CSMTEVAL	2004-2015	276	1
Primary by international rules	N/A	INTPRIM		277	1
ER Status Recode Breast Cancer (1990+)	N/A	ERSTATUS	1990+	278	1
PR Status Recode Breast Cancer (1990+)	N/A	PRSTATUS	1990+	279	1
CS Schema -AJCC 6th ed (previously called v1)	N/A	CSSCHEMA		280-281	2
CS Site-Specific Factor 8	2862	CS8SITE	2004+*	282-284	3
CS Site-Specific Factor 10	2864	CS10SITE	2004+*	285-287	3
CS Site-Specific Factor 11	2865	CS11SITE	2004+*	288-290	3
CS Site-Specific Factor 13	2867	CS13SITE	2004+*	291-293	3
CS Site-Specific Factor 15	2869	CS15SITE	2004+*	294-296	3
CS Site-Specific Factor 16	2870	CS16SITE	2004+*	297-299	3
Lymph vascular invasion	1182	VASINV	2004+*	300	1
Survival months	N/A	SRV_TIME_MON		301-304	4
Survival months flag	N/A	SRV_TIME_MON_FLAG		305	1
Insurance recode (2007+)	N/A	INSREC_PUB	2007+	311	1
Derived AJCC-7 T	3400	DAJCC7T	2010-2015	312-314	3
Derived AJCC-7 N	3410	DAJCC7N	2010-2015	315-317	3
Derived AJCC-7 M	3420	DAJCC7M	2010-2015	318-320	3
Derived AJCC-7 Stage Grp	3430	DAJCC7STG	2010-2015	321-323	3
Breast Adjusted AJCC 6 th T (1988-2015)	N/A	ADJTM_6VALUE	1988-2015	324-325	2
Breast Adjusted AJCC 6 th N (1988-2015)	N/A	ADJNM_6VALUE	1988-2015	326-327	2
Breast Adjusted AJCC 6 th M (1988-2015)	N/A	ADJM_6VALUE	1988-2015	328-329	2
Breast Adjusted AJCC 6 th Stage (1988-2015)	N/A	ADJAJCCSTG	1988-2015	330-331	2
CS Site-Specific Factor 7	2861	CS7SITE	2004+*	332-334	3
CS Site-Specific Factor 9	2863	CS9SITE	2004+*	335-337	3

COMPUTER RECORD FORMAT

NAACCR Name	NAACCR Item #	SAS Variable Name	Applicable Years	Position	Length
CS Site-Specific Factor 12	2866	CS12SITE	2004+*	338-340	3
Derived HER2 Recode (2010+)	N/A	her2	2010+	341	1
Breast Subtype (2010+)	N/A	brst_sub	2010+	342	1
Lymphomas: Ann Arbor Staging (1983-2015)	N/A	ANNARBOR	1983-2015	348	1
SEER Combined Mets at Dx-Bone	N/A	SCMETSDXB_PUB	2010+	349	1
SEER Combined Mets at Dx-Brain	N/A	SCMETSDXBR_PU B	2010+	350	1
SEER Combined Mets at Dx-Liver	N/A	SCMETSDXLIV_PU B	2010+	351	1
SEER Combined Mets at Dx-Lung	N/A	SCMETSDXLUNG_PUB	2010+	352	1
T value - based on AJCC 3rd (1988-2003)	N/A	T_VALUE	1988-2003	353	2
N value - based on AJCC 3rd (1988-2003)	N/A	N_VALUE	1988-2003	355	2
M value - based on AJCC 3rd (1988-2003)	N/A	M_VALUE	1988-2003	357	2
Total Number of In Situ/malignant Tumors for Patient	N/A	MALIGCOUNT		359-360	2
Total Number of Benign/Borderline Tumors for Patient	N/A	BENBORDCOUNT		361-362	2
Tumor Size Summary (2016+)	756	TUMSIZS	2016+	364-366	3
Derived SEER Cmb Stg Grp (2016+)	3614	DSRPSG	2016+	367-371	5
Derived SEER Combined T (2016+)	3616	DASRCT	2016+	372-376	5
Derived SEER Combined N (2016+)	3618	DASRCN	2016+	377-381	5
Derived SEER Combined M (2016+)	3620	DASRCM	2016+	382-386	5
Derived SEER Combined T Src (2016+)	3622	DASRCTS	2016+	387	1
Derived SEER Combined N Src (2016+)	3624	DASRCNS	2016+	388	1
Derived SEER Combined M Src (2016+)	3626	DASRCMS	2016+	389	1
TNM Edition Number (2016+)	1060	TNMEDNUM	2016+	390-391	2
Mets at DX – Distant LN (2016+)	1114	METSDXLN	2016+	392	1
Mets at DX – Other (2016+)	1117	METSDXO	2016+	393	1

*2004+ varying by schema

PATIENT ID NUMBER

NAACCR Item #: 20
SEER*Stat Name: Patient ID
Item Length: 8

Field Description: This field is used in conjunction with SEER registry to uniquely identify a person. One person can have multiple primaries but the same Patient ID. See the sequence number for more information about the primary. This is a dummy number and is not the number used by the registry to identify the patient. The same number is not used across all submissions for each patient.

REGISTRY ID

NAACCR Item #: 40
SEER*Stat Name: SEER Registry
Item Length: 10

Field Description: A unique code assigned to each participating SEER registry. The number identifies the registry sending the record and what population the data are based on.

Code	Description
0000001501	San Francisco-Oakland SMSA (1973)
0000001502	Connecticut (1973)
0000001520	Metropolitan Detroit (1973)
0000001521	Hawaii (1973)
0000001522	Iowa (1973)
0000001523	New Mexico (1973)
0000001525	Seattle (Puget Sound) (1974)
0000001526	Utah (1973)
0000001527	Metropolitan Atlanta (1975)
0000001529	Alaska*
0000001531	San Jose-Monterey*
0000001535	Los Angeles*
0000001537	Rural Georgia*
0000001541	Greater California (excluding SF, Los Angeles & SJ)**
0000001542	Kentucky**
0000001543	Louisiana**
0000001544	New Jersey**
0000001547	Greater Georgia (excluding AT and RG)**

(Year in parentheses refers to first diagnosis year data reported to SEER.)

*Note: The incidence/yr1992_2016.sj_lx_rg_ak directory files contain cases for Alaska, San Jose-Monterey, Los Angeles and Rural Georgia registries beginning in 1992. Cases have been collected by SEER for these registries prior to 1992 but have been excluded from the SEER Research Data file.

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from Registry ID)

**Note: The incidence/yr2000_2016.gc_ky_la_nj_gg directory files contain cases for Greater California, Kentucky, Louisiana, New Jersey and Greater Georgia registries beginning in 2000. For the year 2005, only January through June diagnoses are included for Louisiana. The July through December incidence cases can be found in the yr2005.la_2nd_half directory.

MARITAL STATUS AT DX

NAACCR Item #: 150

SEER*Stat Name: Marital status at diagnosis

Item Length: 1

Field Description: This data item identifies the patient's marital status at the time of diagnosis for the reportable tumor.

Code	Description
1	Single (never married)
2	Married (including common law)
3	Separated
4	Divorced
5	Widowed
6	Unmarried or domestic partner (same sex or opposite sex or unregistered)
9	Unknown

RACE / ETHNICITY**NAACCR Item #: N/A****SEER*Stat Name: Race/ethnicity****Item Length: 2**

Field Description: Recode which gives priority to non-white races for persons of mixed races.
Note that not all codes were in effect for all years.

Code	Description
01	White
02	Black
03	American Indian, Aleutian, Alaskan Native or Eskimo (includes all indigenous populations of the Western hemisphere)
04	Chinese
05	Japanese
06	Filipino
07	Hawaiian
08	Korean (Effective with 1/1/1988 dx)
10	Vietnamese (Effective with 1/1/1988 dx)
11	Laotian (Effective with 1/1/1988 dx)
12	Hmong (Effective with 1/1/1988 dx)
13	Kampuchean (including Khmer and Cambodian) (Effective with 1/1/1988 dx)
14	Thai (Effective with 1/1/1994 dx)
15	Asian Indian or Pakistani, NOS (Effective with 1/1/1988 dx)
16	Asian Indian (Effective with 1/1/2010 dx)
17	Pakistani (Effective with 1/1/2010 dx)
20	Micronesian, NOS (Effective with 1/1/1991)
21	Chamorran (Effective with 1/1/1991 dx)
22	Guamanian, NOS (Effective with 1/1/1991 dx)
25	Polynesian, NOS (Effective with 1/1/1991 dx)
26	Tahitian (Effective with 1/1/1991 dx)
27	Samoan (Effective with 1/1/1991 dx)
28	Tongan (Effective with 1/1/1991 dx)
30	Melanesian, NOS (Effective with 1/1/1991 dx)
31	Fiji Islander (Effective with 1/1/1991 dx)
32	New Guinean (Effective with 1/1/1991 dx)
96	Other Asian, including Asian, NOS and Oriental, NOS (Effective with 1/1/1991 dx)
97	Pacific Islander, NOS (Effective with 1/1/1991 dx)
98	Other
99	Unknown

SEER Participants San Francisco, San Jose-Monterey, and Los Angeles are permitted to use codes 14 and 20-97 for cases diagnosed after January 1, 1987. Greater California is permitted to use codes 14 and 20-97 for cases diagnosed after January 1, 1988. Other SEER participants may choose to recode cases diagnosed prior to 1991 using 14 and 20-97 if all cases in the following race codes are reviewed: 96 Other Asian; 97 Pacific Islander, NOS; 98 Other; and 99 unknown.

FIELD DESCRIPTIONS

SEX

NAACCR Item #: 220

SEER*Stat Name: Sex

Item Length: 1

Field Description: This data item identifies the sex of the patient at diagnosis.

Code	Description
1	Male
2	Female

AGE AT DIAGNOSIS

NAACCR Item #: 230

SEER*Stat Name: Age at diagnosis

Item Length: 3

Field Description: This data item represents the age of the patient at diagnosis **for this cancer**.

The code is three digits and represents the patient's actual age in years.

Code	Description
000-130	Actual age in years
999	Unknown age

BIRTHDATE—YEAR

NAACCR Item #: 240

SEER*Stat Name: Year of birth

Item Length: 4

Field Description: The SEER dates on this file do not have the corresponding date flag included.

Code	Description
1850-YYYY	Patient's year of birth
Blank	Unknown year of birth

SEQUENCE NUMBER--CENTRAL**NAACCR Item #: 380****SEER*Stat Name: Sequence number****Item Length: 2**

Field Description: Sequence Number-Central describes the number and sequence of all reportable malignant, in situ, benign, and borderline primary tumors, which occur over the lifetime of a patient. The sequence number may change over the lifetime of the patient. If an individual previously diagnosed with a single reportable malignant neoplasm is subsequently diagnosed with a second reportable malignant neoplasm, the sequence code for the first neoplasm changes from 00 to 01.

This sequence number counts all tumors that were reportable in the year they were diagnosed even if the tumors occurred before the registry existed, or before the registry participated in the SEER Program. The purpose of sequencing based on the patient's *lifetime* is to truly identify the patients for survival analysis who only had one malignant primary in their lifetimes.

In Situ/Malignant as Federally Required based on Diagnosis Year

Code	Description
00	One primary only in the patient's lifetime
01	First of two or more primaries
02	Second of two or more primaries
..	(Actual number of this primary)
41	Forty-first of forty-one or more primaries
99	Unspecified or unknown sequence number of Federally required in situ or malignant tumors. Sequence number 99 can be used if there is a malignant tumor and its sequence number is unknown. (If there is known to be more than one malignant tumor, then the tumors must be sequenced.)

Non-malignant Tumor as Federally Required based on Diagnosis Year

Code	Description
60	Only one non-malignant tumor or central registry-defined neoplasm
61	First of two or more non-malignant tumors or central registry-defined neoplasms
62	Second of two or more non-malignant tumors or central registry-defined neoplasms
..	..
87	Twenty-seventh of twenty-seven
88	Unspecified or unknown sequence number of non-malignant tumor or central-registry defined neoplasms. (Sequence number 88 can be used if there is a non-malignant tumor and its sequence number is unknown. If there is known to be more than one non-malignant tumor, then the tumors must be sequenced.)

FIELD DESCRIPTIONS

MONTH OF DIAGNOSIS

NAACCR Item #: 390

SEER*Stat Name: Month of diagnosis

Item Length: 2

Field Description: The month of diagnosis is the month the tumor was first diagnosed by a recognized medical practitioner, whether clinically or microscopically confirmed. For analysis purposes, months coded to 99 (unknown) have been replaced with values 01 through 12.

Allowable values

MM = 01 – 12

YEAR OF DIAGNOSIS

NAACCR Item #: 390

SEER*Stat Name: Year of diagnosis

Item Length: 4

Field Description: The year of diagnosis is the year the tumor was first diagnosed by a recognized medical practitioner, whether clinically or microscopically confirmed.

Allowable values

YYYY = 1975 – forward

PRIMARY SITE

NAACCR Item #: 400

SEER*Stat Name: Primary Site

Item Length: 4

Field Description: This data item identifies the site in which the primary tumor originated. See the *International Classification of Diseases for Oncology*, Third Edition (ICD-O-3) for topography codes. The decimal point is eliminated.

Cases diagnosed 1977-1991 were coded using the *International Classification of Diseases for Oncology*, 1976 Edition (ICD-O-1976). Prior to 1977 diagnoses, cases were coded using the *Manual of Tumor Nomenclature and Coding*, 1968 (MOTNAC).

All cases 1975-1991 were machine-converted to ICD-O-2 codes without complete hand review.

FIELD DESCRIPTIONS

LATERALITY

NAACCR Item #: 410

SEER*Stat Name: Laterality

Item Length: 1

Field Description: Laterality describes the side of a paired organ or side of the body on which the reportable tumor originated. Starting with cases diagnosed January 1, 2004 and later, laterality is coded for select invasive, benign, and borderline primary intracranial and CNS tumors.

See <http://seer.cancer.gov/manuals/primsite.laterality.pdf> for a list of sites for which SEER requires information on laterality.

Code	Description
0	Not a paired site
1	Right: origin of primary
2	Left: origin of primary
3	Only one side involved, right or left origin unspecified
4	Bilateral involvement, lateral origin unknown; stated to be single primary <ul style="list-style-type: none">• Both ovaries involved simultaneously, single histology• Bilateral retinoblastomas• Bilateral Wilms's tumors
5	Paired site: midline tumor
9	Paired site, but no information concerning laterality; midline tumor

HISTOLOGY (92-00) ICD-O-2

NAACCR Item #: 420

SEER*Stat Name: Histology ICD-O-2

Item Length: 4

Field Description: NOTE: ALL CASES DIAGNOSED 1975-91 HAVE BEEN CONVERTED TO THE *INTERNATIONAL CLASSIFICATION OF DISEASES FOR ONCOLOGY*, SECOND EDITION (ICD-O-2, 1992).

The SEER program has used several different, but related, coding systems for morphology over time. One should be extremely careful when doing any analysis of trends related to morphology. It is suggested that these analyses start with diagnoses no earlier than 1977 and that special attention be paid to the changes for 1986-91 cases due to the use of the *International Classification of Disease for Oncology, Field Trial Edition, March 1988* and for 1992+ cases due to the use of ICD-O-2.

Analyses of morphology data are usually limited to microscopically confirmed cases only.

(Continued on next page)

(Continued from HISTOLOGY (92-00) ICD-O-2)

HISTOLOGY CODING

FOR CASES DIAGNOSED 1975-85:

Histologic types are defined in the morphology section of the *International Classification of Diseases for Oncology*, 1976 Edition (ICD-O, 1976). However prior to the introduction of ICD-O, 1976, morphology was coded using the *Manual of Tumor Nomenclature and Coding*, 1968 (MOTNAC). With the introduction of ICD-O, 1976, all cases previously coded using MOTNAC were machine converted without hand review using the conversion table, *Conversion of Morphology Sections (neoplasms) of 1968 Manual of Tumor Nomenclature and Coding (MOTNAC) and 1965 Systematized Nomenclature of Pathology (SNOP) to 1976 International Classification of Diseases for Oncology*, developed by Constance Percy. The morphology codes of ICD-O, 1976, are more specific than those of MOTNAC. Thus, less detailed information on morphology is available for cases diagnosed 1975-76. For example, when using MOTNAC large cell carcinoma is included with carcinoma, not otherwise specified (NOS); when using ICD-O, 1976, large cell carcinoma is a separate entity having its own code. All have been machine converted to ICD-O-2.

FOR CASES DIAGNOSED 1975-85:

In addition, the following special morphology codes were used by the SEER Program:

Breast — All years

Code	Description
8522/3	Infiltrating duct carcinoma and lobular carcinoma
8523/3	Infiltrating duct carcinoma and lobular carcinoma in situ
8524/3	Intraductal carcinoma and lobular carcinoma
8522/2	Intraductal carcinoma and lobular carcinoma in situ
8543/3	Paget's disease with intraductal carcinoma

All sites — Introduced for coding in approximately 1982

Code	Description
9616/3	Lennert's lymphoma
9624/3	Malignant lymphoma, large cell, cleaved, diffuse
9634/3	Malignant lymphoma, large cell, non-cleaved, diffuse
9723/3	True histiocytic lymphoma

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from HISTOLOGY (92-00) ICD-O-2)

FOR CASES DIAGNOSED 1986-91:

Histologic types are defined in the morphology section of the *International Classification of Diseases for Oncology, Field Trial Edition, 1986* (ICD-O FT). (This volume is no longer available. It was replaced by the *International Classification of Diseases for Oncology, Field Trial Edition, March 1988* (ICD-O FT 1988). Pages i-vi, 23 of the latter volume list the differences between the two Field Trials, present a summary of the changes to ICD-O, 1976, and define the symbols used in the morphology section. These were converted to ICD-O-2.

FOR CASES DIAGNOSED 1992-2000:

Histologic types are defined in the morphology section of ICD-O-2. See pages 137+ in ICD-O-2 for additions and changes.

FOR CASES DIAGNOSED AFTER 2000:

All cases diagnosed after 2000 were converted from ICD-O-3 to ICD-O-2.

BEHAVIOR (92-00) ICD-O-2

NAACCR Item #: 430

SEER*Stat Name: Behavior code ICD-O-2

Item Length: 1

Field Description: Behavior codes are also defined in ICD-O-2, 1992.

Note: For bladder only, all in situ (/2) are converted to invasives (/3) before inclusion on this file.

Cervix in situ not required.

FOR CASES DIAGNOSED AFTER 2000:

All cases diagnosed after 2000 were converted from ICD-O-3 to ICD-O2.

HISTOLOGIC TYPE ICD-O-3**NAACCR Item #: 522****SEER*Stat Name: Histologic Type ICD-O-3****Item Length: 4**

Field Description: The data item Histologic Type describes the microscopic composition of cells and/or tissue for a specific primary. The tumor type or histology is a basis for staging and determination of treatment options. It affects the prognosis and course of the disease. The *International Classification of Diseases for Oncology*, Third Edition (ICD-O-3) is the standard reference for coding the histology for tumors diagnosed in 2001 and later.

All ICD-O-2 histologies for 1975-2000 were converted to ICD-O-3.

BEHAVIOR CODE ICD-O-3**NAACCR Item #: 523****SEER*Stat Name: Behavior code ICD-O-3****Item Length: 1**

Field Description: SEER requires registries to collect malignancies with in situ /2 and malignant /3 behavior codes as described in ICD-O-3. SEER requires registries to collect benign /0 and borderline /1 intracranial and CNS tumors for cases diagnosed on or after 1/1/2004. Behavior is the fifth digit of the morphology code after the slash (/). See ICD-O-3 (page 66) for a discussion of the behavior code.

Code	Description
0	Benign (Reportable for intracranial and CNS sites only)
1	Uncertain whether benign or malignant, borderline malignancy, low malignant potential, and uncertain malignant potential (Reportable for intracranial and CNS sites only)
2	Carcinoma in situ; intraepithelial; noninfiltrating; noninvasive
3	Malignant, primary site (invasive)

All ICD-O-2 behaviors for 1975-2000 were converted to ICD-O-3.

GRADE

NAACCR Item #: 440
SEER*Stat Name: Grade
Item Length: 1

Field Description: Grading and differentiation codes of 1-4, 9 are defined in ICD-O-2; 1992. Grade information may be incomplete for cases diagnosed before 1977.

In the early 1980's, additional codes specifying T-cell, B-cell, or null cell involvement in lymphomas and leukemias (histologies M9590-9940) were introduced by SEER. Because the reporting requirements and medical terminology have changed over time, care should be exercised when analyzing this information.

Code	Description
1	Grade I; grade i; grade 1; well differentiated; differentiated, NOS
2	Grade II; grade ii; grade 2; moderately differentiated; moderately differentiated; intermediate differentiation
3	Grade III; grade iii; grade 3; poorly differentiated; differentiated
4	Grade IV; grade iv; grade 4; undifferentiated; anaplastic
5	T-cell; T-precursor
6	B-cell; Pre-B; B-Precursor
7	Null cell; Non T-non B;
8	N K cell (natural killer cell)
9	cell type not determined, not stated or not applicable

DIAGNOSTIC CONFIRMATION

NAACCR Item #: 490
SEER*Stat Name: Diagnostic Confirmation
Item Length: 1

Field Description: This data item records the best method used to confirm the presence of the cancer being reported. The data item is not limited to the confirmation at the time of diagnosis; it is the best method of confirmation during the entire course of the disease.

Microscopically Confirmed

Code	Description
1	Positive histology
2	Positive cytology
3	Positive histology PLUS - positive immunophenotyping AND/OR positive genetic studies (Used only for hematopoietic and lymphoid neoplasms M-9590/3-9992/3)
4	Positive microscopic confirmation, method not specified

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from DIAGNOSTIC CONFIRMATION)

Not Microscopically Confirmed

Code	Description
5	Positive laboratory test/marker study
6	Direct visualization without microscopic confirmation
7	Radiology and other imaging techniques without microscopic confirmation
8	Clinical diagnosis only (other than 5, 6, or 7)

Confirmation Unknown

Code	Description
9	Unknown whether microscopically confirmed; death certificate only

TYPE OF REPORTING SOURCE

NAACCR Item #: 500

SEER*Stat Name: Type of Reporting Source

Item Length: 1

Field Description: The Type of Reporting Source identifies the source documents used to abstract the case. This is not necessarily the original document that identified the case; rather, it is the source that provided the best information.

Code	Description
1	Hospital inpatient; Managed health plans with comprehensive, unified medical records (new code definition effective with diagnosis on or after 1/1/2006)
2	Radiation Treatment Centers or Medical Oncology Centers (hospital-affiliated or independent) (effective with diagnosis on or after 1/1/2006)
3	Laboratory Only (hospital-affiliated or independent)
4	Physician's Office/Private Medical Practitioner (LMD)
5	Nursing/Convalescent Home/Hospice
6	Autopsy Only
7	Death Certificate Only
8	Other hospital outpatient units/surgery centers (effective with diagnosis on or after 1/1/2006)

FIELD DESCRIPTIONS

EOD—TUMOR SIZE

NAACCR Item #: 780

SEER*Stat Name: EOD 10—size (1988-2003)

Item Length: 3

Field Description: This item is part of the 10-digit EOD (Item #779). It records the largest dimension of the primary tumor in millimeters. Unknown size=999.

This field is only coded for cases diagnosed 1988-2003. See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition for site-specific codes and coding rules, at <http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf>.

Note: For 2004-2015, similar type of information was collected in CS Tumor Size (2004-2015) in the collaborative stage variables.

EOD—EXTENSION

NAACCR Item #: 790

SEER*Stat Name: EOD 10—extent (1988-2003)

Item Length: 2

Field Description: This item codes the farthest documented extension of tumor away from the primary site, either by contiguous extension or distant metastases. Allowable values = 00-99.

This field is only coded for cases diagnosed 1988-2003. See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition for site-specific codes and coding rules, at <http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf>.

Note: For 2004-2015, similar type of information was collected in CS extension (2004-2015) and CS Mets at DX (2004-2015) in the collaborative stage variables.

EOD—EXTENSION PROST PATH

NAACCR Item #: 800

SEER*Stat Name: EOD 10—Prostate path ext (1995-2003)

Item Length: 2

Field Description: This is an additional field for prostate cancer only to reflect information from radical prostatectomy, effective with 1995 diagnoses. The field is left blank for all other primaries. Allowable values = 00-99.

This field is only coded for prostate cases diagnosed 1995-2003. See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition for site-specific codes and coding rules, at

<http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf>.

FIELD DESCRIPTIONS

Note: For 2004+, similar type of information was collected in CS SSF 3 in the collaborative stage variables.

EOD—LYMPH NODE INVOLV

NAACCR Item #: 810

SEER*Stat Name: EOD 10—nodes (1988-2003)

Item Length: 1

Field Description: This item records the highest specific lymph node chain that is involved by the tumor. Allowable values = 0-9.

This field is only coded for cases diagnosed 1988-2003. See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition for site-specific codes and coding rules, at <http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf>.

Note: For 2004-2015, similar type of information was collected in CS Lymph Nodes (2004-2015) in the collaborative stage variables.

REGIONAL NODES POSITIVE

NAACCR Item #: 820

SEER*Stat Name: Regional nodes positive (1988+)

Item Length: 2

Field Description: Records the exact number of regional lymph nodes examined by the pathologist that were found to contain metastases.

Code	Description
00	All nodes examined are negative
01-89	Exact number of nodes positive
90	90 or more nodes are positive
95	Positive aspiration of lymph node(s) was performed
97	Positive nodes are documented, but number is unspecified
98	No nodes were examined
99	Unknown whether nodes are positive; not applicable; not stated in patient record

REGIONAL NODES EXAMINED**NAACCR Item #: 830****SEER*Stat Name: Regional nodes examined (1988+)****Item Length: 2**

Field Description: Records the total number of regional lymph nodes that were removed and examined by the pathologist.

Code	Description
00	No nodes were examined
01-89	Exact number of nodes examined
90	90 or more nodes were examined
95	No regional nodes were removed, but aspiration of regional nodes was performed
96	Regional lymph node removal was documented as a sampling, and the number of nodes is unknown/not stated
97	Regional lymph node removal was documented as a dissection, and the number of nodes is unknown/not stated
98	Regional lymph nodes were surgically removed, but the number of lymph nodes is unknown/not stated and not documented as a sampling or dissection; nodes were examined, but the number is unknown
99	Unknown whether nodes were examined; not applicable or negative; not stated in patient record

EOD—OLD 13 DIGIT**NAACCR Item #: 840****SEER*Stat Name: Expanded EOD(1) – Expanded EOD (13)****Item Length: 13**

Field Description: Detailed site-specific codes for EOD used by SEER for selected sites of cancer for tumors diagnosed 1975-1982, except death-certificate-only cases.

For details, reference the following website:
http://seer.cancer.gov/manuals/historic/EOD_1977.pdf

EOD—OLD 2 DIGIT**NAACCR Item #: 850****SEER*Stat Name: 2-Digit NS EOD / 2-Digit SS EOD****Item Length: 2**

Field Description: Site-specific codes for EOD used by SEER for tumors diagnosed from January 1, 1973, to December 31, 1982, for cancer sites that did not have a 13-digit scheme. For details, reference the following website:
http://seer.cancer.gov/manuals/historic/EOD_1977.pdf

EOD—OLD 4 DIGIT**NAACCR Item #: 860****SEER*Stat Name: EOD 4 – size (first two digits)****EOD 4 – extent (third digit)****EOD 4 – nodes (fourth digit)****Item Length: 4**

Field Description Codes for site-specific EOD used by SEER for tumors diagnosed from January 1, 1983 to December 31, 1987 for all cancer sites. For details, reference the following website:
http://seer.cancer.gov/manuals/historic/EOD_1984.pdf

CODING SYSTEM FOR EOD**NAACCR Item#: 870****SEER*Stat Name: Coding system—EOD (1973-2003)****Item Length: 1**

Field Description: Indicates the type of SEER EOD code applied to the tumor.

Code	Description
0	2-Digit Nonspecific Extent of Disease (1973-82)
1	2-Digit Site-Specific Extent of Disease (1973-82)
2	13-Digit (expanded) Site Specific Extent of Disease (1973-82)
3	4-Digit Extent of Disease (1983-87)
4	10-Digit Extent of Disease, 1988 (1988-2003)
Blank	EOD coding scheme not applicable for cases diagnosed 2004+.

TUMOR MARKER 1**NAACCR Item #: 1150****SEER*Stat Name: Tumor Marker 1 (1990-2003)****Item Length: 1**

Field Description: This data item records prognostic indicators for breast cases (ERA 1990-2003), prostate cases (PAP 1998-2003) and testis cases (AFP 1998-2003).

Code	Description
0	None Done
1	Positive
2	Negative
3	Borderline; undetermined whether positive or negative
8	Ordered, but results not in chart
9	Unknown or no information

For Testicular Cancer Cases (AFP 1998-2003)

Code	Description
0	None Done (SX)
2	Within normal limits (S0)
4	Range 1 (S1) <1,000 ng/ml
5	Range 2 (S2) 1,000 – 10,000 ng/ml
6	Range 3 (S3) >10,000 ng/ml
8	Ordered, but results not in chart
9	Unknown or no information

For All Other Cases

Code	Description
9	Not applicable

All sites except Breast diagnosed 1990-1997 are coded 9.

All diagnoses before January 1, 1990 are coded 9.

All diagnoses after 2003 are blank.

For Breast and Testis cases diagnosed 2004+, this information is collected using CS Site-Specific Factor 1 (NAACCR Item #2880). For Prostate cases diagnosed 2004+, information is no longer collected.

For breast cancer cases, ERA over time is available in ER Status Recode Breast Cancer (1990+).

FIELD DESCRIPTIONS

TUMOR MARKER 2

NAACCR Item #: 1160

SEER*Stat Name: Tumor Marker 2 (1990-2003)

Item Length: 1

Field Description: This data item records prognostic indicators for breast cases (PRA 1990-2003) and testis cases (hCG 1998-2003).

For Breast Cancer Cases (PRA 1990-2003)

Code	Description
0	None Done
1	Positive
2	Negative
3	Borderline; undetermined whether positive or negative
8	Ordered, but results not in chart
9	Unknown or no information

For Testicular Cancer Cases (hCG 1998-2003)

Code	Description
0	None Done (SX)
2	Within normal limits (S0)
4	Range 1 (S1) <5,000 mIU/ml
5	Range 2 (S2) 5,000 – 50,000 mIU/ml
6	Range 3 (S3) to >50,000 mIU/ml
8	Ordered, but results not in chart
9	Unknown or no information

For All Other Cases

Code	Description
9	Not applicable

All sites except Breast diagnosed 1990-1997 are coded 9.

All diagnoses before January 1, 1990 are coded 9.

All diagnoses after 2003 are blank.

For Breast and Testis cases diagnosed 2004+, this information is collected using CS Site-Specific Factor 2 (NAACCR Item #2890).

For breast cancer cases, PRA over time is available in PR Status Recode Breast Cancer (1990+).

TUMOR MARKER 3**NAACCR Item #: 1170****SEER*Stat Name: Tumor Marker 3 (1998-2003)****Item Length: 1**

Field Description: This data item records prognostic indicators for testis cases (LDH 1998-2003)

Code	Description
0	None Done (SX)
2	Within normal limits (S0)
4	Range 1 (S1) <1.5 x upper limit of normal for LDH assay
5	Range 2 (S2) 1.5 – 10 x upper limit of normal for LDH assay
6	Range 3 (S3) >10 x upper limit of normal for LDH assay
8	Ordered, results not in chart
9	Unknown or no information

All sites except testis diagnosed 1998-2003 are coded 9.

All diagnoses before 1998 are coded 9.

All diagnoses after 2003 are blank.

For Testis cases diagnosed 2004+, this information is collected using CS Site-Specific Factor 3 (NAACCR Item # 2900).

CS TUMOR SIZE**NAACCR Item #: 2800****SEER*Stat Name: CS tumor size (2004-2015)****Item Length: 3**

Field Description: Information on tumor size. Available for 2004-2015 diagnosis years. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

Code	Description
000	Indicates no mass or no tumor found; for example, when a tumor of a stated primary site is not found, but the tumor has metastasized.
001-988	Exact size in millimeters
989	989 millimeters or larger
990	Microscopic focus or foci only; no size of focus is given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
996-998	Site-specific codes where needed
999	Unknown; size not stated; not stated in patient record
888	Not applicable

Examples:

Mammogram shows 2.5 cm breast malignancy Code as 025 (2.5 cm = 25 millimeters)

CT of chest shows 4 cm mass in RUL Code as 040 (4 cm = 40 mm)

Thyroidectomy specimen yields 8 mm carcinoma Code as 008

Prostate needle biopsy shows 0.6 mm carcinoma Code as 001 (round up six-tenths of mm)

CS EXTENSION**NAACCR Item #: 2810****SEER*Stat Name: CS extension (2004-2015)****Item Length: 3**

Field Description: Information on extension of the tumor. Available for 2004-2015 diagnosis years. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

Note: This item was originally a 2-digit field and was expanded to 3 digits during conversion. Generally, a zero was added to the right of the existing 2-digit field, except for 99 which became 999.

CS LYMPH NODES**NAACCR Item #: 2830****SEER*Stat Name: CS lymph nodes (2004-2015)****Item Length: 3**

Field Description: Information on involvement of lymph nodes. Available for 2004-2015 diagnosis years. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

Note: This item was originally a 2-digit field and was expanded to 3 digits during conversion. Generally, a zero was added to the right of the existing 2-digit field, except for 99 which became 999.

CS METS AT DX**NAACCR Item #: 2850****SEER*Stat Name: CS mets at dx (2004-2015)****Item Length: 2**

Field Description: Information on distant metastasis. Available for 2004-2015 diagnosis years. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 1**NAACCR Item #: 2880****SEER*Stat Name: CS site-specific factor 1 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 2**NAACCR Item #: 2890****SEER*Stat Name: CS site-specific factor 2 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 3**NAACCR Item #: 2900****SEER*Stat Name: CS site-specific factor 3 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 4**NAACCR Item #: 2910****SEER*Stat Name: CS site-specific factor 4 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 5**NAACCR Item #: 2920****SEER*Stat Name: CS site-specific factor 5 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 6**NAACCR Item #: 2930****SEER*Stat Name: CS site-specific factor 6 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 25**NAACCR Item #: 2879****SEER*Stat Name: CS site-specific factor 25 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

DERIVED AJCC-6 T**NAACCR Item #: 2940****SEER*Stat Name: Derived AJCC T, 6th ed (2004-2015)****Item Length: 2**

Field Description: This is the AJCC “T” component that is derived from CS coded fields, using the CS algorithm, effective with 2004-2015 diagnosis years. See the CS site-specific schema for details

(<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

Code	Description
99	TX
00	T0
01	Ta
05	Tis
06	Tispu (Urethra only)
07	Tispd (Urethra only)
10	T1
11	T1mic
19	T1 NOS
12	T1a
13	T1a1
14	T1a2
15	T1b
16	T1b1
17	T1b2
18	T1c
20	T2
29	T2 NOS
21	T2a
22	T2b
23	T2c
30	T3
39	T3 NOS
31	T3a
32	T3b
33	T3c
40	T4
49	T4 NOS
41	T4a
42	T4b
43	T4c
44	T4d
80	T1a NOS
81	T1b NOS
88	Not applicable

DERIVED AJCC-6 N**NAACCR Item #: 2960****SEER*Stat Name: Derived AJCC N, 6th ed (2004-2015)****Item Length: 2**

Field Description: This is the AJCC “N” component that is derived from CS coded fields, using the CS algorithm, effective with 2004-2015 diagnosis years. See the CS site-specific schema for details

(<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

Code	Description
99	NX
00	N0
01	N0(i-)
02	N0(i+)
03	N0(mol-)
04	N0(mol+)
10	N1
19	N1 NOS
11	N1a
12	N1b
13	N1c
18	N1mi
20	N2
29	N2 NOS
21	N2a
22	N2b
23	N2c
30	N3
39	N3 NOS
31	N3a
32	N3b
33	N3c
88	Not applicable

FIELD DESCRIPTIONS

DERIVED AJCC-6 M

NAACCR Item #: 2980

SEER*Stat Name: Derived AJCC M, 6th ed (2004-2015)

Item Length: 2

Field Description: This is the AJCC “M” component that is derived from CS coded fields, using the CS algorithm, effective with 2004-2015 diagnosis years. See the CS site-specific schema for details (<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

Code	Description
99	MX
00	M0
10	M1
11	M1a
12	M1b
13	M1c
19	M1 NOS
88	Not applicable

DERIVED AJCC-6 STAGE GRP

NAACCR Item #: 3000

SEER*Stat Name: Derived AJCC Stage Group, 6th ed (2004-2015)

Item Length: 2

Field Description: This is the AJCC “Stage Group” component that is derived from CS detailed site-specific codes, using the CS algorithm, effective with 2004-2015 diagnosis years. See the CS site-specific schema for details (<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

Code	Description
00	Stage 0
01	Stage 0a
02	Stage 0is
10	Stage I
11	Stage I NOS
12	Stage IA
13	Stage IA1
14	Stage IA2
15	Stage IB
16	Stage IB1
17	Stage IB2
18	Stage IC
19	Stage IS

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from DERIVED AJCC-6 STAGE GRP)

Code	Description
23	Stage ISA (lymphoma only)
24	Stage ISB (lymphoma only)
20	Stage IEA (lymphoma only)
21	Stage IEB (lymphoma only)
22	Stage IE (lymphoma only)
30	Stage II
31	Stage II NOS
32	Stage IIA
33	Stage IIB
34	Stage IIC
35	Stage IIIEA (lymphoma only)
36	Stage IIIEB (lymphoma only)
37	Stage IIIE (lymphoma only)
38	Stage IIISA (lymphoma only)
39	Stage IIISB (lymphoma only)
40	Stage IIIS (lymphoma only)
41	Stage IIIESA (lymphoma only)
42	Stage IIIESB (lymphoma only)
43	Stage IIIES (lymphoma only)
50	Stage III
51	Stage III NOS
52	Stage IIIA
53	Stage IIIB
54	Stage IIIC
55	Stage IIIEA (lymphoma only)
56	Stage IIIEB (lymphoma only)
57	Stage IIIE (lymphoma only)
58	Stage IIISA (lymphoma only)
59	Stage IIISB (lymphoma only)
60	Stage IIIS (lymphoma only)
61	Stage IIIESA (lymphoma only)
62	Stage IIIESB (lymphoma only)
63	Stage IIIES (lymphoma only)
70	Stage IV
71	Stage IV NOS
72	Stage IVA
73	Stage IVB
74	Stage IVC
88	Not applicable
90	Stage Occult
99	Stage Unknown

FIELD DESCRIPTIONS

DERIVED SS1977

NAACCR Item #: 3010

SEER*Stat Name: Derived SS1977 (2004-2015)

Item Length: 1

Field Description: This item is the derived “SEER Summary Stage 1977” from the CS algorithm, effective with 2004-2015 diagnosis years.

Code	Description
0	In Situ
1	Localized
2	Regional, direct extension
3	Regional, lymph nodes only
4	Regional, extension and nodes
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

SEER COMBINED SUMMARY STAGE 2000 (2004+)

NAACCR Item #: N/A

SEER*Stat Name: SEER Combined Summary Stage 2000 (2004+)

Item Length: 1

Field Description: Combination of NAACCR Items #759 and #3020. For 2004-2015 cases, it is copied from Derived SS2000 and for 2016+, it is the best available between Derived SS2000 and SEER Summary Stage 2000. All benign/borderline cases are set to NA.

CS VERSION INPUT ORIGINAL**NAACCR Item #: 2935****SEER*Stat Name: CS version input (2004-2015)****Item Length: 6**

Field Description: This item indicates the number of the version used to initially code CS fields. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation of results.

This data item along with CS version input current gives info on what document to use for the CS codes. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS VERSION DERIVED**NAACCR Item #: 2936****SEER*Stat Name: CS version latest (2004-2015)****Item Length: 6**

Field Description: This item indicates the number of the version of the CS used most recently to derive the CS output fields. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation of results.

CS VERSION INPUT CURRENT**NAACCR Item #: 2937****SEER*Stat Name: CS version input current (2004-2015)****Item Length: 6**

Field Description: This item indicates the number of the version of the CS after input fields have been updated or recoded. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation of results.

This data item along with CS version input original gives info on what document to use for the CS codes. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

RX SUMM—SURG PRIM SITE**NAACCR Item #: 1290****SEER*Stat Name: RX Summ--Surg Prim Site (1998+)****Item Length: 2**

Field Description: Surgery of Primary Site describes a surgical procedure that removes and/or destroys tissue of the primary site performed as part of the initial work-up or first course of therapy.

The actual coding schemes for individual sites and diagnosis years can be viewed at <http://seer.cancer.gov/tools/codingmanuals/historical.html>

General Coding Structure

Code	Description
00	None; no surgical procedure of primary site; diagnosed at autopsy only
10-19	Site-specific codes. Tumor destruction; no pathologic specimen or unknown whether there is a pathologic specimen
20-80	Site-specific codes. Resection; pathologic specimen
90	Surgery, NOS. A surgical procedure to the primary site was done, but no information on the type of surgical procedure is provided.
98	Special codes for hematopoietic, reticuloendothelial, immunoproliferative, myeloproliferative diseases; ill-defined sites; and unknown primaries (See site-specific codes for the sites and histologies), except death certificate only
99	Unknown if surgery performed; death certificate only

For diagnosis years 1998-2002, SEER registries were required to convert field RX Summ—Surg Site 98-02 (NAACCR Item #1646) to RX Summ—Surg Prim Site.

FIELD DESCRIPTIONS

RX SUMM—SCOPE REG LN SUR

NAACCR Item #: 1292

SEER*Stat Name: RX Summ--Scope Reg LN Sur (2003+)

Item Length: 1

Field Description: Scope of Regional Lymph Node Surgery describes the procedure of removal, biopsy, or aspiration of **regional** lymph nodes performed during the initial work-up or first course of therapy at all facilities.

Changed to Unknown or Not Applicable for breast cancer cases. See http://seer.cancer.gov/seerstat/variables/seer/regional_ln/ for more information.

Code	Description
0	No regional lymph nodes removed or aspirated; diagnosed at autopsy.
1	Biopsy or aspiration of regional lymph node, NOS
2	Sentinel lymph node biopsy [only]
3	Number of regional lymph nodes removed unknown, not stated; regional lymph nodes removed, NOS
4	1 to 3 regional lymph nodes removed
5	4 or more regional lymph nodes removed
6	Sentinel node biopsy and code 3, 4, or 5 at same time or timing not noted
7	Sentinel node biopsy and code 3, 4, or 5 at different times
9	Unknown or not applicable; death certificate only

RX SUMM-SURG OTH REG/DIS

NAACCR Item #: 1294

SEER*Stat Name: RX Summ--Surg Oth Reg/Dis (2003+)

Item Length: 1

Field Description: Surgical procedure of Other Site describes the surgical removal of distant lymph node(s) or other tissue(s) or organ(s) beyond the primary site.

Code	Description
0	None; diagnosed at autopsy
1	Nonprimary surgical procedure performed
2	Nonprimary surgical procedure to other regional sites
3	Non-primary surgical procedure to distant lymph node(s)
4	Nonprimary surgical procedure to distant site
5	Combination of codes 2, 3, or 4
9	Unknown; death certificate only

FIELD DESCRIPTIONS

RX SUMM-REG LN EXAMINED

NAACCR Item #: 1296

SEER*Stat Name: RX Summ—Reg LN Examined (1998-2002)

Item Length: 2

Field Description: This data item records the number of regional lymph nodes examined in conjunction with surgery performed as part of the first course of treatment at all facilities. This item is only available for cases diagnosed 1998-2002.

Code	Description
00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
..	(Actual number of lymph nodes examined)
90	90 or more regional lymph nodes examined
95	No regional lymph nodes examined
96	Regional lymph node removal documented as sampling, and number of lymph nodes unknown/not stated
97	Regional lymph node removal documented as dissection, and number of lymph nodes unknown/not stated
98	Regional lymph nodes surgically removed, but number of lymph nodes unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate-only

REASON FOR NO SURGERY

NAACCR Item #: 1340

SEER*Stat Name: Reason no cancer-directed surgery

Item Length: 1

Field Description: This data item documents the reason that surgery was not performed.

Code	Description
0	Surgery performed

No surgery

Code	Description
1*	Surgery not recommended
2*	Contraindicated due to other conditions; Autopsy Only case (1973-2002)
5	Patient died before recommended surgery
6	Unknown reason for no surgery
7*	Patient or patient's guardian refused

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from REASON FOR NO SURGERY)

Unknown if surgery performed

Code	Description
8	Recommended, unknown if done
9	Unknown if surgery performed; Death Certificate Only case; Autopsy only case (2003+)

*Codes not used prior to 1988. Code '2' used only for Autopsy Only cases prior to 1988.

RX SUMM—SURG TYPE

NAACCR Item #: 1640

SEER*Stat Name: Site specific surgery (1973-1997 varying detail by year and site)

Item Length: 2

Field Description: For detailed information on individual sites and time periods please see:
<http://seer.cancer.gov/seerstat/variables/seer/surgery/>

This field specifies information on surgery during first course of therapy whether it was cancer-directed or not. (Prior to 1988 SEER did not collect information on surgical procedures if not cancer-directed.) The Reason for No Cancer-directed Surgery field must be used to distinguish among no cancer-directed surgery performed; cancer-directed surgery recommended, unknown if performed; and unknown if cancer-directed surgery performed.

RX SUMM—SCOPE REG 98-02

NAACCR Item #: 1647

SEER*Stat Name: Scope of reg lymph nd surg (1998-2002)

Item Length: 1

Field Description: This field describes the removal, biopsy or aspiration of regional lymph node(s) at the time of surgery of the primary site or during a separate surgical event at all facilities for cases diagnosed 1998-2002.

Changed to Unknown or Not Applicable for breast cancer cases. See
http://seer.cancer.gov/seerstat/variables/seer/regional_ln/ for more information.

See <http://seer.cancer.gov/manuals/historic/AppendC.pdf> for a list of valid codes.

FIELD DESCRIPTIONS

RX SUMM—SURG OTH 98-02

NAACCR Item #: 1648

SEER*Stat Name: Surgery of oth reg/dis sites (1998-2002)

Item Length: 1

Field Description: This field records the removal of distant lymph nodes or other tissue(s)/organ(s) beyond the primary site given at all facilities as part of the first course of treatment for cases diagnosed 1998-2002.

See <http://seer.cancer.gov/manuals/historic/AppendC.pdf> for a list of valid codes.

RECORD NUMBER RECODE

NAACCR Item #: 1775

SEER*Stat Name: Record number recode

Item Length: 2

Field Description: This variable sequentially numbers a person's tumors. The ordered values are based on date of diagnosis and then sequence number. This variable is used as part of the algorithm for calculating the survival time recode variables (NAACCR items 1782-1788) and is used for survival, prevalence, and multiple primary – standardized incidence ratio analyses in SEER*Stat.

Code	Description
01	Record number 01 for patient
02	Record number 02 for patient
..	..
..	..
99	Record number 99 for patient

SEER TYPE OF FOLLOW-UP

NAACCR Item #: 2180

SEER*Stat Name: Type of follow-up expected

Item Length: 1

Field Description: This item codes the type of follow-up expected for a SEER case.

Code	Description
1	“Autopsy Only” or “Death Certificate Only” case
2	Active follow up case
3	In situ cancer of the cervix uteri only
4	Case not originally in active follow up, but in active follow up now (San Francisco-Oakland only)

FIELD DESCRIPTIONS

AGE RECODE <1 YEAR OLDS

NAACCR Item #: N/A

SEER*Stat Name: Age recode with <1 year olds

Item Length: 2

Field Description: The age recode variable is based on Age at Diagnosis (single-year ages). The groupings used in the age recode variable are determined by the age groupings in the population data. This recode has 19 age groups in the age recode variable (< 1 year, 1-4 years, 5-9 years, ..., 85+ years).

Code	Description
00	Age 00
01	Ages 01-04
02	Ages 05-09
03	Ages 10-14
04	Ages 15-19
05	Ages 20-24
06	Ages 25-29
07	Ages 30-34
08	Ages 35-39
09	Ages 40-44
10	Ages 45-49
11	Ages 50-54
12	Ages 55-59
13	Ages 60-64
14	Ages 65-69
15	Ages 70-74
16	Ages 75-79
17	Ages 80-84
18	Ages 85+
99	Unknown Age

SITE RECODE ICD-O-3/WHO 2008

NAACCR Item #: N/A

SEER*Stat Name: Site Recode ICD-O-3/WHO 2008

Item Length: 5

Field Description: A recode based on Primary Site and ICD-O-3 Histology in order to make analyses of site/histology groups easier. For example, the lymphomas are excluded from stomach and Kaposi and mesothelioma are separate categories based on histology. For more information, see http://seer.cancer.gov/siterecode/icdo3_dwhoheme/index.html

RECODE ICD-O-2 TO 9**NAACCR Item #:** N/A**SEER*Stat Name:** Recode ICD-O-2 to 9**Item Length:** 4

Field Description: The primary site and morphology are recoded to ICD-9 codes using the *Conversion of Malignant Neoplasms by Topography and Morphology from the International Classification of Disease for Oncology, Second Edition (ICD-O-2) to International Classification of Diseases, 9th Revision (ICD-9) and the International Classification of Diseases, 9th Revision, Clinical Modification, Fourth Edition (ICD-9-CM) 4th Ed., 1992* edited by Constance Percy. All tumors not originally coded in ICD-O-2 were first converted from ICD-O-1 or ICD-O-3 and then converted to ICD-9.

RECODE ICD-O-2 TO 10**NAACCR Item #:** N/A**SEER*Stat Name:** Recode ICD-O-2 to 10**Item Length:** 4

Field Description: The primary site and morphology are converted to ICD-10 codes using the *Conversion of Malignant Neoplasms by Topography and Morphology from the International Classification of Disease for Oncology, Second Edition (ICD-O-2) to International Classification of Diseases and Related Health Problems, 10th Revision, 1998* edited by Constance Percy. All tumors not originally coded in ICD-O-2 were first converted from ICD-O-1 or ICD-O-3 and then converted to ICD-10.

ICCC SITE RECODE ICD-O-3/WHO 2008**NAACCR Item #:** N/A**SEER*Stat Name:** ICCC site recode ICD-O-3/WHO 2008**Item Length:** 3

Field Description: A site/histology recode that is mainly used to analyze data on children. The recode was applied to all cases no matter the age in order that age comparisons can be made with these groupings. Based on ICD-O-3. Note that cases diagnosed before 2001 were not coded under ICD-O-3 and were converted to ICD-O-3 and may not have the specificity of cases after 2000 that were coded directly under ICD-O-3. For more information on this International Classification of Childhood Cancer (ICCC) site recode, see <http://seer.cancer.gov/iccc>.

FIELD DESCRIPTIONS

ICCC SITE REC EXTENDED ICD-O-3/WHO 2008

NAACCR Item #: N/A

SEER*Stat Name: ICCC site rec extended ICD-O-3/WHO 2008

Item Length: 3

Field Description: Based on ICD-O-3. For more information on this International Classification of Childhood Cancer (ICCC) site/histology recode, see <http://seer.cancer.gov/iccc>. While the recode is normally used for childhood cancers, it is on the file for all ages so that childhood cancers could be compared across age groups.

BEHAVIOR RECODE FOR ANALYSIS

NAACCR Item #: N/A

SEER*Stat Name: Behavior recode for analysis

Item Length: 1

Field Description: This recode was created so that data analyses could eliminate major groups of histologies/behaviors that weren't collected consistently over time, for example benign brain, myelodysplastic syndromes, and borderline tumors of the ovary. Created from ICD-O-3 behavior and histology. For more information, see <http://seer.cancer.gov/behavrecode>.

Code	Description
0	Benign
1	Borderline malignancy
2	In situ
3	Malignant
4	Only malignant in ICD-O-3
5	No longer reportable in ICD-O-3
6	Only malignant 2010+

HISTOLOGY RECODE—BROAD GROUPINGS**NAACCR Item #:** N/A**SEER*Stat Name:** Histology recode - broad groupings**Item Length:** 2*Field Description:* Based on Histologic Type ICD-O-3.

Code	Description
00	8000-8009 : unspecified neoplasms
01	8010-8049 : epithelial neoplasms, NOS
02	8050-8089 : squamous cell neoplasms
03	8090-8119 : basal cell neoplasms
04	8120-8139 : transitional cell papillomas and carcinomas
05	8140-8389 : adenomas and adenocarcinomas
06	8390-8429 : adnexal and skin appendage neoplasms
07	8430-8439 : mucoepidermoid neoplasms
08	8440-8499 : cystic, mucinous and serous neoplasms
09	8500-8549 : ductal and lobular neoplasms
10	8550-8559 : acinar cell neoplasms
11	8560-8579 : complex epithelial neoplasms
12	8580-8589 : thymic epithelial neoplasms
13	8590-8679 : specialized gonadal neoplasms
14	8680-8719 : paragangliomas and glumus tumors
15	8720-8799 : nevi and melanomas
16	8800-8809 : soft tissue tumors and sarcomas, NOS
17	8810-8839 : fibromatous neoplasms
18	8840-8849 : myxomatous neoplasms
19	8850-8889 : lipomatous neoplasms
20	8890-8929 : myomatous neoplasms
21	8930-8999 : complex mixed and stromal neoplasms
22	9000-9039 : fibroepithelial neoplasms
23	9040-9049 : synovial-like neoplasms
24	9050-9059 : mesothelial neoplasms
25	9060-9099 : germ cell neoplasms
26	9100-9109 : trophoblastic neoplasms
27	9110-9119 : mesonephromas
28	9120-9169 : blood vessel tumors
29	9170-9179 : lymphatic vessel tumors

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from HISTOLOGY RECODE-BROAD GROUPINGS)

Code	Description
30	9180-9249 : osseous and chondromatous neoplasms
31	9250-9259 : giant cell tumors
32	9260-9269 : miscellaneous bone tumors (C40._,C41._)
33	9270-9349 : odontogenic tumors (C41._)
34	9350-9379 : miscellaneous tumors
35	9380-9489 : gliomas
36	9490-9529 : neuroepitheliomatous neoplasms
37	9530-9539: meningiomas
38	9540-9579 : nerve sheath tumors
39	9580-9589 : granular cell tumors & alveolar soft part sarcomas
40	9590-9599 : malignant lymphomas, NOS or diffuse
41	9650-9669 : hodgkin lymphomas
42	9670-9699 : nhl - mature b-cell lymphomas
43	9700-9719 : nhl - mature t and nk-cell lymphomas
44	9720-9729 : nhl - precursor cell lymphoblastic lymphoma
45	9730-9739 : plasma cell tumors
46	9740-9749 : mast cell tumors
47	9750-9759 : neoplasms of histiocytes and accessory lymphoid cells
48	9760-9769 : immunoproliferative diseases
49	9800-9805: leukemias, nos
50	9820-9839 : lymphoid leukemias (C42.1)
51	9840-9939 : myeloid leukemias (C42.1)
52	9940-9949 : other leukemias (C42.1)
53	9950-9969 : chronic myeloproliferative disorders (C42.1)
54	9970-9979 : other hematologic disorders
55	9980-9989 : myelodysplastic syndrome
98	other

HISTOLOGY RECODE—BRAIN GROUPINGS**NAACCR Item #:** N/A**SEER*Stat Name:** Histology recode - Brain groupings**Item Length:** 2*Field Description:* Based on Histologic Type ICD-O-3.

Code	Description
01	Diffuse astrocytoma (protoplasmic, fibrillary)
02	Anaplastic astrocytoma
03	Glioblastoma
04	Pilocytic astrocytoma
05	Unique astrocytoma variants
06	Oligodendroglioma
07	Anaplastic oligodendroglioma
08	Ependymoma/anaplastic ependymoma
09	Ependymoma variants
10	Mixed glioma
11	Astrocytoma, NOS
12	Glioma , NOS
13	Choroid plexus
14	Neuroepithelial
15	Benign & malignant neuronal/glial, neuronal & mixed
16	Pineal parenchymal
17	Embryonal/primitive/medulloblastoma
18	Nerve sheath, benign and malignant
19	Meningioma, benign and malignant
20	Other mesenchymal, benign and malignant
21	Hemangioma and hemangioblastoma
22	Lymphoma
23	Germ cell tumors, cysts, and heterotopias
24	Chordoma/chondrosarcoma
25	Pituitary
26	Craniopharyngioma
27	Neoplasm, unspecified, benign and malignant
97	Other Brain Histologies
98	Not Brain

CS SCHEMA v0204+

NAACCR Item #: N/A**SEER*Stat Name:** CS Schema v0204+**Item Length:** 3

Field Description: CS information is collected under the specifications of a particular schema based on site and histology. This recode should be used in any analysis of AJCC 7th ed stage and T, N, M.

Code	Description
001	AdnexaUterineOther
002	AdrenalGland
003	AmpullaVater
004	Anus
005	Appendix
006	BileDuctsDistal
007	BileDuctsIntraHepat
008	BileDuctsPerihilar
009	BiliaryOther
010	Bladder
011	Bone
012	Brain
013	Breast
014	BuccalMucosa
015	CarcinoidAppendix
016	Cervix
017	CNSOther
018	Colon
019	Conjunctiva
020	CorpusAdenosarcoma
021	CorpusCarcinoma
022	CorpusSarcoma
023	CysticDuct
024	DigestiveOther
025	EndocrineOther
026	EpiglottisAnterior
027	Esophagus
028	EsophagusGEJunction

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from CS SCHEMA v0204)

Code	Description
029	EyeOther
030	FallopianTube
031	FloorMouth
032	Gallbladder
033	GenitalFemaleOther
034	GenitalMaleOther
035	GISTAppendix
036	GISTColon
037	GISTEsophagus
038	GISTPeritoneum
039	GISTRectum
040	GISTSmallIntestine
041	GISTStomach
042	GumLower
043	GumOther
044	GumUpper
045	HeartMediastinum
046	HemeRetic
047	Hypopharynx
048	IllDefinedOther
049	IntracranialGland
050	KaposiSarcoma
051	KidneyParenchyma
052	KidneyRenalPelvis
053	LacrimalGland
054	LacrimalSac
055	LarynxGlottic
056	LarynxOther
057	LarynxSubglottic
058	LarynxSupraglottic
059	LipLower
060	LipOther
061	LipUpper
062	Liver
063	Lung

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from CS SCHEMA v0204)

Code	Description
064	Lymphoma
065	LymphomaOcularAdnexa
066	MelanomaBuccalMucosa
067	MelanomaChoroid
068	MelanomaCiliaryBody
069	MelanomaConjunctiva
070	MelanomaEpiglottisAnterior
071	MelanomaEyeOther
072	MelanomaFloorMouth
073	MelanomaGumLower
074	MelanomaGumOther
075	MelanomaGumUpper
076	MelanomaHypopharynx
077	MelanomaIris
078	MelanomaLarynxGlottic
079	MelanomaLarynxOther
080	MelanomaLarynxSubglottic
081	MelanomaLarynxSupraglottic
082	MelanomaLipLower
083	MelanomaLipOther
084	MelanomaLipUpper
085	MelanomaMouthOther
086	MelanomaNasalCavity
087	MelanomaNasopharynx
088	MelanomaOropharynx
089	MelanomaPalateHard
090	MelanomaPalateSoft
091	MelanomaPharynxOther
092	MelanomaSinusEthmoid
093	MelanomaSinusMaxillary
094	MelanomaSinusOther
095	MelanomaSkin
096	MelanomaTongueAnterior
097	MelanomaTongueBase
098	MerkelCellPenis

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from CS SCHEMA v0204)

Code	Description
099	MerkelCellScrotum
100	MerkelCellSkin
101	MerkelCellVulva
102	MiddleEar
103	MouthOther
104	MycosisFungoides
105	MyelomaPlasmaCellDisorder
106	NasalCavity
107	Nasopharynx
108	NETAmpulla
109	NETColon
110	NETRectum
111	NETSmallIntestine
112	NETStomach
113	Orbit
114	Oropharynx
115	Ovary
116	PalateHard
117	PalateSoft
118	PancreasBodyTail
119	PancreasHead
120	PancreasOther
121	ParotidGland
122	Penis
123	Peritoneum
124	PeritoneumFemaleGen
125	PharyngealTonsil
126	PharynxOther
127	Placenta
128	Pleura
129	Prostate
130	Rectum
131	RespiratoryOther
132	Retinoblastoma
133	Retroperitoneum

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from CS SCHEMA v0204)

Code	Description
134	SalivaryGlandOther
135	Scrotum
136	SinusEthmoid
137	SinusMaxillary
138	SinusOther
139	Skin
140	SkinEyelid
141	SmallIntestine
142	SoftTissue
143	Stomach
144	SubmandibularGland
145	Testis
146	Thyroid
147	TongueAnterior
148	TongueBase
149	Trachea
150	Urethra
151	UrinaryOther
152	Vagina
153	Vulva

RACE RECODE (WHITE, BLACK, OTHER)

NAACCR Item #: N/A

SEER*Stat Name: Race recode (White, Black, Other)

Item Length: 1

Field Description: Race recode is based on the race variables and the American Indian/Native American IHS link variable. This recode should be used to link to the populations for white, black and other. It is independent of Hispanic ethnicity.

For more information, see
http://seer.cancer.gov/seerstat/variables/seer/race_ethnicity.

Code	Description
1	White
2	Black
3	Other (American Indian/AK Native, Asian/Pacific Islander)
7	Other unspecified (1991+)
9	Unknown

FIELD DESCRIPTIONS

RACE RECODE (W, B, AI, API)

NAACCR Item #: N/A

SEER*Stat Name: Race recode (W, B, AI, API)

Item Length: 1

Field Description: Caution should be exercised when using this variable. For more information, see http://seer.cancer.gov/seerstat/variables/seer/race_ethnicity.

Code	Description
1	White
2	Black
3	American Indian/Alaska Native
4	Asian or Pacific Islander
7	Other unspecified (1991+)
9	Unknown

ORIGIN RECODE NHIA (HISPANIC, NON-HISP)

NAACCR Item #: N/A

SEER*Stat Name: Origin recode NHIA (Hispanic, Non-Hisp)

Item Length: 1

Field Description: Caution should be exercised when using this variable. For more information, see http://seer.cancer.gov/seerstat/variables/seer/race_ethnicity.

Code	Description
0	Non-Spanish-Hispanic-Latino
1	Spanish-Hispanic-Latino

SEER HISTORIC STAGE A**NAACCR Item #: N/A****SEER*Stat Name: SEER historic stage A (1973-2015)****Item Length: 1**

Field Description: Derived from Collaborative Stage (CS) for 2004-2015 and Extent of Disease (EOD) from 1973-2003. It is a simplified version of stage: in situ, localized, regional, distant, & unknown. Over time several different EOD schemes have been used. Thus caution should be used when doing trend analysis.

For more information including sites and years for which it isn't calculated, see <http://seer.cancer.gov/seerstat/variables/seer/1rd-stage>.

Code	Description
0	In situ — A noninvasive neoplasm; a tumor which has not penetrated the basement membrane nor extended beyond the epithelial tissue. Some synonyms are intraepithelial (confined to epithelial tissue), noninvasive and noninfiltrating.
1	Localized — An invasive neoplasm confined entirely to the organ of origin. It may include intraluminal extension where specified. For example for colon, intraluminal extension limited to immediately contiguous segments of the large bowel is localized, if no lymph nodes are involved. Localized may exclude invasion of the serosa because of the poor survival of the patient once the serosa is invaded.
2	Regional — A neoplasm that has extended 1) beyond the limits of the organ of origin directly into surrounding organs or tissues; 2) into regional lymph nodes by way of the lymphatic system; or 3) by a combination of extension and regional lymph nodes.
4	Distant — A neoplasm that has spread to parts of the body remote from the primary tumor either by direct extension or by discontinuous metastasis (e.g., implantation or seeding) to distant organs, issues, or via the lymphatic system to distant lymph nodes.
8	Localized/Regional – Only used for Prostate cases.
9	Unstaged — Information is not sufficient to assign a stage.

AJCC STAGE 3rd EDITION (1988-2003)**NAACCR Item #: N/A****SEER*Stat Name: AJCC stage 3rd edition (1988-2003)****Item Length: 2**

Field Description: Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see:

<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html>

FIELD DESCRIPTIONS

SEER MODIFIED AJCC STAGE 3rd ED (1988-2003)

NAACCR Item #: N/A

SEER*Stat Name: SEER modified AJCC stage 3rd (1988-2003)

Item Length: 2

Field Description: Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites. The modified version stages cases that would be unstaged under strict AJCC staging rules. For example, it assumes NX is N0.

For codes and descriptions, see:

<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html>

SEER SUMMARY STAGE 1977

NAACCR Item #: 760

SEER*Stat Name: SEER summary stage 1977 (1995-2000)

Item Length: 1

Field Description: Based on SEER Extent of Disease (EOD) following a SEER algorithm. This variable is provided on the NAACCR call for data. For more information, see http://seer.cancer.gov/manuals/historic/ssm_1977.pdf.

Code	Description
0	In situ
1	Localized only
2	Regional by direct extension only
3	Regional lymph nodes involved only
4	Regional by both direct extension and lymph
5	Regional, NOS
7	Distant site(s)/node(s) involved
9	Unknown/unstaged/unspecified/DCO

FIELD DESCRIPTIONS

SEER SUMMARY STAGE 2000

NAACCR Item #: 759

SEER*Stat Name: SEER summary stage 2000 (2001-2003)

Item Length: 1

Field Description: Based on SEER Extent of Disease (EOD) following a SEER algorithm. This variable is provided on the NAACCR call for data. For more information, see <http://seer.cancer.gov/tools/ssm/>.

Code	Description
0	In situ
1	Localized only
2	Regional by direct extension only
3	Regional lymph nodes involved only
4	Regional by both direct extension and lymph
5	Regional, NOS
7	Distant site(s)/node(s) involved
9	Unknown/unstaged/unspecified/DCO

FIRST MALIGNANT PRIMARY INDICATOR

NAACCR Item #: N/A

SEER*Stat Name: First malignant primary indicator

Item Length: 1

Field Description: Based on all the tumors in SEER. Tumors not reported to SEER are assumed malignant.

Code	Description
0	no
1	yes

STATE-COUNTY RECODE

NAACCR Item #: N/A

SEER*Stat Name: State-county

Item Length: 5

Field Description: This item is a state-county combination where the first two characters represent the state FIPS code. The last three digits represent the FIPS county code.

CAUSE OF DEATH TO SEER SITE RECODE**NAACCR Item #: N/A****SEER*Stat Name: COD to site recode****Item Length: 5**

Field Description: This recode was introduced to account for several newly valid ICD-10 codes and includes both cancer and non-cancer causes of death.

See the following website for details:

http://seer.cancer.gov/coderecode/1969+_d09172004/index.html

COD TO SITE REC KM**NAACCR Item #: N/A****SEER*Stat Name: COD to site rec KM****Item Length: 5**

Field Description: This is a recode based on underlying cause of death to designate cause of death into groups similar to the incidence site recode with KS and mesothelioma. For more information, see http://seer.cancer.gov/coderecode/1969+_d04162012. Study cutoff date has been applied, i.e. coded as alive if death occurred after study cutoff.

VITAL STATUS RECODE**NAACCR Item #: N/A****SEER*Stat Name: Vital status recode (study cutoff used)****Item Length: 1**

Field Description: Any patient that dies after the follow-up cut-off date is recoded to alive as of the cut-off date.

Code	Description
1	Alive
0	Dead

FIELD DESCRIPTIONS

IHS LINK

NAACCR Item #: 192
SEER*Stat Name: IHS Link
Item Length: 1

Field Description: Incidence files are periodically linked with Indian Health Service (IHS) files to identify Native Americans. The race recode uses information from this field and race to determine if a person is Native American or not. See http://www.seer.cancer.gov/seerstat/variables/seer/race_ethnicity.

Code	Description
0	Record sent for linkage, no IHS match
1	Record sent for linkage, IHS match
Blank	Record not sent for linkage

SUMMARY STAGE 2000 (1998+)

NAACCR Item #: N/A
SEER*Stat Name: Summary Stage 2000 (1998+)
Item Length: 1

Field Description: Summary Stage 2000 is derived from Collaborative Stage (CS) for 2004+ and Extent of Disease (EOD) from 1998-2003. It is a simplified version of stage: in situ, localized, regional, distant, & unknown. Used in the SEER CSR and more recent SEER publications. For more information including sites and years for which it isn't calculated, see <http://seer.cancer.gov/seerstat/variables/seer/lrd-stage>.

AYA SITE RECODE/WHO 2008

NAACCR Item #: N/A
SEER*Stat Name: AYA site recode/WHO 2008
Item Length: 2

Field Description: A site/histology recode that is mainly used to analyze data on adolescent and young adults. The recode was applied to all cases no matter the age in order that age comparisons can be made with these groupings. For more information, see <http://www.seer.cancer.gov/ayarecode/index.html>.

LYMPHOMA SUBTYPE RECODE/WHO 2008**NAACCR Item #: N/A****SEER*Stat Name: Lymphoma subtype recode/WHO 2008****Item Length: 2**

Field Description: A site/histology recode that is mainly used to analyze data on adolescent and young adults. The recode was applied to all cases no matter the age in order that age comparisons can be made with these groupings. For more information, see <http://seer.cancer.gov/lymphomarecode/>.

SEER CAUSE-SPECIFIC DEATH CLASSIFICATION**NAACCR Item #: N/A****SEER*Stat Name: SEER cause-specific death classification****Item Length: 1**

Field Description: Created for use in cause-specific survival. This variable designates that the person died of their cancer for cause-specific survival. For more information, see <http://seer.cancer.gov/causespecific>.

Code	Description
0	Alive or dead of other cause
1	Dead
9	N/A not first tumor

SEER OTHER CAUSE OF DEATH CLASSIFICATION**NAACCR Item #: N/A****SEER*Stat Name: SEER other cause of death classification****Item Length: 1**

Field Description: Created for use in left-truncated life table session. This variable designates that the person died of causes other than their cancer. For more information, see <http://seer.cancer.gov/causespecific>.

Code	Description
0	Alive or dead due to cancer
1	Dead
9	N/A not first tumor

FIELD DESCRIPTIONS

CS TUMOR SIZE EXT/EVAL

NAACCR Item #: 2820

SEER*Stat Name: CS Tumor Size/Ext Eval (2004-2015)

Item Length: 1

Field Description: Available for 2004-2015, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS LYMPH NODES EVAL

NAACCR Item #: 2840

SEER*Stat Name: CS Reg Nodes Eval (2004-2015)

Item Length: 1

Field Description: Available for 2004-2015, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS METS EVAL

NAACCR Item #: 2860

SEER*Stat Name: CS Mets Eval (2004-2015)

Item Length: 1

Field Description: Available for 2004-2015,, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

PRIMARY BY INTERNATIONAL RULES

NAACCR Item #: N/A

SEER*Stat Name: Primary by International Rules

Item Length: 1

Field Description: Created using IARC multiple primary rules. Did not include benign tumors or non-bladder in situ tumors in algorithm. No tumor information was modified on any records.

Code	Description
0	No
1	Yes
9	Excluded from IARC multiple primary algorithm due to behavior

FIELD DESCRIPTIONS

ER STATUS RECODE BREAST CANCER (1990+)

NAACCR Item #: N/A

SEER*Stat Name: ER Status Recode Breast Cancer (1990+)

Item Length: 1

Field Description: Created by combining information from Tumor marker 1 (1990-2003) (NAACCR Item #=1150), with information from CS site-specific factor 1 (2004+) (NAACCR Item #=2880). This field is blank for non-breast cases and cases diagnosed before 1990.

Code	Description
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Not 1990+ Breast

PR STATUS RECODE BREAST CANCER (1990+)

NAACCR Item #: N/A

SEER*Stat Name: PR Status Recode Breast Cancer (1990+)

Item Length: 1

Field Description: Created by combining information from Tumor marker 2 (1990-2003) (NAACCR Item #=1150), with information from CS site-specific factor 2 (2004+) (NAACCR Item #=2880). This field is blank for non-breast cases and cases diagnosed before 1990.

Code	Description
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Not 1990+ Breast

CS SCHEMA—AJCC 6TH ED (PREVIOUSLY CALLED V1)**NAACCR Item #:** N/A**SEER*Stat Name:** CS Schema- AJCC 6th ed**Item Length:** 2

Field Description: CS information is collected under the specifications of a particular schema based on site and histology. This recode should be used in any analysis of AJCC 6th ed stage and T, N, M. Based on CS version 1, it should not be used for SSFs collected or modified under CS v02.

Code	Description
01	LipUpper
02	LipLower
03	OthLip
04	BaseTongue
05	AntTongue
06	GumUpper
07	GumLower
08	OthGum
09	FOM
10	HardPalate
11	SoftPalate
12	OthMouth
13	BuccalMucosa
14	ParotidGland
15	SubmandibularGland
16	OthSalivary
17	Oropharynx
18	AntEpiglottis
19	Nasopharynx
20	Hypopharynx
21	OthPharynx
22	Esophagus
23	Stomach
24	SmallIntestine
25	Colon
26	Rectum
27	Anus
28	Liver
29	Gallbladder
30	ExtraHepaticDucts
31	Ampulla
32	OthBiliary

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from CS SCHEMA—AJCC 6TH ED (PREVIOUSLY CALLED V1))

Code	Description
33	PancreasHead
34	PancreasBodyTail
35	OthPancreas
36	OthDigestive
37	NasalCavity
38	MiddleEar
39	MaxillarySinus
40	EthmoidSinus
41	OthSinus
42	GlotticLarynx
43	SupraLarynx
44	SubLarynx
45	OthLarynx
46	Trachea
47	Lung
48	HeartMediastinum
49	Pleura
50	OthRespiratory
51	Bone
52	Skin
53	SkinEyelid
54	Melanoma
55	MF
56	SoftTissue
57	Peritoneum
58	Breast
59	Vulva
60	Vagina
61	Cervix
62	Corpus
63	Ovary
64	FallopianTube
65	OthAdnexa
66	OthFemaleGen
67	Placenta
68	Penis
69	Prostate
70	Testis
71	OthMaleGen
72	Scrotum
73	Kidney
74	RenalPelvis

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from CS SCHEMA—AJCC 6TH ED (PREVIOUSLY CALLED V1))

Code	Description
75	Bladder
76	Urethra
77	OthUrinary
78	Conjunctiva
79	MelanomaConjunctiva
80	OthEye
81	MelanomaIrisCiliary
82	MelanomaChoroid
83	MelanomaOthEye
84	LacrimalGland
85	Orbit
86	Retinoblastoma
87	Brain
88	OthCNS
89	Thyroid
90	OthEndocrine
91	KS
92	Lymphoma
93	HemeRetic
94	OthIllDef

CS SITE-SPECIFIC FACTOR 8

NAACCR Item #: 2862

SEER*Stat Name: CS site-specific factor 8 (2004+ varying by schema)

Item Length: 3

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 10**NAACCR Item #: 2864****SEER*Stat Name: CS site-specific factor 10 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 11**NAACCR Item #: 2865****SEER*Stat Name: CS site-specific factor 11 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 13**NAACCR Item #: 2867****SEER*Stat Name: CS site-specific factor 13 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 15**NAACCR Item #: 2869****SEER*Stat Name: CS site-specific factor 15 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 16**NAACCR Item #: 2870****SEER*Stat Name: CS site-specific factor 16 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

LYMPH VASCULAR INVASION**NAACCR Item #: 1182****SEER*Stat Name: Lymph-vascular Invasion (2004+ varying by schema)****Item Length: 1**

Field Description: LVI is required for cases originally coded under CSv2 or diagnosed 2010+ for the schemas for penis and testis only. On the research file LVI is shown only for testis because it is needed for AJCC 6th ed staging. For penis, LVI is needed for AJCC 7th ed staging only which isn't calculated until 2010.

Code	Description
0	Lymph-vascular Invasion Not Present (absent)/Not Identified
1	Lymph-vascular Invasion Present/Identified
8	Not Applicable
9	Unknown/Indeterminate

SURVIVAL MONTHS**NAACCR Item #:** N/A**SEER*Stat Name:** Survival Months**Item Length:** 4

Field Description: Created using complete dates, including days, therefore may differ from survival time calculated from year and month only. For more information, see <http://seer.cancer.gov/survivaltime>.

Code	Description
000-9998	000-9998 months
9999	Unknown

SURVIVAL MONTHS FLAG**NAACCR Item #:** N/A**SEER*Stat Name:** Survival Months Flag**Item Length:** 1

Field Description: Created using complete dates, including days, therefore may differ from survival time calculated from year and month only. For more information, see <http://seer.cancer.gov/survivaltime>.

Code	Description
0	Complete dates are available and there are 0 days of survival
1	Complete dates are available and there are more than 0 days of survival
2	Incomplete dates are available and there could be zero days of follow-up
3	Incomplete dates are available and there cannot be zero days of follow-up
9	Unknown

INSURANCE RECODE (2007+)**NAACCR Item #:** N/A**SEER*Stat Name:** Insurance Recode (2007+)**Item Length:** 1

Field Description: Created from NAACCR Field Primary Payer at DX, Item #630. Caution is urged when using this variable. Most patients who were 65 years of age and older at the time of diagnosis that were classified as "Uninsured", having "Private Insurance", or as "Insurance status unknown" were Medicare eligible, while patients diagnosed before 65 years of age were not. Stratification of this variable by these age groups may be warranted.

Code	Description
1	Uninsured
2	Any Medicaid
3	Insured
4	Insured/No specifics
5	Insurance status unknown

DERIVED AJCC-7 T**NAACCR Item #: 3400****SEER*Stat Name: DERIVED AJCC T, 7TH ED (2010-2015)****Item Length: 3**

Field Description: This is the AJCC “T” component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-specific schema for details:

(<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

Code	Description
999	TX
000	T0
010	Ta
050	Tis
060	Tispu (Urethra only)
070	Tispd (Urethra only)
100	T1
110	T1mic
199	T1 NOS
120	T1a
130	T1a1
140	T1a2
150	T1b
160	T1b1
170	T1b2
180	T1c
181	T1d
200	T2
299	T2 NOS
210	T2a
211	T2a1
212	T2a2
213	T2a NOS
220	T2b
230	T2c
240	T2d
300	T3
399	T3 NOS
310	T3a
320	T3b
330	T3c
400	T4
499	T4 NOS
410	T4a

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from DERIVED AJCC-7 T)

Code	Description
420	T4b
430	T4c
440	T4d
450	T4e
800	T1a NOS
810	T1b NOS
888	Not applicable

DERIVED AJCC-7 N

NAACCR Item #: 3410

SEER*Stat Name: DERIVED AJCC N, 7TH ED (2010-2015)

Item Length: 3

Field Description: This is the AJCC “N” component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-specific schema for details:

(<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

Code	Description
999	NX
000	N0
010	N0(i-)
020	N0(i+)
030	N0(mol-)
040	N0(mol+)
100	N1
199	N1 NOS
110	N1a
120	N1b
130	N1c
180	N1mi
200	N2
299	N2 NOS
210	N2a
220	N2b
230	N2c
300	N3
399	N3 NOS
310	N3a
320	N3b
330	N3c
400	N4
888	Not applicable

FIELD DESCRIPTIONS

DERIVED AJCC-7 M

NAACCR Item #: 3420

SEER*Stat Name: DERIVED AJCC M, 7TH ED (2010-2015)

Item Length: 3

Field Description: This is the AJCC “M” component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-specific schema for details:

(<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

Code	Description
999	MX
000	M0
010	M0(i+)
100	M1
110	M1a
120	M1b
130	M1c
140	M1d
150	M1e
199	M1 NOS
888	Not applicable

DERIVED AJCC-7 STAGE GRP

NAACCR Item #: 3430

SEER*Stat Name: DERIVED AJCC STAGE GROUP, 7TH ED (2010-2015)

Item Length: 3

Field Description: This is the AJCC “Stage Group” component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years.

See the CS site-specific schema for details:

(<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

Code	Description
000	Stage 0
010	Stage 0a
020	Stage 0is
100	Stage I
110	Stage I NOS
120	Stage IA
130	Stage IA1
140	Stage IA2

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from DERIVED AJCC-7 STAGE GRP)

Code	Description
121	Stage IA NOS
150	Stage IB
160	Stage IB1
170	Stage IB2
151	Stage IB NOS
180	Stage IC
190	Stage IS
230	Stage ISA (lymphoma only)
240	Stage ISB (lymphoma only)
200	Stage IEA (lymphoma only)
210	Stage IEB (lymphoma only)
220	Stage IE (lymphoma only)
300	Stage II
310	Stage II NOS
320	Stage IIA
321	Stage IIA NOS
322	Stage IIA1
323	Stage IIA NOS
330	Stage IIB
340	Stage IIC
350	Stage IIEA (lymphoma only)
360	Stage IIEB (lymphoma only)
370	Stage IIE (lymphoma only)
380	Stage IISA (lymphoma only)
390	Stage IISB (lymphoma only)
400	Stage IIS (lymphoma only)
410	Stage IIESA (lymphoma only)
420	Stage IIESB (lymphoma only)
430	Stage IIES (lymphoma only)
500	Stage III
510	Stage III NOS
520	Stage IIIA
530	Stage IIIB
540	Stage IIIC
541	Stage IIIC1
542	Stage IIIC2
550	Stage IIIEA (lymphoma only)
560	Stage IIIEB (lymphoma only)
570	Stage IIIE (lymphoma only)
580	Stage IIISA (lymphoma only)
590	Stage IIISB (lymphoma only)
600	Stage IIIS (lymphoma only)
610	Stage IIIESA (lymphoma only)
620	Stage IIIESB (lymphoma only)

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from DERIVED AJCC-7 STAGE GRP)

Code	Description
630	Stage IIIES (lymphoma only)
700	Stage IV
710	Stage IV NOS
720	Stage IVA
730	Stage IVB
740	Stage IVC
888	Not applicable
900	Stage Occult
999	Stage Unknown

BREAST ADJUSTED AJCC 6TH T (1988-2015)

NAACCR Item #: N/A

SEER*Stat Name: Breast Adjusted AJCC 6th T (1988-2015)

Item Length: 2

Field Description: Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th>.

Code	Description
00	T0
01	Ta
05	Tis
06	Tispu
07	Tispd
10	T1
11	T1mic
12	T1a
13	T1a1
14	T1a2
15	T1b
16	T1b1
17	T1b2
18	T1c
19	T1NOS
20	T2
21	T2a
22	T2b
23	T2c
29	T2NOS

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from BREAST ADJUSTED AJCC 6TH T (1988-2015))

Code	Description
30	T3
31	T3a
32	T3b
33	T3c
39	T3NOS
40	T4
41	T4a
42	T4b
43	T4c
44	T4d
49	T4NOS
60	Any T, Mets
80	T1aNOS
81	T1bNOS
88	N/A
99	TX Adjusted

BREAST ADJUSTED AJCC 6TH N (1988-2015)

NAACCR Item #: N/A

SEER*Stat Name: Breast Adjusted AJCC 6th N (1988-2015)

Item Length: 2

Field Description: Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th>.

Code	Description
00	N0
01	N0(i-)
02	N0(i+)
03	N0(mo1-)
04	N0(mo1+)
09	N0NOS
10	N1
11	N1a
12	N1b
13	N1c

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from BREAST ADJUSTED AJCC 6TH N (1988-2015))

Code	Description
18	N1mi
19	N1NOS
20	N2
21	N2a
22	N2b
23	N2c
29	N2NOS
30	N3
31	N3a
32	N3b
33	N3c
39	N3NOS
60	Any N, Mets
70	NXr
80	NXa
88	N/A
99	NX Adjusted

BREAST ADJUSTED AJCC 6TH M (1988-2015)

NAACCR Item #: N/A

SEER*Stat Name: Breast Adjusted AJCC 6th M (1988-2015)

Item Length: 2

Field Description: Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th.>

Code	Description
00	M0
10	M1
11	M1a
12	M1b
13	M1c
19	M1NOS
88	N/A
99	MX

BREAST ADJUSTED AJCC 6TH STAGE (1988-2015)**NAACCR Item #:** N/A**SEER*Stat Name:** Breast Adjusted AJCC 6th Stage (1988-2015)**Item Length:** 2

Field Description: Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th>.

Code	Description
00	0
01	0a
02	0is
10	I
11	INOS
12	IA
13	IA1
14	IA2
15	IB
16	IB1
17	IB2
18	IC
19	IS
20	IEA
21	IEB
22	IE
23	ISA
24	ISB
30	II
31	IINOS
32	IIA
33	IIB
34	IIC
35	IIEA
36	IIEB
37	IIE
38	IISA
39	IISB
40	IIS
41	IIESA

(Continued on next page)

FIELD DESCRIPTIONS

(Continued from BREAST ADJUSTED AJCC 6TH STAGE (1988-2015))

Code	Description
42	IIESB
43	IIES
50	III
51	IIINOS
52	IIIA
53	IIIB
54	IIIC
55	IIIEA
56	IIIEB
57	IIIE
58	IIISA
59	IIISB
60	IIIS
61	IIIESA
62	IIIESB
63	IIIES
70	IV
71	IVNOS
72	IVA
73	IVB
74	IVC
88	N/A
90	OCCULT
99	UNK Stage

CS SITE-SPECIFIC FACTOR 7

NAACCR Item #: 2861

SEER*Stat Name: CS site-specific factor 7 (2004+ varying by schema)

Item Length: 3

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 9**NAACCR Item #: 2863****SEER*Stat Name: CS site-specific factor 9 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

CS SITE-SPECIFIC FACTOR 12**NAACCR Item #: 2866****SEER*Stat Name: CS site-specific factor 12 (2004+ varying by schema)****Item Length: 3**

Field Description: Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

DERIVED HER2 RECODE (2010+)**NAACCR Item #: N/A****SEER*Stat Name: Derived HER2 Recode (2010+)****Item Length: 1**

Field Description: Created with combined information from several CS site-specific factors.

For more information, see <http://seer.cancer.gov/seerstat/databases/ssf/her2-derived.html>.

Code	Description
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Not 2010+ Breast

FIELD DESCRIPTIONS

BREAST SUBTYPE (2010+)

NAACCR Item #: N/A

SEER*Stat Name: Breast subtype (2010+)

Item Length: 1

Field Description: Created with combined information from ER Status Recode Breast Cancer (1990+), PR Status Recode Breast Cancer (1990+), and Derived HER2 Recode (2010+).

For information on how this field is created, visit

<https://seer.cancer.gov/seerstat/databases/ssf/breast-subtype.html>

Code	Description
1	Her2+/HR+
2	Her2+/HR-
3	Her2-/HR+
4	Triple Negative
5	Unknown
9	Not 2010+ Breast

LYMPHOMAS: ANN ARBOR STAGING (1983-2015)

NAACCR Item #: N/A

SEER*Stat Name: Lymphomas: Ann Arbor Staging (1983-2015)

Item Length: 1

Field Description: For information on how this field is created, visit

<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/ann-arbor/>

SEER COMBINED METS AT DX-BONE

NAACCR Item #: N/A

SEER*Stat Name: SEER combined mets at DX-bone (2010+)

Item Length: 1

Field Description: Created from NAACR Item #2851 (2010-2015) and #1112 (2016+).

Code	Description
0	None; no bone metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record

FIELD DESCRIPTIONS

SEER COMBINED METS AT DX-BRAIN

NAACCR Item #: N/A

SEER*Stat Name: SEER combined mets at DX-brain (2010+)

Item Length: 1

Field Description: Created from NAACR Item #2852 (2010-2015) and #1113 (2016+).

Code	Description
0	None; no brain metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record

SEER COMBINED METS AT DX-LIVER

NAACCR Item #: N/A

SEER*Stat Name: SEER combined mets at DX-liver (2010+)

Item Length: 1

Field Description: Created from NAACR Item #2853 (2010-2015) and #1115 (2016+).

Code	Description
0	None; no liver metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record

SEER COMBINED METS AT DX-LUNG

NAACCR Item #: N/A

SEER*Stat Name: SEER combined mets at DX-lung (2010+)

Item Length: 1

Field Description: Created from NAACR Item #2854 (2010-2015) and #1116 (2016+).

Code	Description
0	None; no lung metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record

FIELD DESCRIPTIONS

T VALUE - BASED ON AJCC 3rd (1988-2003)

NAACCR Item #: N/A

SEER*Stat Name: T value - based on AJCC 3rd (1988-2003)

Item Length: 2

Field Description: Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see:

<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html>

N VALUE - BASED ON AJCC 3rd (1988-2003)

NAACCR Item #: N/A

SEER*Stat Name: N value - based on AJCC 3rd (1988-2003)

Item Length: 2

Field Description: Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see:

<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html>

M VALUE - BASED ON AJCC 3rd (1988-2003)

NAACCR Item #: N/A

SEER*Stat Name: M value - based on AJCC 3rd (1988-2003)

Item Length: 2

Field Description: Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see:

<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html>

FIELD DESCRIPTIONS

TOTAL NUMBER OF IN SITU/MALIGNANT TUMORS FOR PATIENT

NAACCR Item #: N/A

SEER*Stat Name: Total Number of In Situ/Malignant Tumors for Patient

Item Length: 2

Field Description: Count of a patient's total reported in situ/malignant cancers, based on maximum sequence number of any in situ/malignant tumors in SEER through the last released year of diagnosis. This value is the same across all tumors for a person.

Valid values: 00-98; 99 (unknown)

TOTAL NUMBER OF BENIGN/BORDERLINE TUMORS FOR PATIENT

NAACCR Item #: N/A

SEER*Stat Name: Total Number of Benign/Borderline Tumors for Patient

Item Length: 2

Field Description: Count of a patient's total reported benign/borderline cancers, based on maximum sequence number of any benign/borderline tumors in SEER through the last released year of diagnosis. This value is the same across all tumors for a person.

Valid values: 00-98; 99 (unknown)

TUMOR SIZE SUMMARY

NAACCR Item #: 756

SEER*Stat Name: Tumor Size Summary (2016+)

Item Length: 3

Field Description: The most accurate measurement of a solid primary tumor, usually measured on the surgical resection specimen.

Code	Description
000	No mass/tumor found
001	1 mm or described as less than 1 mm (0.1 cm or less than 0.1 cm)
002-988	Exact size in millimeters (2mm-988mm) (0.2 cm to 98.8 cm)
989	989 millimeters or larger (98.9 cm or larger)
990	Microscopic focus or foci only and no size of focus is given
998	Alternate descriptions of tumor size for specific sites
999	Unknown; size not stated; Not documented in patient record; Size of tumor cannot be assessed; No excisional biopsy or tumor resection done; The only measurement(s) describes pieces or chips; Not applicable

DERIVED SEER CMB STG GRP

NAACCR Item #: 3614

SEER*Stat Name: Derived SEER Cmb Stg Grp (2016+)

Item Length: 5

Field Description: The results of the derived algorithmic calculation of Derived SEER Combined Stage Group.

DERIVED SEER COMBINED T

NAACCR Item #: 3616

SEER*Stat Name: Derived SEER Combined T (2016+)

Item Length: 5

Field Description: The results of the derived algorithmic calculation of Derived SEER Combined T.

DERIVED SEER COMBINED N

NAACCR Item #: 3618

SEER*Stat Name: Derived SEER Combined N (2016+)

Item Length: 5

Field Description: The results of the derived algorithmic calculation of Derived SEER Combined N.

DERIVED SEER COMBINED M

NAACCR Item #: 3620

SEER*Stat Name: Derived SEER Combined M (2016+)

Item Length: 5

Field Description: The results of the derived algorithmic calculation of Derived SEER Combined M.

FIELD DESCRIPTIONS

DERIVED SEER COMBINED T SRC

NAACCR Item #: 3622

SEER*Stat Name: Derived SEER Combined T Src (2016+)

Item Length: 1

Field Description: The source information selected for the derived algorithmic calculation of Derived SEER Combined T #3616.

Code	Description
1	Clinical
2	Pathologic
3	Clinical and pathologic information used
9	Unknown

DERIVED SEER COMBINED N SRC

NAACCR Item #: 3624

SEER*Stat Name: Derived SEER Combined N Src (2016+)

Item Length: 1

Field Description: The source information selected for the derived algorithmic calculation of Derived SEER Combined N #3618.

Code	Description
1	Clinical
2	Pathologic
3	Clinical and pathologic information used
9	Unknown

DERIVED SEER COMBINED M SRC

NAACCR Item #: 3626

SEER*Stat Name: Derived SEER Combined M Src (2016+)

Item Length: 1

Field Description: The source information selected for the derived algorithmic calculation of Derived SEER Combined M #3620.

Code	Description
1	Clinical
2	Pathologic
3	Clinical and pathologic information used
9	Unknown

TNM EDITION NUMBER**NAACCR Item #: 1060****SEER*Stat Name: TNM Edition Number (2016+)****Item Length: 2**

Field Description: The edition of the AJCC manual used to stage the case. This applies to the manually coded AJCC fields. It does not apply to the Derived AJCC T, N, M and AJCC Stage Group fields [2940, 2960, 2980, and 3000].

SEER used UICC 7th edition as well as AJCC 7th edition rules. UICC 7th edition and AJCC 7th edition TNM categories and stage groups are very similar.

Code	Description
07	Seventh Edition (published 2009), recommended for use with cases diagnosed 2010-2017
U7	Seventh Edition with UICC modifications
88	Not applicable (cases that do not have an AJCC staging scheme)
Blank	

METS AT DX—DISTANT LN**NAACCR Item #: 1114****SEER*Stat Name: Mets at DX-Distant LN (2016+)****Item Length: 1**

Field Description: Identifies whether distant lymph node(s) are an involved metastatic site.

Code	Description
0	None; no distant lymph node metastases
1	Yes; distant lymph node metastases
8	Not applicable
9	Unknown whether distant lymph node(s) are involved metastatic site. Not documented in patient record.

METS AT DX—OTHER**NAACCR Item #: 1117****SEER*Stat Name: Mets at DX-Other (2016+)****Item Length: 1**

Field Description: Identifies any type of distant involvement not captured in the Mets at Dx-Bone [1112], Mets at Dx-Brain [1113], Mets at Dx-Liver [1115], Mets at Dx-Lung [1116], and Mets at Dx-Distant LN [1114] fields. It includes involvement of other specific sites and more generalized metastases such as carcinomatosis. Some examples include but are not limited to the adrenal gland, bone marrow, pleura, malignant pleural effusion, peritoneum, and skin.

Code	Description
0	None; no other metastases
1	Yes; distant metastases in known site(s) other than bone, brain, liver, lung or distant lymph nodes (Note: includes bone marrow involvement for lymphomas)
2	Generalized metastases such as carcinomatosis
8	Not applicable
9	Unknown whether any other metastatic site or generalized metastases. Not documented in patient record.
