November 2023 Data Submission Research Plus Data Items	1	1	1	1	1		1
November 2023 Data Submission Research Plus Data Items	Itom # refers to	o the NAACCR iter	m number - see ht	tn://datadictiona	ny paacer org/de	 -fault.aspx?Version=23	
	CS= Collaborat			tp.//datadictiona	ily.maacci.org/ue		
	SSF = Site-spec						
	Limited-Field r	efers to SEER 22 o	latabases that hav	e a limited numb	er of variables		
	* Indicates that	it a field is availab	le in the SEER 22 (excl IL and MA) Li	imited-field data	base	
			lity of the variable				
	Column E indic		ailable at the indi			session	
N	Bernard	Research	Research Plus	Available in	NAACCR Item		Columna and
Name	Research	Limited-Field	Limited-Field	Case Listing	#	Description Race recode is based on the race variables and the American Indian/Native American IHS link variable. This recode should be used to link to the	Category name
						populations for white, black and other. It is independent of Hispanic ethnicity. For more information, see	
Race recode (White, Black, Other)	Yes	Yes	Yes	Yes		https://seer.cancer.gov/seerstat/variables/seer/race_ethnicity/	Race, Sex, Year Dx, Registry, County
Sex	Yes	Yes	Yes	Yes	220	Includes 1= Male and 2=Female from Sex [NAACCR Item #220] plus a total of male and female. This is used to link to the correct populations for males and females when calculating sex-specific rates.	Race, Sex, Year Dx, Registry, County
367	ies	165	Tes	163	220	Year of Diagnosis values are 1975-2021 but may be a subset depending on the file that is used and the registry that is selected. There are no unknown	hace, sex, real bx, hegistry, county
Year of diagnosis	Yes	Yes	Yes	Yes	390	values on the file.	Race, Sex, Year Dx, Registry, County
						This field show the SEER registries which contribute data to this file. After the name of the registry, there is the beginning year of diagnosis for that	
SEER registry	No	No	Yes	No	40	registry. This data item varies by which data file is selected. See data description: https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Race, Sex, Year Dx, Registry, County
occuregody		110	100		10	mility/Jacculance/Bollang actual classification/actual interest in	hace, sex, real bx, negisti ; county
						This field is used to separate Louisiana cases diagnosed in the first half of 2005 from those diagnosed in the second half of 2005 to link to different	
Louisiana 2005 - 1st vs 2nd half of year	No	No	Yes	No		population estimates used to account for displaced persons due to Katrina/Rita. See https://seer.cancer.gov/data/hurricane.html	Race, Sex, Year Dx, Registry, County
State-county	No	No	Yes	No		State and county at diagnosis. Can be used to link to the populations to produce rates at the state/county level. This data item identifies whether or not the county of diagnosis is served by PRCDA. The primary use of this field is to be able to limit analyses of AI/AN	Race, Sex, Year Dx, Registry, County
						race to areas served by PRCDA.	
						See https://seer.cancer.gov/seerstat/variables/seer/race_ethnicity_OR	
PRCDA 2020	Yes	Yes	Yes	Yes		https://seer.cancer.gov/seerstat/variables/countyattribs/	Race, Sex, Year Dx, Registry, County
PRCDA Region	No	No	Yes	No		This data item is a grouping of counties that is primarily used when working with PRCDA 2006. See https://seer.cancer.gov/seerstat/variables/seer/race_ethnicity OR https://seer.cancer.gov/seerstat/variables/countyattribs/	Race, Sex, Year Dx, Registry, County
PREDA REGION	INO	INU	res	NO		A recode based on Primary Site and Histology in order to make analyses of site/histology groups easier. For example, the lymphomas are excluded from	Race, Sex, Tear Dx, Registry, County
						stomach and Kaposi and mesothelioma are separate categories based on histology. For more information, see	
Site recode ICD-O-3/WHO 2008	Yes	Yes	Yes	Yes		https://seer.cancer.gov/siterecode/icdo3_dwhoheme/	Site and Morphology
						Based on behavior codes in ICD-O-3. Behavior code has had the same definitions in previous versions but may be associated differently with histologies	
						over time. For example, borderline of the ovary were considered malignant in ICD-0-2 but benign in ICD-0-3, cases diagnosed in 1973-2000 were coded	
						in earlier versions and converted to ICD-O-3 and coded directly for 2001+. In situ bladder cases have been converted to malignant in this field. See	
						Behavior recode for consistency over time. For more information See data description:	
Behavior code ICD-O-3	Yes	Yes	Yes	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Site and Morphology
						CS information is collected under the specifications of a particular schema based on site and histology. This recode should used in any analysis of AJCC 7th ed stage and T, N, M. For more information See data description:	
TNM 7/CS v0204+ Schema (thru 2017)	Yes	No	No	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Site and Morphology
TNM 7/CS v0204+ Schema recode	¥		N -	¥		Allows the identification of categories consistent with TNM 7/CS v0204+ Schema to include cases 2018+. This variable will facilitate the analyses of the	Characterization and a second second
TNW 7/CS V0204+ Schema recode	Yes	No	No	Yes		2010+ SSDI recodes, which require consistent cohorts over time. Stomach and Esophagus GE Junction combined into a single grouping.	Site and Morphology
						A site/histology recode that is mainly used to analyze data on adolescent and young adults. The recode was applied to all cases no matter the age in	
AYA site recode 2020 Revision	Yes	Yes	Yes	Yes		order that age comparisons can be made with these groupings. For more information, see https://seer.cancer.gov/ayarecode/	Site and Morphology
						A site/histology recode that is mainly used to analyze data on lymphoma sub-types. Based on ICD-O-3. Note that cases diagnosed before 2001 were not	
Lymphoid neoplasm recode 2021 Revision	Yes	Yes	Yes	Yes		coded under ICD-O-3 and were converted to ICD-O-3 and may not have the specificity of cases after 2000 that were coded directly under ICD-O-3. For more information, see https://seer.cancer.gov/lymphomarecode/	Site and Morphology
	103	103	103	103		A site/histology recode that is mainly used to analyze data on children. The recode was applied to all cases no matter the age in order that age	site and morphology
						comparisons can be made with these groupings. Based on ICD-O-3. Note that cases diagnosed before 2001 were not coded under ICD-O-3 and were	
						converted to ICD-O-3 and may not have the specificity of cases after 2000 that were coded directly under ICD-O-3. For more information on this	Charles and the second s
ICCC site recode 3rd edition/IARC 2017	Yes	Yes	Yes	Yes		International Classification of Childhood Cancer (ICCC) site recode, see https://seer.cancer.gov/iccc	Site and Morphology
						For analyses of brain/CNS tumors according to major histological categories, based on the 2016 World Health Organization Classification of Tumors of	
SEER Brain and CNS Recode	Yes	Yes	Yes	Yes		the Central Nervous System (CNS). For more information, see https://seer.cancer.gov/seerstat/variables/seer/brain_cns-recode/	Site and Morphology
Site recode ICD-O-3 2023 Revision	Yes	Yes	Yes	Yes		For more information, see https://seer.cancer.gov/siterecode/	Site and Morphology
Site recode ICD-O-3 2023 Revision Expanded	Yes	Yes	Yes	Yes		For more information, see https://seer.cancer.gov/siterecode/	Site and Morphology
						CS information is collected under the specifications of a particular schema based on site and histology. This recode should used in any analysis of AJCC 6th ed stage and T, N, M. Based on CS version 1, it should not be used for SSFs collected or modified under CS v02.	
						https://cancerstaging.org/cstage/schema.html. For more information See data description:	
CS Schema - AJCC 6th Edition	Yes	No	No	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Site and Morphology
						This provides the primary site code in ICD-O-3 and a descriptive primary site label. Note that the label is the preferred ICD-O-3 bolded name and there	
Deinsen, Cita, Jahalad	N		¥	¥		may be other sites or sub-sites included in the code but not reflected in the preferred term. Refer to ICD-O-3 for further information. Cases with years of diagnosis before 1992 were converted to ICD-O-3 from earlier versions.	Cite and Manshalam.
Primary Site - labeled	Yes	Yes	Yes	Yes	400	Uragnosis berore 1992 were converted to ICD-O-3 from earlier versions.	Site and Morphology
						Codes are found in the Topography section of the International Classification of Diseases for Oncology (ICD-O) 3rd edition. ICD-O-2 codes used for 1992-	
Primary Site	Yes	Yes	Yes	Yes	400	2000 are similar. Primary site codes for 1973-1991 were converted to ICD-O-3 and may lack the specificity of the ICD-O-3 primary site codes.	Site and Morphology
Ulista la sia Tura ICD O D	¥		¥	¥	500	Based on histology codes in ICD-O-3. Cases diagnosed in 1973-2000 were coded in earlier versions and converted to ICD-O-3 and coded directly for	Charles and the second s
Histologic Type ICD-O-3	Yes	Yes	Yes	Yes	522	2001+. This recode was created so that data analyses could eliminate major groups of histologies/behaviors that weren't collected consistently over time, for	Site and Morphology
						example benign brain, myelodysplastic syndromes, and borderline tumors of the ovary. Created from ICD-O-3 behavior and histology. For more	
Behavior recode for analysis	Yes	Yes	Yes	Yes		information, see https://seer.cancer.gov/behavrecode	Site and Morphology
						Set to unknown for breast cases with conflicting data for Nottingham or Bloom-Richardson (BR) Score/Grade in 2010-2017. Based on grade codes in ICD-	
						O-3. Cases diagnosed in 1973-2000 were coded in earlier versions and may lack the specificity of the 2001+ cases that were coded directly, especially for lymphomas/leukemias. For more information See data description:	
Grade Recode (thru 2017)	Yes	Yes	Yes	Yes	440	Ivmpnomas/leukemias. For more information see data description: https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Site and Morphology
					440	Derived from Grade Clinical (2018+), Item #=3843 and Grade Pathological (2018+), Item #=3844. Prior to 2018, grade was collected prior to neoadjuvant	
Derived Summary Grade 2018 (2018+)	Yes	Yes	Yes	Yes		therapy, which is why Grade Post-therapy Clin (yc) and Grade Post-Therapy (yp) are not part of the calculation.	Site and Morphology
Grade Clinical (2018+)	Yes	Yes	Yes	Yes		Refer to the most recent version of the NAACCR SSDI Manual for additional site-specific instructions.	Site and Morphology
Grade Pathological (2018+)	Yes	Yes	Yes	Yes	3844	Refer to the most recent version of the NAACCR SSDI Manual for additional site-specific instructions.	Site and Morphology

		Research	Research Plus	Available in	NAACCR Item		1
Name	Research	Limited-Field	Limited-Field	Case Listing	#	Description	Category name
Laterality	Yes	Yes	Yes	Yes	410	See data description: https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Site and Morphology
Diagnostic Confirmation	Yes	Yes	Yes	Yes	490	See data description: https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Site and Morphology
ICD-O-3 Hist/behav	Yes	Yes	Yes	Yes		Labeled version of ICD-O-3 values for all behaviors. See SEER*Stat dictionary for labels.	Site and Morphology
ICD-O-3 Hist/behav, malignant	Yes	Yes	Yes	Yes		Labeled version of ICD-O-3 values for malignant tumors. All non-malignant tumors are grouped into one value. See SEER*Stat dictionary for labels.	Site and Morphology
						Based on Histologic type ICD-0-3. For more information See data description:	Site and morphology
Histology recode - broad groupings	Yes	Yes	Yes	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf Based on ICD-O-3. For more information on this International Classification of Childhood Cancer (ICCC) site/histology recode, see	Site and Morphology
						https://seer.cancer.gov/iccc. While the recode is normally used for childhood cancers, it is on the file for all ages so that childhood cancers could be	
ICCC site recode extended 3rd edition/IARC 2017	Yes	Yes	Yes	Yes		compared across age groups. For more information, see https://seer.cancer.gov/iccc/iccc-iarc-2017.html	Site and Morphology
Site recode ICD-O-3/WHO 2008 (for SIRs)	Yes	Yes	Yes	Yes		Preferred site categorization for use with Standardized Incidence Ratios (SIRs). For more information, see https://seer.cancer.gov/siterecode	Site and Morphology
Schema ID (2018+)	Yes	Yes	Yes	Yes	3800	This variable allows the linkage of 2018+ Site-Specific Data Items (SSDIs), including grade data items, with the appropriate site/histology grouping.	Site and Morphology
AJCC ID (2018+)	Yes	Yes	Yes	Yes	995	Based on the chapters of the AJCC manual and will be derived primarily from the site/histology fields and other data items as required. IDs are assigned to cases for which AJCC staging is applicable. When staging is not applicable, code 'XX' is used.	Site and Morphology
EOD Schema ID Recode (2010+)	Yes	Yes	Yes	Yes		Allows the identification of categories consistent with Schema ID to include cases 2010+. This variable will facilitate the analyses of the 2010+ SSDI recodes, which require consistent cohorts over time.	Site and Morphology
						Cancer type grouping to define clinically relevant, histologically defined rare cancers. For more information, see	
Site recode - rare tumors	Yes	Yes	Yes	Yes		https://seer.cancer.gov/seerstat/variables/seer/raresiterecode/ Combined Summary Stage field to facilitate stage analyses over time. Created from SEER Combined Summary Stage 2000 (2004-2017) & Derived	Site and Morphology
Combined Summary Stage (2004+)	Yes	Yes	Yes	Yes		Summary Stage 2018 (2018+). For more information including sites, years and registries for which it isn't calculated, see https://seer.cancer.gov/seerstat/variables/seer/Ird-stage/	Stage - Summary/Historic
	163	165	165	165		Summary Stage 2000 is derived from Collaborative Stage (CS) for 2004+ and Extent of Disease (EOD) from 1998-2003. It is a simplified version of stage: in	stage - Summary Historic
Summary stage 2000 (1998-2017)	Yes	No	No	Yes		situ, localized, regional, distant, & unknown. Used in the SEER CSR and more recent SEER publications. For more information including sites and years for which it isn't calculated, see https://seer.cancer.gov/seerstat/variables/seer/Ird-stage/	Stage - Summary/Historic
						Combination of NAACCR Item #s 759 and 3020. For 2004-2015 cases it is copied from Derived SS2000 and for 2016+ it is the best available between	
SEER Combined Summary Stage 2000 (2004-2017)	Yes	Yes	Yes	Yes		Derived SS2000 and SEER Summary Stage 2000. All benign/borderline cases set to NA. SEER Historic Stage A is Derived from Collaborative Stage (CS) for 2004+ and Extent of Disease (EOD) from 1973-2003. It is a simplified version of stage:	Stage - Summary/Historic
						in situ, localized, regional, distant, & unknown. For more information including sites and years for which it isn't calculated, see	
SEER historic stage A (1973-2015)	Yes	No	No	Yes		https://seer.cancer.gov/seerstat/variables/seer/lrd-stage/	Stage - Summary/Historic
Derived EOD 2018 T (2018+)	Yes	No	No	Yes		See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.	Stage - 8th edition Stage - 8th edition
Derived EOD 2018 N (2018+) Derived EOD 2018 M (2018+)	Yes Yes	No No	No No	Yes Yes		See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures. See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.	Stage - 8th edition Stage - 8th edition
Derived EOD 2018 M (2018+) Derived EOD 2018 Stage Group (2018+)	Yes	No	No	Yes		See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.	Stage - 8th edition
Derived AJCC Stage Group, 7th ed (2010-2015)	Yes	No	No	Yes		For more information, see https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Stage - 7th edition
Derived AJCC T, 7th ed (2010-2015) Derived AJCC N, 7th ed (2010-2015)	Yes Yes	No No	No No	Yes Yes		For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/ For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/	Stage - 7th edition
Derived AJCC N, 7th ed (2010-2015) Derived AJCC M, 7th ed (2010-2015)	Yes	No	No	Yes		For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/	Stage - 7th edition Stage - 7th edition
	100		110	105	5120		
7th Edition Stage Group Recode (2016-2017)	Yes	No	No	Yes		Created from NAACCR Item #=3430 for cases where Collaborative Stage was available and #=3614 (2016-2017) for cases with only TNM stage available.	Stage - 7th edition
Derived SEER Cmb Stg Grp (2016-2017)	Yes	No	No	Yes		For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/	Stage - 7th edition
Derived SEER Combined T (2016-2017) Derived SEER Combined N (2016-2017)	Yes Yes	No No	No No	Yes Yes		For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/ For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/	Stage - 7th edition Stage - 7th edition
Derived SEER Combined M (2016-2017)	Yes	No	No	Yes		For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/	Stage - 7th edition
Derived SEER Combined T Src (2016-2017)	Yes	No	No	Yes		For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/	Stage - 7th edition
Derived SEER Combined N Src (2016-2017)	Yes	No	No	Yes		For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/	Stage - 7th edition
Derived SEER Combined M Src (2016-2017)	Yes	No	No	Yes	3626	For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/	Stage - 7th edition
Derived AJCC Stage Group, 6th ed (2004-2015)	Yes	No	No	Yes	3000	The stage category for AJCC 6th edition is derived from Collaborative Staging data elements for 2004+ cases. See the CS site-specific schema for details (https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage) and the data description file for allowable values for display codes and storage values. See https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Stage - 6th edition
Broast Adjusted ALCC 6th Stage (1000-2015)	Voc	No	No	Vec		Created from merged EOD 3rd Edition and Collaborative Stage disease information. For more information see: https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th/.	Stage 6th edition
Breast - Adjusted AJCC 6th Stage (1988-2015)	Yes	No	No	Yes		https://secr.tanter.gov/secrs.at/variane/sysecr/att/ssage/onv. The T category for AJCC 6th edition is derived from Collaborative Staging data elements for 2004+ cases. See the CS site-specific schema for details (https://secr.taner.gov/secrstat/variable/secr/ajcc-stage/and the data description file for allowable values for display codes and storage values. See	Stage - 6th edition
Derived AJCC T, 6th ed (2004-2015)	Yes	No	No	Yes	2940	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Stage - 6th edition
						The N category for AJCC 6th edition is derived from Collaborative Staging data elements for 2004+ cases. See the CS site-specific schema for details	
Derived AJCC N, 6th ed (2004-2015)	Voc	No	No	Vac	2000	(https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage) and the data description file for allowable values for display codes and storage values. See https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Stage 6th edition
שבווזיבע אטכב זי, סנוו פע (2004-2015)	Yes	No	No	Yes	2960		Stage - 6th edition
						The M category for AICC 6th edition is derived from Collaborative Staging data elements for 2004+ cases. See the CS site-specific schema for details (https://seer.cancer.gov/seerstat/variables/seer/aicc-stage) and the data description file for allowable values for display codes and storage values. See	
Derived AJCC M, 6th ed (2004-2015)	Yes	No	No	Yes	2980	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf Created from merged EOD 3rd Edition and Collaborative Stage disease information. For more information see:	Stage - 6th edition
Breast - Adjusted AJCC 6th T (1988-2015)	Yes	No	No	Yes		https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/Gth/ Created from merged EOD 3rd Edition and Collaborative Stage disease information. For more information see:	Stage - 6th edition
Breast - Adjusted AJCC 6th N (1988-2015)	Yes	No	No	Yes		https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th/	Stage - 6th edition
Breast - Adjusted AJCC 6th M (1988-2015)	Yes	No	No	Yes		Created from merged EOD 3rd Edition and Collaborative Stage disease information. For more information see: https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th/	Stage - 6th edition
Lymphoma - Ann Arbor Stage (1983-2015)	Yes	No	No	Yes		For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/ann-arbor/	Stage - Other
AJCC stage 3rd edition (1988-2003)	Yes	No	No	Yes		Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites. See data description: https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Stage - Other
						Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites. The modified version stages cases that would be unstaged under strict AJCC staging rules. For example, it assumes NX is NO. See data description:	
SEER modified AJCC stage 3rd (1988-2003)	Yes	No	No	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Stage - Other

Name	Research	Research Limited-Field	Research Plus Limited-Field	Available in Case Listing	NAACCR Item	Description	Category name
					"	Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites. See data description:	
Value - based on AJCC 3rd (1988-2003)	Yes	No	No	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites. See data description:	Stage - Other
value - based on AJCC 3rd (1988-2003)	Yes	No	No	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Stage - Other
/ value - based on AJCC 3rd (1988-2003)	Yes	No	No	Yes		Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites. See data description: https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Stage - Other
NM Edition Number (2016-2017)	Yes	No	No	Yes	1060	For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/	Stage - Other
						NAACCR Name=RX SummSurg Prim Site, Item #=1290. The information in this field is site-specific. The amount/detail of information has varied over	
						time and caution should be used when looking at trends over time. For site-specific codes, see Appendix C of	
						https://seer.cancer.gov/tools/codingmanuals/	
						Data for 1998-2002 are converted from Surgery of primary site (1998-2002), documented here: https://seer.cancer.gov/manuals/historic/AppendC.pdf.	
K SummSurg Prim Site (1998+)	Yes	Yes (2003+)	Yes (2003+)	Yes	1290	See here for changes between the two coding systems: https://seer.cancer.gov/tools/SEER2003.code.changes.122302.pdf Changed to Unknown or not applicable for breast cancer cases. See https://seer.cancer.gov/seerstat/variables/seer/regional_in/ for more information.	Therapy
						See data description:	
X SummScope Reg LN Sur (2003+)	Yes	Yes	Yes	Yes	1292	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf See data description:	Therapy
X SummSurg Oth Reg/Dis (2003+)	Yes	Yes	Yes	Yes	1294	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Therapy
X SummSurg/Rad Seq	Yes	Yes (2006+)	Yes (2006+)	Yes	1380	See data description: https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Therapy
- ·						See data description:	
eason no cancer-directed surgery	Yes	Yes (2006+)	Yes (2006+)	Yes	1340	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Therapy
			Yes (2003+, excl			Created from RX SummRadiation, Item #=1360, for 1975-2017 and Phase X Radiation Treatment Modality, Item #s=1506, 1516 and 1526, for 2018+.	
adiation recode	Yes	IL & TX)	IL & TX)	Yes		Unknown has been combined with None. Please consider limitations when using this field: https://seer.cancer.gov/data/treatment.html Created from NAACCR Item 1360. Recoded to combine No and Unknown. See data description:	Therapy
hemotherapy recode (yes, no/unk)	Yes	Yes (2004+)	Yes (2004+)	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Therapy
						Changed to Unknown or not applicable for breast cancer cases. See https://seer.cancer.gov/seerstat/variables/seer/regional_ln/ for more information. See data description:	
cope of reg lymph nd surg (1998-2002)	Yes	No	No	Yes	1647	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Therapy
X SummReg LN Examined (1998-2002)	Yes	No	No	Yes	1296	See data description: https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Therapy
	¥	No	No		1640	See data description:	T h
urgery of oth reg/dis sites (1998-2002)	Yes	No	No	Yes	1648	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Therapy
te specific surgery (1973-1997 varying detail by year and site)	Yes	No	No	Yes	1640	NAACCR Name=RX SummSurgery Type, Item #=1640. For more information, see https://seer.cancer.gov/seerstat/variables/seer/surgery.	Therapy
adiation to Brain or CNS Recode (1988-1997)	Yes	No	No	Yes		Recoded to combine No and Unknown. See data description: https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Therapy
						See data description:	
X SummSystemic/Sur Seq (2007+)	Yes	Yes Yes (excl IL &	Yes Yes (excl IL &	Yes	1639	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Therapy
ime from diagnosis to treatment in days recode	Yes	MA)	MA)	Yes		Number of days from diagnosis to date of initial treatment. Calculated using complete dates.	Therapy
rain Molecular Markers (2018+)	Yes	No	No	Yes	3816	NAACCR Name=Brain Molecular Markers, Item #=3816.	Site-Specific Data Items
FP Post-Orchiectomy Lab Value Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Testis in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3805 & CS site- specific factor 12 (NAACCR #2866). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
· · · ·						Coded for cases coded as Liver in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3809 & CS site-	
FP Pretreatment Interpretation Recode (2010+)	Yes	No	No	Yes		specific factor 1 (NAACCR #2880). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
Constants Deceder (2010.)	¥					Coded for cases coded as Lymphoma or Lymphoma-CLL/SLL in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3812 & CS site-specific factor 2 (NAACCR #2890). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Cita Canaifa Data kama
Symptoms Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Melanoma Skin in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3817 & CS	Site-Specific Data Items
reslow Thickness Decede (2010)	Voc	No	No	Vec		site-specific factor 1 (NAACCR #2880). Measurement in millimeters (mm). For more information, see	Cita Cassifia Data Hama
reslow Thickness Recode (2010+)	Yes	No	No	Yes		https://seer.cancer.gov/seerstat/variables/seer/ssdi/ Coded for cases coded as Ovary or PeritoneumFemaleGen in TNM 7/CS v0204+ Schema Recode AND Ovary or Primary Peritoneal Carcinoma EOD	Site-Specific Data Items
A-125 Pretreatment Interpretation Recode (2010+)	Yes	No	No	Yes		Schema Id. Created from NAACCR Item #3818 & CS site-specific factor 1 (NAACCR #2880). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
A-125 Pretreatment interpretation Recode (2010+)	res	NO	NO	res		nttps://seer.canter.gov/seerstat/vanables/seer/ssul/	site-specific Data items
EA Pretreatment Interpretation Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Colon, Rectum or Appendix in TNM 7/CS v0204+ Schema Recode AND Colon/Rectum or Appendix in EOD Schema Id. Created from NAACCR Item #3819 & CS site-specific factor 1 (NAACCR #2880). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
	165	NO	NO	165		Coded for cases coded as Brain or CNS Other in TNM 7/CS v0204+ Schema Recode AND EOD Schema Id. Created from NAACCR Item #3802 & CS site-	Site-specific Data items
nromosome 19q: Loss of Heterozygosity (LOH) Recode (2010+)	Yes	No	No	Yes		specific factor 6 (NAACCR #2930). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
nromosome 1p: Loss of Heterozygosity (LOH) Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Brain or CNS Other in TNM 7/CS v0204+ Schema Recode AND EOD Schema Id. Created from NAACCR Item #3801 & CS site- specific factor 5 (NAACCR #2920). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
nonosome 1p. 2033 of fictorozygosity (2011) Recoue (2010+)		.10					site specific baid items
brosis Score Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Liver or Intrahepatic Bile Ducts in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3835 & CS site-specific factor 2 (NAACCR #2890). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
						Coded for cases coded as Placenta in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3837 & CS site-	sete openie oata items
estational Trophoblastic Prognostic Scoring Index Recode (2010+)	Yes	No	No	Yes		specific factor 1 (NAACCR #2880). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
leason Patterns Clinical Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Prostate in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3838 & CS site- specific factor 7 (NAACCR #2861). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
leason Patterns Pathological Recode (2010+)		No	No	Voc		Coded for cases coded as Prostate in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3839 & CS site- specific factor 9 (NAACCR #2863). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site Specific Data Items
- · ·	Yes	INU	INU	Yes		Coded for cases coded as Prostate in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3840 & CS site-	Site-Specific Data Items
leason Score Clinical Recode (2010+)	Yes	No	No	Yes		specific factor 8 (NAACCR #2862). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/ Coded for cases coded as Prostate in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3841 & CS site-	Site-Specific Data Items
leason Score Pathological Recode (2010+)	Yes	No	No	Yes		specific factor 10 (NAACCR #2864). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
CG Post-Orchiectomy Range Recode (2010+)	Yes	No	No			Coded for cases coded as Testis in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3847 & CS site- specific factor 15 (NAACCR #2869). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
201 Ost Orthiectomy hange Recould (2010+)	103	NU	140	Yes			one-opecific Data items
	1	1	1	1	1	Coded for cases coded as Kidney Parenchyma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3864	1

Name	Research	Research Limited-Field	Research Plus Limited-Field	Available in Case Listing	NAACCR Item #	Description	Category name
Ipsilateral Adrenal Gland Involvement Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Kidney Parenchyma in TNM 7/CS v0204+ Schema Recode AND EOD Schema Id. Created from NAACCR Item #3861 & CS site- specific factor 3 (NAACCR #2900). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
LDH Post-Orchiectomy Range Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Testis in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3867 & CS site- specific factor 16 (NAACCR #2870). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
LDH Pretreatment Level Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Melanoma of the Skin in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3869 & CS site-specific factor 4 (NAACCR #2910). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
LN Head and Neck Levels I-III Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Head and Neck Melanoma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3876 & CS site-specific factor 3 (NAACCR #2900). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
LN Head and Neck Levels IV-V Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Head and Neck Melanoma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3877 & Cs site-specific factor 4 (NAACCR #2910). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
LN Head and Neck Levels VI-VII Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Head and Neck Melanoma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3878 & CS site-specific factor 5 (NAACCR #2920). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
LN Head and Neck Other Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Head and Neck Melanoma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema id Recode. Created from NAACCR Item #3879 & CS site-specific factor 6 (NAACCR #2930). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
LN Positive Axillary Level I-II Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Breast in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3882 & CS site- specific factor 3 (NAACCR #2900). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
Lymph Node Size Recode (2010+)	Yes	No	No	Yes		Measurement in millimeters (mm). Coded for head and neck cancers with hyper hode size coded in SSF and SSDL Created from NAACCR Item #3883 & (CS site-specific factor 1 (NAACCR #2880). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
				Yes		Code of crass coded as: Kidney Parenchymain TNM 7/CS v0204+ Schema Recode AND EOD Schema Id. Created from NAACCR Item #3886 & CS site- specific factor 2 (NAACCR #2890). For more information, see https://seer.cancer.gov/seersat/variables/seer/sol/	Site-Specific Data Items
Major Vein Involvement Recode (2010+)	Yes	No	No	105		Measurement in millimeters (mm). Coded for cases coded as Melanoma Choroid, Melanoma Ciliary Body or Melanoma Iris in BOTH TNM 7/CS v0204+	Site-Specific Data Items
Measured Basal Diameter Recode (2010+)	Yes	No	No	Yes		Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3887 & CS site-specific factor 2 (NAACCR #2890). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
						Measurement in millimeters (mm). Coded for cases coded as Melanoma Conjunctiva, Melanoma Chorold, Melanoma Ciliary Body or Melanoma Irisi no BOTH TIM Y/CS v02044 - Schema Recode & EXOD Schema Id Recode. Created from NAACCR Here #3888, CS site-specific factor 3 (NAACCR #2900) (for Melanoma Choroid, Ciliary Body and Iris) & CS site-specific factor 1 (NAACCR #2880) (Melanoma Conjunctiva). For more information, see	
Measured Thickness Recode (2010+)	Yes	No	No	Yes		https://seer.cancer.gov/seerstat/variables/seer/ssdi/ Coded for cases coded as Melanoma Skin in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3893 & CS	Site-Specific Data Items
Mitotic Rate Melanoma Recode (2010+)	Yes	No	No	Yes		site-specific factor 7 (NAACCR #2861). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/ Coded for cases coded as Prostate in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3898 & CS site-	Site-Specific Data Items
Number of Cores Positive Recode (2010+)	Yes	No	No	Yes		specific factor 12 (NAACCR #2866). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/ Coded for cases coded as Prostate in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3897 & CS site-	Site-Specific Data Items
Number of Cores Examined Recode (2010+)	Yes	No	No	Yes		specific factor 13 (NAACCR #2867). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
Number of Examined Para-Aortic Nodes Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Corpus Carcinoma/Adenosarcoma/Sarcoma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3899 & CS site-specific factor 6 (NAACCR #2930). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
Number of Examined Pelvic Nodes Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Corpus Carcinoma/Adenosarcoma/Sarcoma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3900 & CS site-specific factor 4 (NAACCR #2910). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
Number of Positive Para-Aortic Nodes Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Corpus Carcinoma/Adenosarcoma/Sarcoma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3901 & CS site-specific factor 5 (NAACCR #2920). For more information, see https://seer.cancer.gov/seerstat/variables/seer/Ssdi/	Site-Specific Data Items
Number of Positive Pelvic Nodes Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Corpus Carcinoma/Adenosarcoma/Sarcoma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3902 & CS site-specific factor 3 (NAACCR #2900). For more information, see https://seer.cancer.gov/seerstat/variable/seer/sod/ Coded for cases coded as Colon, Rectum, Lacrimal Gland or Skin of Eyeld in BOTH TNM 7/SC v0204+ Schema Recode & EOD Schema Id Recode. Created	Site-Specific Data Items
Perineural Invasion Recode (2010+)	Yes	No	No	Yes		from NAACCR Item #3909, CS site-specific factor 4 (NAACCR #2910), CS site-specific factor 6 (NAACCR #2930) & CS site-specific factor 8 (NAACCR #2862). For more information, see https://seer.cancer.gov/seerstat/variables/seer/Ssdi/	Site-Specific Data Items
	103	140		103		Coded for cases coded as Mycosis Fungoides in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3910 &	
Peripheral Blood Involvement Recode (2010+)	Yes	No	No	Yes		CS site-specific factor 1 (NAACCR #2880). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
Peritoneal Cytology Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Corpus Carcinoma/Adenosarcoma/Sarcoma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3911 & CS site-specific factor 2 (NAACCR #2890). For more information, see https://seer.cancer.gov/seerstat/variables/seer/Ssdi/	Site-Specific Data Items
Pleural Effusion Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Pleura in TNM 7/CS v0204+ Schema Recode AND Pleural Mesothelioma in EOD Schema Id. Created from NAACCR Item #3913 & CS site-specific factor 1 (NAACCR #2880). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
PSA Lab Value Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Prostate in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema id Recode. Created from NAACCR item #3920 & CS site- specific factor 1 (NAACCR #2880). Messurement in anograms/milliliter (ng/ml). For more information, see https://seer.cancer.gov/seerstat/variables/seer/sdi/	Site-Specific Data Items
Residual Tumor Volume Post Cytoreduction Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Ovary or PeritoneumFemaleGen/Primary Peritoneal Carcinoma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3921 & CS site-specific factor 3 (NAACCR #2900). For more information, see https://sec.raner.gov/secrstat/variables/secr/Sodi/	Site-Specific Data Items
Response to Neoadjuvant Therapy Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Breast in TNM 7/CS v0204+ Schema Recode AND EOD Schema Id. Created from NAACCR Item #3922 & CS site-specific factor 21 (NAACCR #2875). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
Sarcomatoid Features Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Kidney Parenchyma in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3925 & CS site-specific factor 4 (NAACCR #2910). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
Separate Tumor Nodules Ipsilateral Lung Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Lung in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3929 & CS site- specific factor 1 (NAACCR #2880). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
Tumor Deposits Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Colon/Rectum in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3934 & CS site-specific factor 4 (NAACCR #2910). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
Ulceration Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Melanoma Skin in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3936 & CS site-specific factor 2 (NAACCR #2890). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
Visceral and Parietal Pleural Invasion Recode (2010+)	Yes	No	No	Yes		Coded for cases coded as Lung in BOTH TNM 7/CS v0204+ Schema Recode & EOD Schema Id Recode. Created from NAACCR Item #3929 & CS site- specific factor 2 (NAACCR #2890). For more information, see https://seer.cancer.gov/seerstat/variables/seer/ssdi/	Site-Specific Data Items
EOD Primary Tumor (2018+) EOD Regional Nodes (2018+)	Yes Yes	No No	No No	Yes Yes		2 See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures. 5ee the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.	Extent of Disease Extent of Disease

Name	Research	Research Limited-Field	Research Plus Limited-Field	Available in Case Listing	NAACCR Item	Description	Category name
OD Mets (2018+)	Yes	No	No	Yes	776	See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.	Extent of Disease
rostate Pathological Extension (2018+)	Yes	No	No	Yes		See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.	Extent of Disease
						Size in millimeters. Created for cancer sites with consistent tumor size fields over time, using fields: EOD-Tumor Size [NAACCR Data Item # 780], 1988-	
umor Size Over Time Recode (1988+)	Yes	No	No	Yes		2003, CS Tumor Size [NAACCR Data Item # 2800], 2004-2015, and Tumor Size Summary [NAACCR Data Item # 756], 2016+. Unreasonably large sizes set to unknown.	Extent of Disease
	165	NO	NO	165		Se data description:	Extent of Disease
umor Size Summary (2016+)	Yes	No	No	Yes	756	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Extent of Disease
						Currently coded under CS -https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/. Cases coded 1988-2003 used slightly different definitions - see SEER coding manual for those years.	
egional nodes examined (1988+)	Yes	No	No	Yes	830	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Extent of Disease
						Currently coded under CS - see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/. Cases coded 1988-2003 used slightly different definitions -	
in - I (1000 -)	¥		N -	¥		see SEER coding manual for 1988.	Eutopt of Disease
egional nodes positive (1988+)	Yes	No	No	Yes	820	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf Created from NAACCR Item #=2851 (2010-2015) and #=1112 (2016+)	Extent of Disease
						See data description:	
EER Combined Mets at DX-bone (2010+)	Yes	No	No	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Extent of Disease
						Created from NAACCR Item #=2851 (2010-2015) and #=1112 (2016+) See data description:	
EER Combined Mets at DX-brain (2010+)	Yes	No	No	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Extent of Disease
						Created from NAACCR Item #=2851 (2010-2015) and #=1112 (2016+)	
						See data description:	
EER Combined Mets at DX-liver (2010+)	Yes	No	No	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf Created from NAACCR Item #=2851 (2010-2015) and #=1112 (2016+)	Extent of Disease
						See data description:	
EER Combined Mets at DX-lung (2010+)	Yes	No	No	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Extent of Disease
lets at DX-Distant LN (2016+)	Vor	No	No	Voc	1144	See data description: https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Extent of Disease
iels al DA-Dislafit LIN (2010+)	Yes	No	No	Yes	1114	nttps://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Extent of Disease
lets at DX-Other (2016+)	Yes	No	No	Yes	1117	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Extent of Disease
	¥		¥	¥		Created with combined information from ER Status Recode Breast Cancer (1990+), PR Status Recode Breast Cancer (1990+), and Derived HER2 Recode	5 () () () ()
reast Subtype (2010+)	Yes	Yes	Yes	Yes		(2010+). Created by combining information from Tumor marker 1 (1990-2003) (NAACCR Item #=1150), with information from CS site-specific factor 1 (2004+)	Extent of Disease
R Status Recode Breast Cancer (1990+)	Yes	Yes (2010+)	Yes (2010+)	Yes		(NAACR tem #=2880). This field is blank for non-breast cases and cases diagnosed before 1990.	Extent of Disease
						Created by combining information from Tumor marker 2 (1990-2003) (NAACCR Item #=1150), with information from CS site-specific factor 2 (2004+)	
R Status Recode Breast Cancer (1990+)	Yes	Yes (2010+)	Yes (2010+)	Yes		(NAACCR Item #=2880). This field is blank for non-breast cases and cases diagnosed before 1990.	Extent of Disease
erived HER2 Recode (2010+)	Yes	Yes	Yes	Yes		Created with combined information from several CS site-specific factors. For more information, see https://seer.cancer.gov/seerstat/databases/ssf/her2 derived html.	Extent of Disease
						Required for cases originally coded under CSv2 or diagnosed 2010+ for the schemas for penis and testis only. On the research file LVI is shown for testis	
						and penis because it is needed for AJCC 6th & 7th ed staging.	
ymph-vascular Invasion (2004+ varying by schema)	Yes	No	No	Yes	1182	See data description: https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Extent of Disease
sinpli-vascular invasion (2004+ varying by schema)	165	NO	INO	165	1102	Information on tumor size. Available for 2004+. Earlier cases may be converted and new codes added which weren't available for use prior to the	Exterit of Disease
S tumor size (2004-2015)	Yes	No	No	Yes	2800	current version of CS. For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
						Information on extension of the tumor. Available for 2004+. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/. Note: this item was originally a 2	
						do the current version of CS. For more mominatory see mcps.//see, cance, gov/sees/advanabic/see//acc-stage/, note: this nerm was organiary a z	
S extension (2004-2015)	Yes	No	No	Yes	2810	became 999.	Extent of Disease
						Information on involvement of lymph nodes. Available for 2004+. Earlier cases may be converted and new codes added which weren't available for use	
						prior to the current version of CS. For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/. Note: this item was originally a 2 digit field and was expanded to 3 digits during conversion. Generally, a zero was added to the right of the existing 2 digit field except for 99 which	
S lymph nodes (2004-2015)	Yes	No	No	Yes	2830		Extent of Disease
						Information on distant metastasis. Available for 2004+. Earlier cases may be converted and new codes added which weren't available for use prior to	
S mets at dx (2004-2015)	Yes	No	No	Yes	2850	the current version of CS. For more information, see https://seer.ancer.gov/seersat/variables/seer/ajcc-stage/.	Extent of Disease
S Tumor Size/Ext Eval (2004-2015)	Yes	No	No	Yes	2820	Available for 2004+, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
			-		2320	Available for 2004+, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see	
S Reg Node Eval (2004-2015)	Yes	No	No	Yes	2840	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
S Mets Eval (2004-2015)	Yes	No	No	Yes	2060	Available for 2004+, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
5 Micts Even (2004-2013)	105	110		103	2000	Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or	Extent Of Disease
						prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
S site specific factor 1 (2004 2017 yearing by scheme)	Voc	No	No	Vec	2000	codes added which weren't available for use prior to the current version of CS. For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
S site-specific factor 1 (2004-2017 varying by schema)	Yes	No	No	Yes	2880	Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or	Extent of Disease
						prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
						codes added which weren't available for use prior to the current version of CS. For more information, see	5 1 1 1 (D' 1 1 1
S site-specific factor 2 (2004-2017 varying by schema)	Yes	No	No	Yes	2890	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/. Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or	Extent of Disease
						prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
						codes added which weren't available for use prior to the current version of CS. For more information, see	
CS site-specific factor 3 (2004-2017 varying by schema) Y	Yes	No	No	Yes	2900	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/. Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or	Extent of Disease
						prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
						codes added which weren't available for use prior to the current version of CS. For more information, see	
S site-specific factor 4 (2004-2017 varying by schema)	Yes	No	No	Yes	2910	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
						Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
						codes added which weren't available for use prior to the current version of CS. For more information, see	
S site-specific factor 5 (2004-2017 varying by schema)	Yes	No	No	Yes	2920	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
						Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or	
						prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see	
Site-specific factor 6 (2004-2017 varying by schema)	Yes	No	No	Yes	1	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease

		Research	Research Plus	Available in	NAACCR Item		
Name	Research	Limited-Field	Limited-Field	Case Listing	#	Description	Category name
						Set to unknown for breast cases with conflicting data for Grade. Each CS site-specific factor (SSF) is schema dependent. They can provide information	
						needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more	
Adjusted CS site-specific factor 7 (2004-2017 varying by schema)	Yes	No	No	Yes	2861	information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
						Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or	
						prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see	
CS site-specific factor 8 (2004-2017 varying by schema)	Yes	No	No	Yes	2862	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
						Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or	
						prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see	
CS site-specific factor 9 (2004-2017 varying by schema)	Yes	No	No	Yes	2863	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
						Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
						codes added which weren't available for use prior to the current version of CS. For more information, see	
CS site-specific factor 10 (2004-2017 varying by schema)	Yes	No	No	Yes	2864	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
						Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
						codes added which weren't available for use prior to the current version of CS. For more information, see	
CS site-specific factor 11 (2004-2017 varying by schema)	Yes	No	No	Yes	2865	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
						Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
						codes added which weren't available for use prior to the current version of CS. For more information, see	
CS site-specific factor 12 (2004-2017 varying by schema)	Yes	No	No	Yes	2866	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/. Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or	Extent of Disease
						prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
						codes added which weren't available for use prior to the current version of CS. For more information, see	
CS site-specific factor 13 (2004-2017 varying by schema)	Yes	No	No	Yes	2867	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/. Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or	Extent of Disease
						prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
						codes added which weren't available for use prior to the current version of CS. For more information, see	
CS site-specific factor 15 (2004-2017 varying by schema)	Yes	No	No	Yes	2869	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/. Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or	Extent of Disease
						prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
						codes added which weren't available for use prior to the current version of CS. For more information, see	
CS site-specific factor 16 (2004-2017 varying by schema)	Yes	No	No	Yes	2870	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/. Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or	Extent of Disease
						prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new	
						codes added which weren't available for use prior to the current version of CS. For more information, see	
CS site-specific factor 25 (2004-2017 varying by schema)	Yes	No	No	Yes	2879	https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
						Data item shows what version was in effect after input fields have been updated for recoded for this case. This data item along with CS version input	
CS version input current (2004-2015)	Yes	No	No	Yes	2937	original gives info on what document to use for the CS codes. For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
						Data item shows what version was in effect the first time that CS was coded for this case. This data item along with CS version input current gives info	
CS version input original (2004-2015)	Yes	No	No	Yes	2935	on what document to use for the CS codes. For more information, see https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/.	Extent of Disease
	N.						5 1 1 1 6 1 1 1 1 1
CS version derived (2004-2015)	Yes	No	No	Yes	2936	Data item shows what CS version was used to derive the CS Derived item fields including T, N, M, AJCC stage and SEER Summary stages 1977 and 2000. Information on extension of the tumor from the primary based on information from the prostatectomy for prostate cancer only. For more information,	Extent of Disease
						see https://seer.cancer.gov/manuals/EOD10Dig.pub.pdf. Note: for 2004+ similar type of information was collected in CS SSF 3 in the collaborative stage	
EOD 10 - Prostate path ext (1995-2003)	Yes	No	No	Yes	800	variables. Information on extension of the tumor from the primary and distant metastases. For more information, see	Extent of Disease - Historic
						https://seer.cancer.gov/manuals/EOD10Dig.pub.pdf. Note: for 2004+ similar type of information was collected in CS extension (2004+) and CS Mets at	
EOD 10 - extent (1988-2003)	Yes	No	No	Yes	790	DX (2004+) in the collaborative stage variables.	Extent of Disease - Historic
						Information on lymph node involvement. Information is site-specific. For more information, see https://seer.cancer.gov/manuals/EOD10Dig.pub.pdf.	
EOD 10 - nodes (1988-2003)	Yes	No	No	Yes	810	Note: for 2004+ similar type of information was collected in CS Lymph Nodes (2004+) in the collaborative stage variables.	Extent of Disease - Historic
						Information on size of tumor. For more information, see https://seer.cancer.gov/manuals/EOD10Dig.pub.pdf. Note: for 2004+ similar type of	
EOD 10 - size (1988-2003)	Yes	No	No	Yes	780	information was collected in CS Tumor Size (2004+) in the collaborative stage variables.	Extent of Disease - Historic
						This data item records prognostic indicators for breast cases (ERA 1990-2003), prostate cases (PAP 1998-2003) and testis cases (AFP 1998-2003). Please	
						see CS SSFs for similar information for 2004+. For breast cancer cases ERA over time is available in ER Status Recode Breast Cancer (1990+).	
Tumor marker 1 (1990-2003)	Yes	No	No	Yes	1150	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf This data item records prognostic indicators for breast cases (PRA 1990-2003) and testis cases (hCG 1998-2003). Please see CS SSFs for similar	Extent of Disease - Historic
						information for 2004+. For breast cancer cases PRA over time is available in PR Status Recode Breast Cancer (1990+).	
Tumor marker 2 (1990-2003)	Yes	No	No	Yes	1160	https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Extent of Disease - Historic
Tumor marker 2 (1008-2002)	Vec	No	No	Vec	1470	This data item records prognostic indicators for testis cases (LDH 1998-2003). Please see CS SSFs for similar information for 2004+. https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Extent of Disease - Historic
Tumor marker 3 (1998-2003) Coding system-EOD (1973-2003)	Yes Yes	NO	NO	Yes		Intrps://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.HieDescription-nov2023.pdf Flag to indicate which type of EOD was coded: 0 Non-specific (N); 1 two-digit; 2 Expanded (EEOD)	Extent of Disease - Historic
					0/0	This field is used in conjunction with 2-digit NS EOD part 2 to describe a very rudimentary stage. Used in 1973-1982 for some years and some	
						sites/histologies. Use Coding system-EOD with a 0 to use these definitions. For more information see the introduction of	E to definition of the second
2-Digit NS EOD part 1 (1973-1982) 2-Digit NS EOD part 2 (1973-1982)	Yes Yes	No No	No	Yes Yes		https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic Extent of Disease - Historic
2-DiBit NO COD hait 5 (1970-1902)	185	טאי		185	850	See the description for 2-Digit NS EOD part 1 (1973-1982). This field is used in conjunction with 2-digit SS EOD part 2 to describe a two-digit site-specific EOD. Used in 1973-1982 for some years and some	Exterit of Disease - HISTOLIC
						sites/histologies. Use Coding system-EOD with a 1 to use these definitions. For more information see the appropriate site-specific page of	
2-Digit SS EOD part 1 (1973-1982)	Yes	No	No	Yes		https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
2-Digit SS EOD part 2 (1973-1982)	Yes	No	No	Yes	850	See the description for 2-Digit SS EOD part 1 (1973-1982).	Extent of Disease - Historic
Expanded EOD(1) - CP53 (1973-1982)	Yes	No	No	Yes	840	NAACCR Name=EODOld 13 Digit1st Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(2) - CP54 (1973-1982)	Yes	No	No	Yes	840	NAACCR Name=EODOld 13 Digit2nd Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic

		Research	Research Plus	Available in	NAACCR Item		
Name	Research	Limited-Field	Limited-Field	Case Listing	#	Description	Category name
Expanded EOD(1,2) - CP53,54 (1973-1982)	Yes	No	No	Yes	840	NAACCR Name=EODOld 13 Digit1st and 2nd Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(3) - CP55 (1973-1982)	Yes	No	No	Yes	840	NAACCR Name=EODOld 13 Digit3rd Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(4) - CP56 (1973-1982)	Yes	No	No	Yes	840	NAACCR Name=EODOld 13 Digit4th Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(5) - CP57 (1973-1982)	Yes	No	No	Yes	840	NAACCR Name=EODOld 13 DigitSth Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(6) - CP58 (1973-1982)	Yes	No	No	Yes	840	NAACCR Name=EODOld 13 Digit6th Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(7) - CP59 (1973-1982)	Yes	No	No	Yes	840	NAACCR Name=EODOld 13 Digit7th Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(8) - CP60 (1973-1982)	Yes	No	No	Yes	840	NAACCR Name=EOD-Old 13 Digit8th Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(9) - CP61 (1973-1982)	Yes	No	No	Yes	840	NAACCR Name=EODOld 13 Digit9th Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(10) - CP62 (1973-1982)	Yes	No	No	Yes		NAACCR Name=EODOld 13 Digit10th Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(11) - CP63 (1973-1982)	Yes	No	No	Yes		NAACCR Name=EOD-Old 13 Digit-11th Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/instoric/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(12) - CP64 (1973-1982)	Yes	No	No	Yes		NAACCR Name=EOD-Old 13 Digit-12th Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
Expanded EOD(13) - CP65 (1973-1982)	Yes	No	No	Yes		NAACCR Name=EODOld 13 Digit13th Digit, Item #=840. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1977.pdf.	Extent of Disease - Historic
EOD 4 - extent (1983-1987)	Yes	No	No	Yes	860	NAACCR Name=EOD-Old 4 Digit-3rd Digit, Item #=860. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1984.pdf.	Extent of Disease - Historic
EOD 4 - nodes (1983-1987)	Yes	No	No	Yes	860	NAACCR Name=EOD-Old 4 Digit4th Digit, Item #=860. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1984.pdf.	Extent of Disease - Historic
EOD 4 - size (1983-1987)	Yes	No	No	Yes	860	NAACCR Name=EOD-Old 4 Digit-1st and 2nd Digit, Item #=860. For more information, see https://seer.cancer.gov/manuals/historic/EOD_1984.pdf.	Extent of Disease - Historic
COD to site recode	Yes	No*	No*	Yes		The underlying cause of death from the death certificate was grouped into a recode similar to the incidence site recode. For more information, see https://seer.cancer.gov/codrecode/1969_d04152012. Study cutoff date has been applied, i.e. coded as allvei if death occurred after study cutoff. Created for use in cause-specific survival. This variable designates that the person died of their cancer for cause-specific survival. This variable designates that the person died of their cancer for cause-specific survival. This variable designates that the person died of their cancer for cause-specific survival. The surable designates that the person died of their cancer for cause-specific survival. The surable designates that the person died of their cancer for cause-specific survival. The surable designation are specified as the specific survival. The surable designation are supersonal to the survival of	Cause of Death (COD) and Follow-up
SEER cause-specific death classification	Yes	No*	No*	Yes		see https://seer.cancer.gov/causespecific. Created for use in left-truncated life table session. This variable designates that the person died of causes other than their cancer. For more	Cause of Death (COD) and Follow-up
SEER other cause of death classification	Yes	No*	No*	Yes		Information, see https://seer.cancer.gov/causespecific. (Terated using complete dates, including days, therefore may differ from survival time calculated from year and month only. For more information, see	Cause of Death (COD) and Follow-up
Survival months	Yes	No*	No*	Yes		https://seer.cancer.gov/survivaltime/.	Cause of Death (COD) and Follow-up
Survival months flag	Yes	No*	No*	Yes		Created using complete dates, including days, therefore may differ from survival time calculated from year and month only. For more information, see https://seer.cancer.gov/survivaltime/.	Cause of Death (COD) and Follow-up
COD to site rec KM	Yes	No*	No*	Yes		This is a recode based on underlying cause of death to designate cause of death into groups similar to the incidence site recode with KS and mesothelioma. For more information, see https://seer.cancer.gov/codrecode/1969_d04162012/. Study cutoff date has been applied, i.e. coded as alive if death occurred after study cutoff.	Cause of Death (COD) and Follow-up
COD to site recode ICD-O-3 2023 Revision	Yes	No*	No*	Yes		This is a recode based on underlying cause of death to designate cause of death into groups similar to "Site recode ICD-O-3 2023 Revision." For more information, see https://seer.cancer.gov/codrecode/. Study cutoff date has been applied, i.e. coded as allveir if death occurred after study cutoff. This is a recode based on underlying cause of death to designate cause of death into groups similar to "Site recode ICD-O-3 2023 Revision Expanded."	Cause of Death (COD) and Follow-up
COD to site recode ICD-O-3 2023 Revision Expanded (1999+)	Yes	No*	No*	Yes		For more information, see https://seer.cancer.gov/codrecode/. Study cutoff date has been applied, i.e. coded as alive if death occurred after study	Cause of Death (COD) and Follow-up
Vital status recode (study cutoff used)	Yes	No*	No*	Yes		Any patient that dies after the follow-up cut-off date is recoded to alive as of the cut-off date. https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Cause of Death (COD) and Follow-up
Sequence number	Yes	Yes	Yes	Yes	380		Multiple Primary Fields
First malignant primary indicator	Yes	Yes	Yes	Yes		Based on all the tumors in SEER. Tumors not reported to SEER are assumed malignant. Created using IARC multiple primary rules. Did not include benign tumors or non-bladder in situ tumors in algorithm. No tumor information was	Multiple Primary Fields
						modified on any records.	
Primary by international rules Record number recode	Yes Yes	Yes Yes	Yes Yes	Yes Yes			Multiple Primary Fields Multiple Primary Fields
						Based on maximum sequence number of any malignant/in situ tumors in SEER through the last released year of diagnosis. This value is the same across	
Total number of in situ/malignant tumors for patient	Yes	Yes	Yes	Yes		all tumors for a person. Based on aximum sequence number of any benign/borderline tumors in SEER through the last released year of diagnosis. This value is the same	Multiple Primary Fields
Total number of benign/borderline tumors for patient	Yes	Yes	Yes	Yes			Multiple Primary Fields Race and Age (case data only)
Age recode with <1 year olds and 90+	Yes	Yes	Yes	Yes		Patient's age at diagnosis with all ages over 85 grouped together. In rate and prevalence sessions, this field can be selected as the population age	or Age at Diagnosis Race and Age (case data only)
Age recode with single ages and 85+	Yes	Yes	Yes	Yes			or Age at Diagnosis
Age recode with single ages and 90+	No	No	Yes	Yes			Race and Age (case data only) Race and Age (case data only) or Race,
Race recode (W, B, Al, API)	Yes	Yes	Yes	Yes			Sex, Year Dx, Registry, County Race and Age (case data only) or Race,
Origin recode NHIA (Hispanic, Non-Hisp)	Yes	Yes	Yes	Yes			Sex, Year Dx, Registry, County Race and Age (case data only) or Race,
Race and origin recode (NHW, NHB, NHAIAN, NHAPI, Hispanic)	Yes	Yes	Yes	Yes		Caution should be exercised when using this variable. For more information, see https://seer.cancer.gov/seerstat/variables/seer/race_ethnicity/. Recode which gives priority to non-white races for persons of mixed races. Note that not all codes were in effect for all years. For more information, see	Sex, Year Dx, Registry, County
Race/ethnicity	Yes	Yes	Yes	Yes		Recode which gives priority to non-white races for persons of mixed races. Note that not all codes were in effect for all years. For more information, see https://seer.cancer.gov/seerstat/variables/seer/race_ethnicity/.	Race and Age (case data only)
						Incidence files are periodically linked with Indian Health Service (IHS) files to identify Native Americans. The race recode uses information from this field	
IHS Link	Yes	Yes	Yes	Yes	192		Race and Age (case data only)
Age recode with single ages and 100+	No	No	Yes	No		# only available in SEER 18 and SEER 21 databases. SEER registries from California and Georgia are combined into state-level groupings representing	Race and Age (case data only)
SEER registry (with CA and GA as whole states) Year of follow-up recode	No Yes	No No*	Yes No*	Yes# Yes	1797		Geographic Locations Dates
rear or real on aprecode	1.03				1/02	The carrier of the real of case contact (MARCER #1750) and the study caroli.	ource .

		Research	Research Plus	Available in	NAACCR Item		
Name	Research	Limited-Field	Limited-Field	Case Listing	#	Description	Category name
Year of death recode	Yes	Yes	Yes	Yes		Year of death for patients who died before the study cutoff, as coded in year of follow-up recode. NAACCR Name=Date of DiagnosisMonth, Item #=390. SEER dates on this file do not have the corresponding date flag field included. Blank means	Dates
Month of diagnosis	No	No	Yes	No		unknown.	Dates
Month of diagnosis recode	No	No	Yes	No		Estimates month of diagnosis, based on other known dates for that patient, when actual month of diagnosis is unknown. Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mal+ins (most detail). Based on all the	Dates
SS seq # - mal+ins (most detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mail-ins (most detail). Based on tumors Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mail-ins (most detail).	Site Specific Sequence Numbers
SS seq # 1975+ - mal+ins (most detail)	Yes	No	No	Yes		diagnosed 1975+. Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mal+ins (most detail). Based on tumors	Site Specific Sequence Numbers
SS seq # 1992+ - mal+ins (most detail)	Yes	No	No	Yes		Jace specific sequence infinite or the tumor associated with the site classification scheme in the variable site - maining (not detail), based on tumors diagnosed 1992+. Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - maining (not detail). Based on tumors	Site Specific Sequence Numbers
SS seq # 2000+ - mal+ins (most detail)	Yes	Yes	Yes	Yes		diagnosed 2000+. Should be used in conjunction with and only with the variables SS seg # - mal+ins (most detail), SS seg # 1975+ - mal+ins (most detail), SS seg # 1992+ -	Site Specific Sequence Numbers
Site - mal+ins (most detail)	Yes	Yes	Yes	Yes		Should be used in Conjunction with and only with the valuates 33 seq # interfus (into cecail), 33 seq # 37.5* interfus (into cecail), 35 seq # 37.5* interfus (into cecail), 3	Site Specific Sequence Numbers
SS seq # - mal (most detail)	Yes	No	No	Yes		tumors in SEER.	Site Specific Sequence Numbers
SS seq # 1975+ - mal (most detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - malignant (most detail). Based on tumors diagnosed 1975+.	Site Specific Sequence Numbers
SS seq # 1992+ - mal (most detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - malignant (most detail). Based on tumors diagnosed 1992+.	Site Specific Sequence Numbers
SS seq # 2000+ - mal (most detail)	Yes	Yes	Yes	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - malignant (most detail). Based on tumors diagnosed 2000+.	Site Specific Sequence Numbers
Site - malignant (most detail)	Yes	Yes	Yes	Yes		Should be used in conjunction with and only with the variables SS seq # - mal (most detail), SS seq # 1975+ - mal (most detail), SS seq # 1975+ - mal (most detail), SS seq # 2000+ - mal (most detail). Groupings should not be created.	Site Specific Sequence Numbers
SS seq # - mal+ins (mid detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mal+ins (mid detail). Based on all the tumors in SEER.	Site Specific Sequence Numbers
SS seq # 1975+ - mal+ins (mid detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mal+ins (mid detail). Based on tumors diagnosed 1975+.	Site Specific Sequence Numbers
SS seq # 1992+ - mal+ins (mid detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mal+ins (mid detail). Based on tumors diagnosed 1992+.	Site Specific Sequence Numbers
SS seq # 2000+ - mal+ins (mid detail)	Yes	Yes	Yes	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mal+ins (mid detail). Based on tumors diagnosed 2000+.	Site Specific Sequence Numbers
Site - mal+ins (mid detail)	Yes	Yes	Yes	Yes		Should be used in conjunction with and only with the variables SS seq # - mal+ins (mid detail), SS seq # 1975+ - mal+ins (mid detail), SS seq # 1992+ - mal+ins (mid detail), or SS seq # 2000+ - mal+ins (mid detail). Groupings should not be created.	Site Specific Sequence Numbers
SS seq # - mal (mid detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - malignant (mid detail). Based on all the tumors in SEER.	Site Specific Sequence Numbers
SS seq # 1975+ - mal (mid detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - malignant (mid detail). Based on tumors diagnosed 1975+.	Site Specific Sequence Numbers
SS seq # 1992+ - mal (mid detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - malignant (mid detail). Based on tumors diagnosed 1992+.	Site Specific Sequence Numbers
SS seg # 2000+ - mal (mid detail)	Yes	Yes	Yes	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - malignant (mid detail). Based on tumors diagnosed 2000+.	Site Specific Sequence Numbers
Site - malignant (mid detail)	Yes	Yes	Yes	Yes		Should be used in conjunction with and only with the variables SS seq # - mal (mid detail), SS seq # 1975+ - mal (mid detail), SS seq # 1992+ - mal (mid detail), or SS seq # 2000+ - mal (mid detail), Groupings should not be created.	Site Specific Sequence Numbers
SS seg # - mal+ins (least detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mal+ins (least detail). Based on all the tumors in SEER.	Site Specific Sequence Numbers
SS seq # 1975+ - mal+ins (least detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mal+ins (least detail). Based on tumors diagnosed 1975+.	Site Specific Sequence Numbers
SS seg # 1992+ - mal+ins (least detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mal+ins (least detail). Based on tumors diagnosed 1992+.	Site Specific Sequence Numbers
SS seq # 2000+ - mal+ins (least detail)	Yes	Yes	Yes	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - mal+ins (least detail). Based on tumors diagnosed 2000+.	Site Specific Sequence Numbers
Site - mal+ins (least detail)	Yes	Yes	Yes	Yes		Should be used in conjunction with and only with the variables SS seq # - mal+ins (least detail), SS seq # 1975+ - mal+ins (least detail), SS seq # 1975+ - mal+ins (least detail), SS seq # 1992+ - mal+ins (least detail), or SS seq # 2000+ - mal+ins (least detail). Groupings should not be created.	Site Specific Sequence Numbers
SS seq # - mal (least detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - malignant (least detail). Based on all the tumors in SEER.	Site Specific Sequence Numbers
SS seq # 1975+ - mal (least detail)	Yes	No	No	Yes		Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - malignant (least detail). Based on tumors diagnosed 1975+.	Site Specific Sequence Numbers
						Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - malignant (least detail). Based on tumors	
SS seq # 1992+ - mal (least detail)	Yes	No	No	Yes		diagnosed 1992+. Site specific sequence number of the tumor associated with the site classification scheme in the variable Site - malignant (least detail). Based on tumors	Site Specific Sequence Numbers
SS seq # 2000+ - mal (least detail)	Yes	Yes	Yes	Yes		diagnosed 2000+. Should be used in conjunction with and only with the variables SS seq # - mal (least detail), SS seq # 1975+ - mal (least detail), SS seq # 1992+ - mal (least	Site Specific Sequence Numbers
Site - malignant (least detail)	Yes	Yes	Yes	Yes		detail), or SS seq # 2000+ - mal (least detail). Groupings should not be created. This field used in conjunction with SEER registry to uniquely identify a person. One person can have multiple primaries but has the same Patient ID. See	Site Specific Sequence Numbers
Patient ID	Yes	Yes	Yes	Yes	20	the sequence number for more information about the primary. This is a dummy number and is not the number used by the registry to identify the patient. The same number is not used across all submissions for each patient.	Other
						Contains information on where the information from this case came. Is used in survival analysis to eliminate cases which are found at autopsy or the only information is from a death certificate. See data description:	
Type of Reporting Source	Yes	Yes	Yes	Yes		https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Other
Marital status at diagnosis	Yes	No	Yes	Yes		See data description. https://seer.cancer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Other
CoC Accredited Flag (2018+)	Yes	Yes	Yes	Yes	2152	CoC Accredited Flag is assigned at the point and time of data abstraction to label an abstract being prepared for an analytic cancer case at a facility accredited by the Commission on Cancer (CoC). The flag may be assigned manually or can be defaulted by the registry's software.	Other
						The age recode variable is based on Age at Diagnosis (single-year ages). The groupings used in the age recode variable are determined by the age groupings in the population data. This recode has 19 age groups in the age recode variable (< 1 year, 1-4 years, 5-9 years,, 85+ years).	
Age recode with <1 year olds	Vec	Vec	Vec	Vec		Will be in Race and Age (case data only) in rate or prevalence sessions if an alternate age is used as the population age variable. See data description: https://sec.racer.gov/data-software/documentation/seerstat/nov2023/TextData.FileDescription-nov2023.pdf	Age at Diagnosis (or Race and Age (case data only))
inge recoue with N1 year olus	1.62	1103	103	103	1	ningsy/jscentance.gov/data/software/documentation/scenstation/sc	To mare and the lease rare only!

		Research	Research Plus	Available in	NAACCR Item		
Name	Research	Limited-Field	Limited-Field	Case Listing	#	Description	Category name
County Attributes	Yes	Yes	Vac	Yes\$		County attribute data from the U.S. Census are also linked to the SEER*Stat databases. Variables available are dependent on the type of database. For more information, see https://seer.cancer.gov/seerstat/variables/countyattribs/. \$ If using the linked attribute database: "County Attributes - Time Dependent (1990-2018) Income/Rurality, 1969-2019 Counties", which only includes 2 categorical attributes (income and rurality), these fields can be included in case listings. Research Plus and Research Plus Limited-Field databases also have additional linked county attribute databases available. If using three databases, the attributes are not available in case listing.	