SEER Inquiry System - Report

Produced: 03/29/2024 4:45 AM

Question 20041050

References:

SEER PCM, 3rd Ed, Rev 1, C-245, F-11. January 2003

Question:

Surgery of Primary Site--Rectum: How do you code a procedure described as a "transanal resection, debulking of a large rectal mass"? See Discussion.

Discussion:

Patient is not a surgical candidate due to "other medical conditions". Colonoscopy done for anemia and rectal bleeding. At the colonoscopy a "Transanal Resection Debulking of large rectal mass" is performed. Two specimens are sent to the lab. The first is labeled "rectal mass" and is a 2.0 cm diameter spherical fragment of tissue. The second is labeled "transanal debulking rectal mass" and is described as multiple, irregular shaped fragments of tan, rubbery tissue measuring $5.0 \times 5.0 \times 3.0 \text{ cm}$. Final path diagnosis: Debulking of rectal mass: Adenocarcinoma greater than 2 cm in size, resection margins positive for tumor.

Answer:

For cases diagnosed 1998-2002, code Surgery of Primary Site to 20 [Local tumor excision, NOS]. Because the procedure was performed via colonoscopy and apparently did not involve proctectomy, the best choice is a local excision.

Cancer Site Category:

N/A

Data Item Category:

Surgery of Primary Site

Other Category:

N/A

Year:

2004