

SEER*DMS

Treatment Summarization Process

December 22, 2025

Table of Contents

1. INTRODUCTION.....	5
1.1. Fields Involved in the Summarization	6
1.2. Determining the Diagnosis Year.....	10
1.3. The TX/TXr Paradigm	10
1.4. Standard Summarization Process.....	10
1.5. Determining the Best Treatments.....	13
1.6. Setting the Review Flags.....	13
1.7. Assigning Default Values	14
2. MISCELLANEOUS SECTION SUMMARIZATION.....	14
2.1. DIAGNOSTIC_PROC_73_87.....	14
2.2. RX_SUMM_DX_STG_PROC	15
2.3. RX_SUMM_SCREEN_BX_TYPE	15
2.4. RX_SUMM_SCREEN_BX_GUIDANCE	16
2.5. RX_SUMM_SCREEN_BX_APPROACH.....	16
2.6. RX_SUMM_SCREEN_BX_OTHER_SITE	16
2.7. RX_SUMM_SCREEN_BX_PALPABILITY	17
2.8. RX_SUMM_SCREEN_BX_FIRST_DETECT.....	17
2.9. COURSE_START_DATE.....	17
2.10. CALCULATION_METHOD	19
2.11. RX_SUMM_DATE_DX_STG_PROC (YYYY/MM/DD)	19
3. SURGERY SECTION SUMMARIZATION	19
3.1. RX_SUMM_RECONSTRUCTION_1ST	19
3.2. RX_SUMM_SCOPE_REG_98_02.....	20
3.3. RX_SUMM_SCOPE_REG_LN_SUR	20
3.4. RX_SUMM_SURG_OTH_98_02	21
3.5. RX_SUMM_SURG_OTH_REG_DIS.....	21
3.6. RX_SUMM_SURGERY_TYPE (1997 and before).....	22
3.7. RX_SUMM_SURG_SITE_98_02 (1998 – 2002)	22
3.8. RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022)	22
3.9. RX_SUMM_SURG_PRIM_SITE_2023 (2023 and after)	23
3.10. RX_SUMM_REASON_FOR_NO_SURGERY	24
3.11. RX_SUMM_SURGICAL_APPROACH.....	25
3.12. RX_SUMM_SURGICAL_MARGINS.....	25
3.13. RX_SUMM_REG_LN_EXAMINED	25
3.14. RX_SUMM_DT_SURGERY_YYYY, MM, DD.....	26
3.15. RX_SUMM_DT_MOST_DEFIN_SURG_YYYY, MM, DD.....	26
3.16. RX_SUMM_RECON_BREAST	27
4. RADIATION SECTION SUMMARIZATION.....	27
4.1. RX_SUMM_RADIATION.....	27
4.2. RX_SUMM_REASON_FOR_NO_RAD	28
4.3. RX_SUMM_RAD_TO_CNS	28
4.4. RX_SUMM_SURG_RAD_SEQ	29
4.5. RX_SUMM_DT_RADIATION_YYYY	30
4.6. NAACCR 18 Phase 1-3 Radiation Fields	30
5. SYSTEMIC SECTION SUMMARIZATION.....	32

5.1. RX_SUMM_CHEMO	32
5.2. RX_SUMM_HORMONE.....	32
5.3. RX_SUMM_BRM.....	33
5.4. RX_SUMM_TRANSPLNT_ENDOCR	33
5.5. RX_SUMM_OTHER.....	33
5.6. RX_SUMM_PALLIATIVE_PROC	34
5.7. RX_SUMM_SYSTEMIC_SURG_SEQ	34
5.8. RX_SUMM_DATE_SYSTEMIC_YYYY, MM, DD	35
5.9. RX_SUMM_DATE_OTHER_YYYY, MM, DD.....	36
5.10. RX_SUMM_DATE_CHEMO_YYYY, MM, DD	37
5.11. RX_SUMM_DATE_BRM_YYYY, MM, DD.....	37
5.12. RX_SUMM_DATE_HORMONE_YYYY, MM, DD.....	38
5.13. RX_SUMM_DATE_TRANSPLNT_ENDOCR_YYYY, MM, DD	38
6. NON-COURSE-1 SUMMARIZATION.....	39
7. REGISTRY SPECIFIC SUMMARIZATION	39
7.1. Detroit – Registry-specific summarized fields.....	39
Determining the Diagnosis Year.....	39
TX/TXr Definition	39
Summarization Process	39
Summarizing MAMMOGRAM (Miscellaneous Section).....	42
Summarizing RX_SUMM_SURG_PRIM_SITE_03_22	42
RX_SUMM_RAD_REGIONAL_RX_MODALITY	42
RX_SUMM_RAD_BOOST_RX_MODALITY	43
DATE_OF_1ST CRS_RX_CO (YYYY/MM/DD)	43
7.2. Louisiana.....	44
RX_SUMM_DT_RAD_ENDED_YYYY, MM, DD	44
RX_SUMM_RAD_LOCATION_OF_RX	45
RX_SUMM_RAD_TREATMENT_VOLUME	45
RX_SUMM_RAD_REGIONAL_RX_MODALITY	45
RX_SUMM_RAD_REGIONAL_DOSE_CGY	45
RX_SUMM_RAD_BOOST_RX_MODALITY	45
RX_SUMM_RAD_BOOST_DOSE_CGY	46
RX_SUMM_RAD_NO_OF_TX_VOL.....	46
RX_SUMM_RAD_ELAPSED_RX_DAYS	46
RX_SUMM_RAD_RX_COMPLETION_STAT	47
RX_SUMM_RAD_INTENT_OF_TREATMT	47
RX_SUMM_RAD_LOCAL_CONTROL_STAT	47
BRM (NON-COURSE-ONE).....	47
HORM (NON-COURSE-ONE).....	48
7.3. Seattle.....	48
RX_SUMM_RAD_REGIONAL_RX_MODALITY	49
RX_SUMM_RAD_BOOST_RX_MODALITY	49
7.4. New-Jersey.....	50
RX_SUMM_RAD_REGIONAL_RX_MODALITY	50
RX_SUMM_RAD_BOOST_RX_MODALITY	50
7.5. New-York.....	51
RX_SUMM_RAD_REGIONAL_RX_MODALITY	52
RX_SUMM_RAD_BOOST_RX_MODALITY	52

RX_SUMM_SURG_PRIM_SITE_03_22.....	53
RX_SUMM_SURGICAL_MARGINS	54
CALCULATION_METHOD (NON-COURSE ONE)	55
RX_SUMM_DT_RADIATION_YYYY	55
7.6. Minnesota.....	56
RX_SUMM_RAD_LOCATION_OF_RX	56
RX_SUMM_DT_RADIATION (YYYY, MM, DD)	57
RX_SUMM_SURG_RAD_SEQ	57
RX_SUMM_SURG_PRIM_SITE_03_22.....	57
7.7. Utah.....	58
RX_SUMM_RAD_REGIONAL_RX_MODALITY	58
7.8. Kentucky.....	59
RX_SUMM_RAD_REGIONAL_RX_MODALITY	59
RX_SUMM_RAD_BOOST_RX_MODALITY	59
RX_SUMM_RAD_LOCATION_OF_RX	60
RX_SUMM_RAD_TREATMENT_VOLUME	61
RX_SUMM_RAD_REGIONAL_DOSE_CGY	61
RX_SUMM_RAD_BOOST_DOSE_CGY	62
RX_SUMM_RAD_NO_OF_TX_VOL	62
REASON_NO_NON_DEF_SURG	63
7.9 Idaho	63
NON-Course 1 COURSE_START_DATE (YYYY/MM/DD).....	63
7.10 Illinois	63
RX_SUMM_DATE_SYSTEMIC_YYYY, MM, DD	64
7.11 Arkansas.....	65
COURSE_START_DATE (YYYY/MM/DD)	65
7.12 Texas	66
RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022).....	66
7.13 Lite	66
RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022).....	66
7.14 NCCR.....	66
COURSE_START_DATE	66
RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022).....	67
7.15 Indiana.....	67
RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022).....	67
7.16 California	67
RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022).....	67
APPENDIX A – SURGERY PRIORITY LISTS	68

Treatment Summarization Process

1. INTRODUCTION

The purpose of a Treatment Summarization is to summarize the treatment information of each of the Courses contained in the CTC. That treatment information is part of a set of Treatment Procedures contained in the Course. This can be visualized in the following simplified diagram of the Patient Set structure.




Figure 1: Patient Set Structure

When summarizing a CTC, the Courses are divided into two categories: the Course1 and the NonCourse1. The summarization is done differently on those two categories. The Course1 summarization involves four sections: miscellaneous, surgery, radiation and systemic. Note that miscellaneous is not really a section but it just regroups any fields that are not part of the surgery, radiation or systemic section. Each section summarization uses fields from the Treatment Procedure and the summarized fields are kept on the CTC. The Non-Course1 summarization also uses fields from the Treatment Procedure but the summarized fields are kept on the Course itself.

The rest of this document explains in detail how the summarization is done for the four sections of Course1 and for Non-course-1 courses.

1.1. Fields Involved in the Summarization

The following table shows the summarized fields from each section. Note that in the rest of the document, the database name will be used when referencing a field.

MISCELLANEOUS SECTION (ON CTC)

DISPLAY NAME	APPLICATION NAME	DATABASE NAME
DX Proc 73-87	diagnosticProc7387	DIAGNOSTIC_PROC_73_87
DX/Stg (NonCA)	rxSummDxStgProc	RX_SUMM_DX_STG_PROC
Scr/BX Type	rxSummScreenBxType	RX_SUMM_SCREEN_BX_TYPE
Scr/BX Guid	rxSummScreenBxGuidance	RX_SUMM_SCREEN_BX_GUIDANCE
Scr/BX Appr	rxSummScreenBxApproach	RX_SUMM_SCREEN_BX_APPROACH
Scr/BX Othr	rxSummScreenBxOtherSite	RX_SUMM_SCREEN_BX_OTHER_SITE
Scr/BX Palp	rxSummScreenBxPalpability	RX_SUMM_SCREEN_BX_PALPABILITY
Scr/BX 1st Dtct	rxSummScreenBxFirstDetect	RX_SUMM_SCREEN_BX_FIRST_DETECT

SURGERY SECTION (ON CTC)

DISPLAY NAME	APPLICATION NAME	DATABASE NAME
Surg Rev	rxSummSurgReviewed	RX_SUMM_SURG_REVIEWED
1st Recon	rxSummReconstruction1st	RX_SUMM_RECONSTRUCTION_1ST
Scope 98-02	rxSummScopeReg9802	RX_SUMM_SCOPE_REG_98_02
Scope 03+	rxSummScopeRegLnSur	RX_SUMM_SCOPE_REG_LN_SUR
Oth 98-02	rxSummSurgOth9802	RX_SUMM_SURG_OTH_98_02
Oth 03+	rxSummSurgOthRegDis	RX_SUMM_SURG_OTH_REG_DIS
Surg 73-97	rxSummSurgeryType	RX_SUMM_SURGERY_TYPE
Surg 98-02	rxSummSurgSite9802	RX_SUMM_SURG_SITE_98_02
Surg 03-22	rxSummSurgPrimSite	RX_SUMM_SURG_PRIM_SITE
Surg 23+	rxSummSurgPrimSite2023	RX_SUMM_SURG_PRIM_SITE_2023
Rs No Surg	rxSummReasonForNoSurgery	RX_SUMM_REASON_FOR_NO_SURGERY
Approach	rxSummSurgicalApproach	RX_SUMM_SURGICAL_APPROACH
Margin	rxSummSurgicalMargins	RX_SUMM_SURGICAL_MARGINS
LN Exm 98-02	rxSummRegLnExamined	RX_SUMM_REG_LN_EXAMINED
Surg Dt	rxSummDtSurgeryYyyy	RX_SUMM_DT_SURGERY_YYYY
Surg Dt	rxSummDtSurgeryMm	RX_SUMM_DT_SURGERY_MM
Surg Dt	rxSummDtSurgeryDd	RX_SUMM_DT_SURGERY_DD

DISPLAY NAME	APPLICATION NAME	DATABASE NAME
Most Def Surg Dt	rxSummDtMostDefinSurgYyyy	RX_SUMM_DT_MOST_DEFIN_SURG_YYYY
Most Def Surg Dt	rxSummDtMostDefinSurgMm	RX_SUMM_DT_MOST_DEFIN_SURG_MM
Most Def Surg Dt	rxSummDtMostDefinSurgDd	RX_SUMM_DT_MOST_DEFIN_SURG_DD

RADIATION SECTION (ON CTC)

DISPLAY NAME	APPLICATION NAME	DATABASE NAME
Radtn Rev	rxSummRadiationReviewed	RX_SUMM_RAD_REVIEWED
Radtn	rxSummRadiation	RX_SUMM_RADIATION
Rs No Radtn	rxSummReasonForNoRad	RX_SUMM_REASON_FOR_NO_RAD
Radtn CNS	rxSummRadToCns	RX_SUMM_RAD_TO_CNS
Radtn Seq	rxSummSurgRadSeq	RX_SUMM_SURG_RAD_SEQ
Start Dt	rxSummDtRadiationYyyy	RX_SUMM_DT_RADIATION_YYYY
Start Dt	rxSummDtRadiationMm	RX_SUMM_DT_RADIATION_MM
Start Dt	rxSummDtRadiationDd	RX_SUMM_DT_RADIATION_DD
Phase 1 Tx Mod	phase1RadiationTreatmentModality	PHASE_I_RADIATION_TREATMENT_MODALITY

SYSTEMIC SECTION (ON CTC)

DISPLAY NAME	APPLICATION NAME	DATABASE NAME
Systemic Rev	rxSummChemoReviewed	RX_SUMM_CHEMO_REVIEWED
Chemo	rxSummChemo	RX_SUMM_CHEMO
Hormone	rxSummHormone	RX_SUMM_HORMONE
BRM	rxSummBrm	RX_SUMM_BRM
HemoEndo	rxSummTransplntEndocr	RX_SUMM_TRANSPLNT_ENDOCR
Other	rxSummOther	RX_SUMM_OTHER
Palliative	rxSummPalliativeProc	RX_SUMM_PALLIATIVE_PROC
Systemic Seq	RXSummSystemicSurgSeq	RX_SUMM_SYSTEMIC_SURG_SEQ
Systemic Dt	rxSummDateSystemicYyyy	RX_SUMM_DATE_SYSTEMIC_YYYY
Systemic Dt	rxSummDateSystemicMm	RX_SUMM_DATE_SYSTEMIC_MM
Systemic Dt	rxSummDateSystemicDd	RX_SUMM_DATE_SYSTEMIC_DD
Oth Dt	rxSummDateOtherYyyy	RX_SUMM_DATE_OTHER_YYYY
Oth Dt	rxSummDateOtherMm	RX_SUMM_DATE_OTHER_MM
Oth Dt	rxSummDateOtherDd	RX_SUMM_DATE_OTHER_DD

NON-COURSE 1 (ON COURSE)

DISPLAY NAME	APPLICATION NAME	DATABASE NAME
LN Exm 98-02	regLnRem	REG_LN_Rem
Scope	scopeLnSu	SCOPE_LN_SU
Surg Other	surgOth	SURG_OTH
Surg	surg	SURG
Radtn	rad	RAD
Other	other	OTHER
BRM	brm	BRM
Chemo	chemo	CHEMO
Horm	horm	HORM
Calc Meth	calculationMethod	CALCULATION_METHOD
Course Dt	courseStartDateYyyy	COURSE_START_DATE_YYYY
Course Dt	courseStartDateMm	COURSE_START_DATE_MM
Course Dt	courseStartDateDd	COURSE_START_DATE_DD

The following table shows the fields used by the summarization.

TREATMENT PROCEDURE FIELDS

DISPLAY NAME	APPLICATION NAME	DATABASE NAME
DX Proc 73-87	diagnosticProc7387	DIAGNOSTIC_PROC_73_87
DX/Stg (NonCa)	dxStgProc	DX_STG_PROC
Scr/BX Type	screenBxType	SCREEN_BX_TYPE
Scr/BX Guid	screenBxGuidance	SCREEN_BX_GUIDANCE
Scr/BX Appr	screenBxApproach	SCREEN_BX_APPROACH
Scr/BX Othr	screenBxOtherSite	SCREEN_BX_OTHER_SITE
Scr/BX Palp	screenBxPalpability	SCREEN_BX_PALPABILITY
Scr/BX 1st Dtct	screenBxFirstDetect	SCREEN_BX_FIRST_DETECT
1st Recon	reconstruction	RECONSTRUCTION
Scope 98-02	scopeReg9802	SCOPE_REG_98_02
Scope 03+	scopeRegLnSur	SCOPE_REG_LN_SUR
Oth 98-02	surgOth9802	SURG_OTH_98_02
Oth 03+	surgOthRegDis	SURG_OTH_REG_DIS

DISPLAY NAME	APPLICATION NAME	DATABASE NAME
Surg 73-97	surgeryType	SURGERY_TYPE
Surg 98-02	surgSite9802	SURG_SITE_98_02
Surg 03-22	surgPrimSite	SURG_PRIM_SITE
Surg 23+	surgPrimSite2023	SURG_PRIM_SITE_2023
Rs No Surg	reasonNoSurgery	REASON_NO_SURGERY
Approach	surgicalApproach	SURGICAL_APPROACH
Margin	surgicalMargins	SURGICAL_MARGINS
LN Exm 98-02	regLnRemoved	REG_LN_REMOVED
Surg Dt	dtSurgery (Y, M, D)	DT_SURGERY_YYYY, MM, DD
Scope Dt	dtScopeRegLnSur (Y, M, D)	DT_SCOPE_REG_LN_SUR_YYYY, MM, DD
Oth Dt	dtSurgOthRegDis (Y, M, D)	DT_SURG_OTH_REG_DIS_YYYY, MM, DD
Radtn	radiation	RADIATION
Phase I Tx Mod	phase1RadiationTreatmentModality	PHASE_I_RADIATION_TREATMENT_MODALITY
Rs No Radtn	reasonNoRadiation	REASON_NO_RADIATION
Radtn CNS	radToCns	RAD_TO_CNS
Radtn Seq	surgRadSeq	SURG_RAD_SEQ
Radtn End Dt	dtRadiation (Y, M, D)	DT_RADIATION_YYYY, MM, DD
Radtn End Dt	dtRadiationEnded (Y, M, D)	DT_RADIATION_ENDED_YYYY, MM, DD
Chemo	chemo	CHEMO
Hormone	hormone	HORMONE
BRM	brm	BRM
HemoEndo	transplntEndocr	TRANSPLNT_ENDOCR
Other	other	OTHER
Palliative	palliativeProc	PALLIATIVE_PROC
Systemic Seq	systemicSurgSeq	SYSTEMIC_SURG_SEQ
Systemic Dt	dtSystemic (Y, M, D)	DT_SYSTEMIC_YYYY, MM, DD
Other Dt	dtOther (Y, M, D)	DT_OTHER_YYYY, MM, DD
Chemo Dt	dtChemo (Y, M, D)	DT_CHEMO_YYYY, MM, DD
Hormone Dt	dtHormone (Y, M, D)	DT_HORMONE_YYYY, MM, DD
BRM Dt	dtBrm (Y, M, D)	DT_BRM_YYYY, MM, DD
HemoEndo Dt	dtTransplntEndocr (Y, M, D)	DT_TRANSPLNT_ENDOCR_YYYY, MM, DD
Mst Def Surg Dt	dtMostDefinSurg (Y, M, D)	DT_MOST_DEFIN_SURG_YYYY, MM, DD

1.2. Determining the Diagnosis Year

Different steps of the summarization require comparing a given year to the CTC Diagnosis Year. If CTC Diagnosis Year is blank, use polisher_default_year instead.

1.3. The TX/TXr Paradigm

The summarization requires making the distinction between the TX and the TXr Treatment Procedures. That distinction is registry-specific.

1.4. Standard Summarization Process

When summarizing a Course-1, each section is summarized individually. For each section, each field is also summarized individually (note that this is not totally true since some field summarizations depend on some other summarized values and a specific sequential order must be maintained within a section but this is more an implementation detail).

Each field summarization follows the same process. That process is described in the figure on the next page.




Figure 2: Standard Summarization Process Diagram

An important step of that process is merging the best TX and TXr results. That process itself is described in the following figure.




Figure 3: Merging best TX and TXr results Process Diagram

Each summarized field has some specific attributes described in the following sections of this document:

- A priority list for the possible values of the field (required)
- A priority list of the over-writable values of the field
- Some recoding rules
- Some review rules
- Some recalculation rules
- A default value

The standard summarization process is applied to each summarized field, using the field specific attributes.

It could happen that the TX set or the TXr set is empty. In that case, the corresponding best value for that set will be the *<missing>* value. A *<missing>* is always worse than a *<non-missing>* value and is always over-writeable. Since a *<missing>* value is always possible for any field, it has not been included in each priority and prioritized over-writeable lists described in the rest of this document. It could also happen that both the TX and the TXr set are empty (this is a very odd situation though). In that case, both best values will be *<missing>* and the resulting summarized value will also be *<missing>*. Note that if a value is not in a priority list, it is considered as having a worse priority than any value that is in the list.

Sometimes the summarization has to be done on a date field. The standard summarization process still applies in that case. Note that a date is over-writeable if it is null (or *<missing>*, see previous paragraph). Most of the date summarizations require determining the earliest or the latest date among a set of dates. For the purpose of determining an earliest date, the order from the worst to the best is *<missing>*, and earliest real date (known occurrence). For the purpose of determining a latest date, the order from the worst to the best is *<missing>*, and latest real. Real dates are compared by year, by month if year is the same and by day if year and month are the same. Known values are better than blank values in such comparisons (12/15/2003 will be picked up instead of 12/_/_/2003).

1.5. Determining the Best Treatments

A few specific summarizations require calculating the “best” Treatment Procedures. Then instead of summarizing the fields from the set of TX/TXr on Course-1, they are summarized from the values only on those “best” Treatment Procedures. The “best” Treatment Procedures are defined as the ones having the best surgery value (and therefore, the fields depending on those “best” Treatment Procedures are called “surgery-dependent fields”). Depending on the DX year, the Surgery 73-97, 98-02 or 03+ will be summarized using the standard summarization process described in the next section. A best surgery value will be found and any Treatment Procedure with that best value will be added to the set of “best” Treatment Procedure.

Note that the best surgery code will be taken from a TX or from a TXr. When adding all Treatment Procedures having the best value to the “best” Treatment Procedures set, only the ones from the same family (TX or TXr) are considered. That means that the “best” Treatment Procedures are either all TX or all TXr. Also, since the standard summarization process is used to find the best surgery value, that process could require a review. When summarizing a surgery dependent field, that field will require a review (setting the entire section flag to 0) if the process of determining the best Treatment Procedures requires a review.

1.6. Setting the Review Flags

The surgery, radiation and systemic sections have each a review flag.

A review flag can have three values: *<missing>*, 0 or 1. Those three values have the following meaning:

- <missing>*: a user review is not required for this section
- 0: a user review is required for this section
- 1: a user already reviewed this section

If a flag for a particular section is set to 1, the summarization will not be run again on that section.

The summarization of a given section is a sequential process on each field of that section. The summarization of a particular single field could require a review. The flag for that section will be set to 0 if at least one of the fields of the section requires a user review. Otherwise the flag will be set to *<missing>*.

There are two ways a summarized field could require a review.

1. The merging process of the best TX and the best TXr result will require a review if both values are over-writeable and not the same.
2. Each field has its own review rules (“if multiple codes 1-5, needs review”). Note that the review rules will be applied to the set of TX values if the result of the merging process is the TX value, otherwise it will be applied to the set of TXr values.

1.7. Assigning Default Values

In the case where there is no Course-1 or it does not contain at least one non-deleted Treatment Procedure, default values are assigned to each summarized field. Those default values are provided in the next sections, as well as all the information necessary to perform the regular (Course-1) summarization.

2. MISCELLANEOUS SECTION SUMMARIZATION

2.1. DIAGNOSTIC_PROC_73_87

Summarized from: DIAGNOSTIC_PROC_73_87

Values priority: if [DX year <= 1982 and ICDO1 site in (196X, 1416, 1460, 1471, 1491, 1640, 1692) and ICDO1 histology in (9590-9698, 9750)] or [DX year is 1983-1987 and ICDO1 histology in (9590-9594, 9600-9642, 9650-9667, 9670-9698, 9702-9704, 9710, 9740-9750)] then use

99, 00, 10, 20, ... 45

otherwise use

99, 00, 10, 20, ... 90, 91

Over-writable values priority: 99, 00

Recoding rules: if [DX year <= 1982 and ICDO1 site in (196X, 1416, 1460, 1471, 1491, 1640, 1692) and ICDO1 histology in (9590-9698, 9750)] or [DX year is 1983-1987 and ICDO1 histology in (9590-9594, 9600-9642, 9650-9667, 9670-9698, 9702-9704, 9710, 9740-9750)] then use

10 + 30 -> 31

20 + 30 -> 32

10 + 40 -> 41

20 + 40 -> 42

30 + 40 -> 43
31 + 40 -> 44
32 + 40 -> 45

otherwise use

20 + 30 -> 40
(70, 80) + (20, 30, 40) -> 90
(70, 80) + (50, 60) -> 91

Review rules: none

Recalculation rules: none

Default value: blank, except when

Type of Reporting Source < 6 AND

((DX year in 1973-1982 AND
EOD Coding System = 2)

OR

(DX year in 1983-1987 AND

((Site in C16x, C18x, C199, C209, C34x, C50x, C53x, C54x, C619, C67x) or
(Site = C44x and Hist02 in 8720-8790) or
(Hist02 in 9590-9595, 9650-9667, 9670-9698, 9702-9714, 9740-9741))) in which case it
is 00.

2.2. RX_SUMM_DX_STG_PROC

Summarized from: DX_STG_PROC

Values priority: 09, 00, 07, 01, 02, 03, 04, 05, 06

Over-writable values priority: 09, 00

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 00

2.3. RX_SUMM_SCREEN_BX_TYPE

Summarized from: SCREEN_BX_TYPE

Values priority: 0, 9, 1, 2, 3, 4, 5, 6, 7, 8

Over-writable values priority: 9, 0

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 0 if DX year < 2003, blank otherwise

2.4. RX_SUMM_SCREEN_BX_GUIDANCE

Summarized from: SCREEN_BX_GUIDANCE

Values priority: 0, 9, 1, 2, 3, 4, 5, 6, 7, 8

Over-writable values priority: 9, 0

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 0 if DX year < 2003, blank otherwise

2.5. RX_SUMM_SCREEN_BX_APPROACH

Summarized from: SCREEN_BX_APPROACH

Values priority: 0, 9, 1, 2, 3, 4, 5, 6, 7, 8

Over-writable values priority: 9, 0

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 0 if DX year < 2003, blank otherwise

2.6. RX_SUMM_SCREEN_BX_OTHER_SITE

Summarized from: SCREEN_BX_OTHER_SITE

Values priority: 0, 9, 1, 2, 3, 4, 5, 6, 7, 8

Over-writable values priority: 9, 0

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 0 if DX year < 2003, blank otherwise

2.7. RX_SUMM_SCREEN_BX_PALPABILITY

Summarized from: SCREEN_BX_PALPABILITY

Values priority: 0, 9, 1, 2, 3, 4, 5, 6, 7, 8

Over-writable values priority: 9, 0

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 0 if DX year < 2003, blank otherwise

2.8. RX_SUMM_SCREEN_BX_FIRST_DETECT

Summarized from: SCREEN_BX_FIRST_DETECT

Values priority: 0, 9, 1, 2, 3, 4, 5, 6, 7, 8

Over-writable values priority: 9, 0

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 0 if DX year < 2003, blank otherwise

2.9. COURSE_START_DATE

Summarized from: DT_SURGERY (YYYY, MM, DD), DT_SCOPE_REG_LN_SUR (YYYY, MM, DD), DT_SURG_OTH_REG_DIS (YYYY, MM, DD), DT_RADIATION (YYYY, MM, DD), DT_RADIATION_ENDED (YYYY, MM, DD), DT_SYSTEMIC (YYYY, MM, DD), DT_OTHER (YYYY, MM, DD), DT_CHEMO (YYYY, MM, DD), DT_HORMONE (YYYY, MM, DD), DT_BRM (YYYY, MM, DD), DT_TRANSPLNT_ENDOCR (YYYY, MM, DD), and DATE_OF_1ST_CRS_RX_CO (YYYY, MM, DD).

Recalculation rules: If DX Year \geq 2024 and RX_Summ_Treatment_Status = 2, earliest treatment DATE_OF_1ST_CRS_RX_CO will be included.

Values priority: earliest date. Known parts of dates are considered earlier than unknown (06/___/2011 is earlier than ___/___/2011).

If there is a date with an unknown day or an unknown month and day that is otherwise the same as the Earliest Date, and one of the dates is the Surgery Date and the other date is the Radiation Date or the Systemic Date, then the Surg/Rad Sequence or Surg/Systemic Sequence field is considered:

If there is no partially unknown date that matches the Earliest Date OR Surgery Date is not one of the two dates OR Other Date is one of the two dates, Course Start Date is set to Earliest Date.

If the dates are the Surgery Date and the Radiation Date, and the Surg/Rad Sequence is 2 (Pre-Op) or 4 (Both Pre-Op and Post-Op), Course Start Date is set to Radiation Date.

If the dates are the Surgery Date and the Radiation Date, and the Surg/Rad Sequence is 3 (Post-Op) or 7 (Surg Pre and Post Rad), Course Start Date is set to Surgery Date.

If the dates are the Surgery Date and the Radiation Date, and the Surg/Rad Sequence is 0 (Not Applicable), 5 (Intra-op), 6 (Combination), 9 (Unknown Seq), Course Start Date is set to Earliest Date.

If the dates are the Surgery Date and the Systemic Date, and the Surg/Systemic Sequence is 2 (Pre-Op) or 4 (Both Pre-Op and Post-Op), Course Start Date is set to Systemic Date.

If the dates are the Surgery Date and the Systemic Date, and the Surg/Systemic Sequence is 3 (Post-Op) or 7 (Surg Pre and Post Systemic), Course Start Date is set to Surgery Date.

If the dates are the Surgery Date and the Systemic Date, and the Surg/Systemic Sequence is 0 (Not Applicable), 5 (Intra-op), 6 (Combination), 9 (Unknown Seq), Course Start Date is set to Earliest Date.

Over-writable values priority: blank (___/___/___)

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: blank (___/___/___)

Notes: When calculation method is 2 (SEER), a blank value won't replace a non-blank value unless the Summary Treatment Status is 0 or DX Year $<$ 2024 and the Summary Treatment Status is 2. When calculation method is 1 (CoC), a blank value won't replace a non-blank value.

2.10. CALCULATION_METHOD

Summarized from: none

Values priority: none

Over-writable values priority: none

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: If configuration parameter "registry.reporting.organizations" doesn't contain SEER, set to 1 (CoC).

Otherwise, if configuration parameter "registry.mixed.seer.npcr.collection" = false, then set to 2 (SEER).

Otherwise, if SEER_REGISTRY_ID is null, check the SEER_REPORTABLE_STATUS: if is blank or 0, set to 1 (CoC); otherwise set to 2 (SEER).

Otherwise, use the SEER_REGISTRY_ID to find the registry's SEER submission start year; if DX year >= that year then set to 2 (SEER); otherwise set to 1 (CoC).

2.11. RX_SUMM_DATE_DX_STG_PROC (YYYY/MM/DD)

Summarized from: DATE_DX_STG_PROC (YYYY, MM, DD)

Values priority: earliest date.

Over-writable values priority: none

Recoding rules: none

Review rules: none

Default value: blank (___/___/___)

3. SURGERY SECTION SUMMARIZATION

3.1. RX_SUMM_RECONSTRUCTION_1ST

Note that this is a surgery-dependent field. The priority list is used only on the 'best treatments' (see section 1). That means there is no merging step and the over-writable values are not used.

Summarized from: RECONSTRUCTION

Values priority: 9, 0, 1, 2, 3, 4, 5, 6, 7, 8

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 0 if 1998 <= DX year <= 2002, blank otherwise

3.2. RX_SUMM_SCOPE_REG_98_02

Summarized from: SCOPE_REG_98-02

Values priority: 9, 0, 1, 2, 3, 4, 5, 6, 7

Over-writable values priority: 9, 0

Recoding rules: none

Review rules:

If Site = C21x, C34x, C50x, C62x, C64x-C67x AND multiple values of 1-5

This includes multiples of the same value.

Recalculation rules: none

Default value: 0 if 1998 <= DX year <= 2002, blank otherwise

3.3. RX_SUMM_SCOPE_REG_LN_SUR

Summarized from: SCOPE_REG_LN_SUR

Values priority: 9, 0, 1, 2, 3, 4, 5, 6, 7

Over-writable values priority: 9, 0, and if DX year is 2021+, 1 is also over-writable.

Recoding rules: 2 + (3, 4, 5) -> 7

Review rules:

If (Site = C50x AND multiple values of 1,3-7)

OR multiple values of 4
OR multiple different values of 1-7

Some examples: 4+4 for all sites; 1+1 for C50X only; 1+6 for all sites. 1+1 for C34 would not get reviewed.

Note: value 1 does not count as surgery code anymore in 2021+. It will have same behavior as value 0.

Recalculation rules: none

Default value: 0 if DX year is \geq 2003 (or blank), blank otherwise

3.4. RX_SUMM_SURG_OTH_98_02

Summarized from: SURG_OTH_98-02

Values priority: 9, 0, 1, 2, 3, 4, 5, 6, 7, 8

Over-writable values priority: 9, 0

Recoding rules: none

Review rules: Multiple different values of 1-7

Recalculation rules: none

Default value: 0 if 1998 \leq DX year \leq 2002, blank otherwise

3.5. RX_SUMM_SURG_OTH_REG_DIS

Summarized from: SURG_OTH_REG_DIS

Values priority: 9, 0, 1, 2, 3, 4, 5

Over-writable values priority: 9, 0

Recoding rules: (2, 3, 4) + different value (2, 3, 4) \rightarrow 5

Review rules: Multiple different values of 1-5

Recalculation rules: none

Default value: 0 if DX year is \geq 2003 (or blank), blank otherwise

3.6. RX_SUMM_SURGERY_TYPE (1997 and before)

Summarized from: SURGERY_TYPE

Values priority: 09, 00, 07, 01, ... 06, 90, 80, 88, 10, ... 78

Over-writable values priority: 09, 00, 07, 01, ... 06, 90, 80, 88

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 00 if DX year is <= 1997, blank otherwise

3.7. RX_SUMM_SURG_SITE_98_02 (1998 – 2002)

Summarized from: SURG_SITE_98-02

Values priority: 99, 00, 90, 80, 10, ... 79

Over-writable values priority: 99, 00, 90, 80

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 00 if 1998 <= DX year <= 2002, blank otherwise

3.8. RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022)

This is a very special case. Depending on the DX year, the regular summarization process or a conversion table will be used.

A. If DX year < 1998 or DX year > 2002, the regular summarization process is applied. In that case, the following characteristics are used:

Summarized from: SURG_PRIM_SITE_03_22

Values priority: priorities change by site and histology. See Appendix A.

Over-writable values priority: 99, 00, 90

Recoding rules: none

Review rules: none

B. If 1998 >= DX year <= 2002, SURG_PRIM_SITE_03_22 is not used to summarize the field. Instead, the value is calculated from the following fields:

- o PRIMARY_SITE (on the CTC)
- o HISTOLOGY_ICDO3 (on the CTC, HISTOLOGY_ICDO2 is used if O3 value is blank)
- o DIAGNOSTIC_CONFIRMATION (on the CTC)
- o RX_SUMM_SURG_SITE_98_02 (must have already been summarized)
- o RX_SUMM_SCOPE_REG_98_02 (must have already been summarized)
- o RX_SUMM_RECONSTRUCTION_1ST (must have already been summarized)

The combination of those fields is used to find a unique value from the table SURGERY_02_03_CONVERSION; that value is then assigned to the summarized field.

If DIAGNOSTIC_CONFIRMATION, RX_SUMM_SCOPE_REG_98_02 or RX_SUMM_RECONSTRUCTION_1ST is blank, use value “9”

If PRIMARY_SITE, HISTOLOGY_ICDO3 or RX_SUMM_SURG_SITE_98_02 is blank, the summarized field is set to blank too.

If the combination of those fields do not correspond to exactly one result in the table, the summarized field is set to blank and the review flag is set to 0.

Default value: 00 if DX year >= 1998, blank otherwise

3.9. RX_SUMM_SURG_PRIM_SITE_2023 (2023 and after)

Summarized from: SURG_PRIM_SITE_2023

Values priority: priorities change by site and histology. See Appendix A.

Over-writable values priority: A990, A000, A900, B990, B000, B900

Recoding rules: none

Review rules: none

Default value: A000 or B000 if DX year >= 2023, blank otherwise

In 2023, only Skin had B codes defined. New sites will have B codes defined over time.

3.10. RX_SUMM_REASON_FOR_NO_SURGERY

Summarized from: REASON_NO_SURGERY

Values priority: 9, 1, 8, 6, 2, 5, 7, 0

Over-writable values priority: 9

Recoding rules: none

Review rules: if multiple different values 1-8, needs review

Recalculation rules: Use the selected surgery fields with the specified values indicating surgery was given:

- o DX year <= 1997:
RX_SUMM_SURGERY_TYPE – values indicating surgery: rx_summ_surgery_type is 10-99.
- o 1998 <= DX year <= 2002:
RX_SUMM_SURG_SITE_98_02 – values indicating surgery: rx_summ_surg_site_98_02 is 10-98, rx_summ_scope_reg_98_02 is 1-8 or rx_summ_surg_oth_98_02 is 1-8.
- o 2003 <= DX year <= 2022:
RX_SUMM_SURG_PRIM_SITE_03_22 – values indicating surgery:
rx_summ_surg_prim_site_03_22 is 10-90.
- o DX Year >= 2023 (or blank):
RX_SUMM_SURG_PRIM_SITE_2023 – values indicating surgery:
rx_summ_surg_prim_site_2023 is A100 – A900 or B100-B900.

If surgery was given set rx_summ_reason_for_no_surgery to 0.

Else summarize normally.

IF DX year >= 2003 (or blank) then recode based on logic below if:

- o DX Year <= 2022
 - Surgery not given: rx_summ_surg_prim_site_03_22 is 00, 98.
 - Unknown if surgery given: rx_summ_surg_prim_site_03_22 is 99
- o DX Year >= 2023 (or blank)
 - Surgery not given: rx_summ_surg_prim_site_2023 is A000, A980, B000, B980
 - Unknown if surgery given: rx_summ_surg_prim_site_2023 is A990, B990

- o If unknown if surgery given or type_of_reporting_source is 7, set rx_summ_rsn_for_no_surgery to 9.
- o Else if type_of_reporting_source is 6, DX year < 2018 or current summarized value is not 1, set rx_summ_rsn_for_no_surgery to 9
- o Else if surgery not given and current summarized value is 0, 9, blank
 - if rn.summ.priority.naaccr10 is true, set rx_summ_rsn_for_no_surgery to 1
 - else if rn.summ.priority.naaccr10 is false, set rx_summ_rsn_for_no_surgery to 6

Default value: 6

3.11. RX_SUMM_SURGICAL_APPROACH

Note that this is a surgery-dependent field. The priority list is used only on the ‘best treatments’ (see section 1). That means there is no merging step and the over-writable values are not used.

Summarized from: SURGICAL_APPROACH

Values priority: 9, 0, 1, 2, 3, 4, 5, 6, 7

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 0 if DX year <= 2002, blank otherwise

3.12. RX_SUMM_SURGICAL_MARGINS

Note that this is a surgery-dependent field. The priority list is used only on the ‘best treatments’ (see section 1). That means there is no merging step and the over-writable values are not used.

Summarized from: SURGICAL_MARGINS

Values priority: 9, 8, 7, 0, 1, 2, 3, 4, 5

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 8

3.13. RX_SUMM_REG_LN_EXAMINED

Summarized from: REG_LN_REMOVED

Values priority: 99, 00, 95, 98, 96, 97, 01, 02, ... 90

Over-writable values priority: 99, 00, 95, 98, 96, 97

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 00 if 1998 <= DX Year <= 2002, blank otherwise

3.14. RX_SUMM_DT_SURGERY_YYYY, MM, DD

Summarized from: DT_SURGERY (YYYY, MM, DD), DT_SCOPE_REG_LN_SUR (YYYY, MM, DD) and DT_SURG_OTH_REG_DIS (YYYY, MM, DD).

Note that in some cases, the DT_SCOPE_REG_LN_SUR (YYYY, MM, DD) field will NOT be taken into account: if RX_SUMM_SCOPE_REG_98_02 or

RX_SUMM_SCOPE_REG_LN_SUR (depending on the dx year) is 0 or 9, the scope date will not be taken into account, otherwise (if the result is between 1 and 8), it will be taken into account.

If DX Year is 2021+, RX_SUMM_SCOPE_REG_LN_SUR value 1 will no longer count as surgery. It will be treated as same as value 0. Scope date will NOT be considered in this case.

Values priority: earliest date:

Over-writable values priority: blank (____/____/____)

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: blank (____/____/____)

3.15. RX_SUMM_DT_MOST_DEFIN_SURG_YYYY, MM, DD

Summarized from: DT_MOST_DEFIN_SURG (YYYY, MM, DD) and DT_SURGERY (YYYY, MM, DD).

Note that this is a surgery-dependent field. The priority list is used only on the 'best treatments' (see section 1). That means there is no merging step and the over-writable values are not used.

Values priority: latest date.

Over-writable values priority: none

Recoding rules: none

Review rules: none

Recalculation rules:

- A. If RX_SUMM_SURG_PRIM_SITE_03_22 is 00, 98 or 99 and DX Year <= 2022 OR RX_SUMM_SURG_PRIM_SITE_2023 is A000, A980, A990, B000, B980, B990 and DX Year >= 2023, set date to blank (____/____/____)
- B. If RX_SUMM_SURG_PRIM_SITE_03_22 is any other value and DX Year <= 2022 OR RX_SUMM_SURG_PRIM_SITE_2023 and DX Year >= 2023, find the DT_MOST_DEFIN_SURG from the best treatment. If multiple treatments exist, then find the latest date.
- C. If the date from B is unknown (blank):
 1. Find the latest DT_MOST_DEFIN_SURG from all treatments (both TXs and TXrs).
 2. Find the DT_SURGERY from the best treatment. If multiple treatments exist, then find the latest date
 3. If the result is unknown (blank) then use the unknown date from #1. Otherwise, take the latest date from 1 and 2.

Default value: none

3.16. RX_SUMM_RECON_BREAST

Summarized from: RECON_BREAST

Values priority: A990, A000, A900, A100, A970, A200, A300, A400, A500, A980, A600, A610, A620, A630, A640

Over-writable values priority: A990, A000, A900

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: none

4. RADIATION SECTION SUMMARIZATION

4.1. RX_SUMM_RADIATION

Summarized from: RADIATION

Values priority: 9, 0, 8, 7, 6, 5, 1, 2, 3, 4

Over-writable values priority: 9, 0, 8, 7

Recoding rules: $1 + (2, 3) \rightarrow 4$

This field is set to blank for 2018+ cases

Review rules:

Multiple different values of 1-5 OR

8 + 7

Recalculation rules: none

Default value: 0 for cases before 2018, blank otherwise.

4.2. RX_SUMM_REASON_FOR_NO_RAD

Summarized from: REASON_NO_RADIATION

Values priority: 9, 1, 8, 6, 2, 5, 7, 0

Over-writable values priority: 9

Recoding rules: none

Review rules: if multiple different values 1-8 AND at least 1 value is not (1 6), needs review

Recalculation rules: the value is recoded to 0 if either of the following is true:

- DX Year is 2017 or earlier, and RX_SUMM_RADIATION = 1-6 or RX_SUMM_RAD_REGIONAL_RX_MODALITY = 20-98
- DX Year is 2018 or later, and any of PHASE_I_RADIATION_TREATMENT_MODALITY, PHASE_II_RADIATION_TREATMENT_MODALITY, PHASE_III_RADIATION_TREATMENT_MODALITY is 01-98

Default value: 1

4.3. RX_SUMM_RAD_TO_CNS

Summarized from: RAD_TO_CNS

Values priority: 9, 0, 8, 7, 1

Over-writable values priority: 9, 0, 8, 7

Recoding rules: This field is set to blank for 2018+ cases

Review rules: none

Recalculation rules: none

Default value: 0 if DX year is in 1988-1997 and Primary Site = C34x and ICDO2 Histology is in 9800-9941 and Type of Reporting Source is not 7, else 0 if DX year is before 2018, otherwise blank.

4.4. RX_SUMM_SURG_RAD_SEQ

Summarized from: SURG_RAD_SEQ

Values priority: 9, 0, 2, 3, 4, 5, 7, 6

Over-writable values priority: 9, 0

Recoding rules: $2 + 3 \rightarrow 4$

$5 + (2, 3, 4, 7) \rightarrow 6$

Review rules: if multiple different values 2-7, needs review

Recalculation rules:

A. Check whether the summarized value needs to be recalculated.

If RX_SUMM_SURG_RAD_SEQ is blank, 0 or 9 then the next step is executed, otherwise the sequence is not recalculated.

B. Check whether both surgery and radiation were given.

Surgery has been given if any of the following condition is met:

- RX_SUMM_SURG_PRIM_SITE_2023 is A100-A900 or B100-B900
- RX_SUMM_SURG_PRIM_SITE is 10-90
- RX_SUMM_REASON_FOR_NO_SURGERY is 0
- RX_SUMM_SCOPE_REG_LN_SUR is 2-8
- DX Year < 2021 and RX_SUMM_SCOPE_REG_LN_SUR = 1. 1 does not count as surgery code from 2021 forward. It will have same behavior as 0.
- RX_SUMM_SCOPE_REG_98_02 is 1-8 for DX Year 1998-2002
- RX_SUMM_SURG_OTH_REG_DIS is 1-8
- RX_SUMM_SURG_OTH_98_02 is 1-8 for DX Year 1998-2002

Radiation has been given if any of the following condition is met:

- RX_SUMM_RADIATION is 1-6 and DX year is prior to 2018 or 9999
- DX year is a year when the current registry was NPCR reportable, RX_SUMM_RAD_REGIONAL_RX_MODALITY is 20-98
- PHASE_I_RADIATION_TREATMENT_MODALITY = 01-98
- PHASE_II_RADIATION_TREATMENT_MODALITY = 01-98
- PHASE_III_RADIATION_TREATMENT_MODALITY = 01-98
- RX_SUMM_RAD_TO_CNS is 1

If both surgery and radiation have been given, the next step is executed; otherwise the sequence is set to 0 (No rad and/or no surg; unknown if rad and/or surg).

Note: 9 means both were given but order is unknown; it would not be appropriate if either was not given or it was unknown if one were given.

C. Determine the earliest surgery and radiation dates.

- The earliest surgery date is set to the summarized surgery date (RX_SUMM_DT_SURGERY_YYYY, MM, DD).
- The earliest radiation date is set to the summarized radiation date (RX_SUMM_DT_RADIATION_YYYY, MM, DD).

D. Set RX_SUMM_SURG_RAD_SEQ based on the earliest surgery and radiation dates.

- If either the earliest surgery date or the earliest radiation date is blank, set RX_SUMM_SURG_RAD_SEQ to 9 (Seq unknown, both given), and set radiation review flag to force a review.
- If the earliest radiation date is before the earliest surgery date, set RX_SUMM_SURG_RAD_SEQ to 2.
- Otherwise set RX_SUMM_SURG_RAD_SEQ to 3.

Default value: 0

4.5. RX_SUMM_DT_RADIATION_YYYY

Summarized from: DT_RADIATION (YYYY, MM, DD)

Values priority: earliest date. 9-filled dates will be better than 0-filled dates.

Over-writable values priority: blank (____/____/____)

Recoding rules: none

Review rules: If the summarized date is not completely blank, a review will be added if any of the following conditions are met:

- DX Year is 2017 or earlier, and RX_SUMM_RADIATION = 0, 7, 8, 9, or blank, and RX_SUMM_RAD_REGIONAL_RX_MODALITY = 00 or blank
- DX Year is 2018 or later, and PHASE_I_RADIATION_TREATMENT_MODALITY, PHASE_II_RADIATION_TREATMENT_MODALITY, and PHASE_III_RADIATION_TREATMENT_MODALITY are all 00 or blank
- RX_SUMM_REASON_FOR_NO_RADIATION is neither 0 nor blank

Recalculation rules: none

____MODALITY____MODALITY

Default value: blank (____/____/____)

4.6. NAACCR 18 Phase 1-3 Radiation Fields

Summarized from: Overall fields and Phase 1-3 Radiation fields.

The summarization is done in groups:

1. NUMBER_OF_PHASES_OF_RAD_TREATMENT_TO_THIS_VOLUME
RADIATION_TREATMENT_DISCONTINUED_EARLY

TOTAL_DOSE

2. PHASE_I_RADIATION_TREATMENT_MODALITY
PHASE_I_RADIATION_PRIMARY_TREATMENT_VOLUME
PHASE_I_RADIATION_TO_DRAINING_LYMPH_NODES
PHASE_I_RADIATION_EXTERNAL_BEAM_PLANNING_TECH
PHASE_I_DOSE_PER_FRACTION
PHASE_I_NUMBER_OF_FRACTIONS
PHASE_I_TOTAL_DOSE
3. PHASE_II_RADIATION_TREATMENT_MODALITY
PHASE_II_RADIATION_PRIMARY_TREATMENT_VOLUME
PHASE_II_RADIATION_TO_DRAINING_LYMPH_NODES
PHASE_II_RADIATION_EXTERNAL_BEAM_PLANNING_TECH
PHASE_II_DOSE_PER_FRACTION
PHASE_II_NUMBER_OF_FRACTIONS
PHASE_II_TOTAL_DOSE
4. PHASE_III_RADIATION_TREATMENT_MODALITY
PHASE_III_RADIATION_PRIMARY_TREATMENT_VOLUME
PHASE_III_RADIATION_TO_DRAINING_LYMPH_NODES
PHASE_III_RADIATION_EXTERNAL_BEAM_PLANNING_TECH
PHASE_III_DOSE_PER_FRACTION
PHASE_III_NUMBER_OF_FRACTIONS
PHASE_III_TOTAL_DOSE

Values priority: blank, 9-filled, 0-filled, Other values.

Recalculation rules:

1. If TREATMENT_PROCEDURE.RAD_LOCATION_OF_RX [#1550] is not null
 - a. For phase I, priority from worst to best: 9, 0, 8, 4, 3, 2, 1
 - b. For phase II and III, priority from worst to best: 9, 0, 8, 4, 2, 3, 1
2. For all treatments in the same RAD_LOCATION_OF_RX set OR all treatment if RAD_LOCATION_OF_RX is not used at the registry.
Copy all the Phase X values for the TX which has the best
PHASE_x_RADIATION_TREATMENT_MODALITY [#1506, 1516, 1526] value
If there is only one MODALITY value other than blank, 0s or 9s, use the latest values received with that MODALITY value. (There are 2 treatments with location = 1 and MODALITY= 10. use the Phase X set of values for the latest received such treatment)
3. If there are multiple MODALITY values, use a specific over an NOS
 - a. 02-06 are better than 01 (Beam set)
 - b. 08-12 are better than 07 (Brachytherapy set)
 - c. 14-16 are better than 13 (Radioisotopes set)
 - d. 01-16 are better than 98 (unknown type)
4. If there are multiple TX with the same 'best' modality, select best TX using the Radiation External Beam Planning Tech [1502, 1512, 1522].

If there are multiple External Beam Planning Tech values, use a specific over an NOS

- a. 02 - 05 are better than 01 if all values being considered are in the 01-05 range.
- b. 07 - 10 are better than 06 if all values being considered are in the 06-10 range.

There is no priority implied between these two groups, and there is no priority implied between values within same group.

If all values are unknown, priority order from worst to best: 88, 99, 00, 98 in that order

If there are multiple TX with the same 'best' value for External Beam, pick the latest values received.

5. After best TX is calculated for each Phase 1-3 fields groups. Set the Overall fields group using the best TX with highest phase group, i.e. if you have a best Phase III (not 0, 9, unknown), use the values on that TX; if no best phase III and you have a best Phase II (not 0, 9, unknown) use the fields on that TX.

Review rules:

Manual review is required when values are in conflict in the following condition:

1. If there are multiple specific Modality codes within a set, i.e. 02 and 03 are specific codes within the Beam set.
2. If there are Modality values in more than 1 set, i.e. 09 and 01 is Beam set and Brachytherapy set.
3. If there are multiple TX with best Modality value are found, and those TX has multiple Radiation External Beam Planning Tech values in different group or multiple specific values in same group.

5. SYSTEMIC SECTION SUMMARIZATION

5.1. RX_SUMM_CHEMO

Summarized from: CHEMO

Values priority: 99, 00, 88, 86, 82, 85, 87, 01, 02, 03

Over-writable values priority: 99, 00, 88, 86, 82, 85, 87

Recoding rules: 02 + 02 -> 03

Review rules: if multiple values 01, needs review

Recalculation rules: none

Default value: 00

5.2. RX_SUMM_HORMONE

Summarized from: HORMONE

Values priority: 99, 00, 88, 86, 82, 85, 87, 01

Over-writable values priority: 99, 00, 88, 86, 82, 85, 87

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 00

5.3. RX_SUMM_BRM

Summarized from: BRM

Values priority: 99, 00, 88, 86, 82, 85, 87, 01

Over-writable values priority: 99, 00, 88, 86, 82, 85, 87

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 00

5.4. RX_SUMM_TRANSPLNT_ENDOCR

Summarized from: TRANSPLNT_ENDOCR

Values priority: 99, 00, 88, 86, 82, 85, 87, 10, 11, 12, 20, 30, 40

Over-writable values priority: 99, 00, 88, 86, 82, 85, 87

Recoding rules: 30 + (10, 11, 12, 20) -> 40

Review rules: none

Recalculation rules: none

Default value: 00

5.5. RX_SUMM_OTHER

Summarized from: OTHER

Values priority: 9, 0, 8, 7, 1, 2, 3, 6

Over-writable values priority: 9, 0, 8, 7

Recoding rules: none

Review rules: if multiple different values 1-6, needs review

Recalculation rules: none

Default value: 0

5.6. RX_SUMM_PALLIATIVE_PROC

Summarized from: PALLIATIVE_PROC

Values priority: 9, 0, 7, 1, 2, 3, 4, 5, 6

Over-writable values priority: 9, 0, 7

Recoding rules: $(1, 2, 3) + (1, 2, 3, 4, 5, 6) \rightarrow 5$
 $(1, 2, 3, 5) + 4 \rightarrow 6$

Review rules: none

Recalculation rules: none

Default value: 0

5.7. RX_SUMM_SYSTEMIC_SURG_SEQ

Summarized from: SYSTEMIC_SURG_SEQ

Values priority: 9, 0, 2, 3, 4, 5, 7, 6

Over-writable values priority: 9, 0

Recoding rules: $2 + 3 \rightarrow 4$
 $5 + (2, 3, 4, 7) \rightarrow 6$

Review rules: if multiple different values 2-7, needs review

Recalculation rules:

- A. Check whether the summarized value needs to be recalculated.

1. If the DX year is prior to 2006, RX_SUMM_SYSTEMIC_SURG_SEQ is blanked out and no other recalculation logic is applied.
2. If the DX year is unknown (blank), RX_SUMM_SYSTEMIC_SURG_SEQ is set to the summarized value and no other recalculation logic is applied.
3. If RX_SUMM_SYSTEMIC_SURG_SEQ is blank, 0 or 9 then the next step is executed, otherwise the sequence is not recalculated.

B. Check whether both surgery and systemic were given.

Surgery has been given if any of the following condition is met:

- RX_SUMM_SURG_PRIM_SITE_2023 is A100-A900 or B100-B900
- RX_SUMM_SURG_PRIM_SITE is 10-90
- RX_SUMM_REASON_FOR_NO_SURGERY is 0
- RX_SUMM_SCOPE_REG_LN_SUR is 2-8
- DX Year < 2021 and RX_SUMM_SCOPE_REG_LN_SUR = 1. 1 does not count as surgery code anymore in 2021+. It will have same behavior as 0.
- RX_SUMM_SURG_OTH_REG_DIS is 1-8

Systemic has been given if any of the following condition is met:

- RX_SUMM_CHEMO is 01-79
- RX_SUMM_HORMONE is 01-79
- RX_SUMM_BRM is 01-79
- RX_SUMM_TRANSPLT_ENDOCR is 01-79

If both surgery and systemic have been given, the next step is executed, otherwise the sequence is set to 0 (No systemic and/or no surg; unknown if systemic and/or surg)..

C. Determine the earliest surgery and systemic dates.

- The earliest surgery date is set to the summarized surgery date (RX_SUMM_DT_SURGERY_YYYY, MM, DD).
- The earliest systemic date is set to the summarized systemic date (RX_SUMM_DT_SYSTEMIC_YYYY, MM, DD).

D. Set RX_SUMM_SYSTEMIC_SURG_SEQ based on the earliest surgery and systemic dates.

- If either the earliest surgery date or the earliest systemic date is blank, set RX_SUMM_SYSTEMIC_SURG_SEQ to 9 (Seq unknown, both given), and set systemic review flag to force a review.
- If the earliest systemic date is before the earliest surgery date, set RX_SUMM_SYSTEMIC_SURG_SEQ to 2.
- Otherwise set RX_SUMM_SYSTEMIC_SURG_SEQ to 3.

Default value: 0 if DX year >= 2006 (not including blank), blank otherwise

5.8. RX_SUMM_DATE_SYSTEMIC_YYYY, MM, DD

Summarized from: DT_SYSTEMIC (YYYY, MM, DD)

Values priority: earliest date.

Over-writable values priority: blank (____/____/____).

Recoding rules: none

Review rules: none

Recalculation rules:

If the registry supports the summarization of

RX_SUMM_DATE_TRANSPLNT_ENDOCR_YYYY/MM/DD:

Calculate the earliest date from among RX_SUMM_DATE_CHEMO_YYYY/MM/DD,
RX_SUMM_DATE_HORMONE_YYYY/MM/DD,
RX_SUMM_DATE_BRM_YYYY/MM/DD, and
RX_SUMM_DATE_TRANSPLNT_ENDOCR_YYYY/MM/DD.

Else leave the final date blank.

Otherwise:

If RX_SUMM_CHEMO/HORMONE/BRM/TRANSPLNT_ENDOCR is 01-79, calculate the earliest date of all TX and TXr; if all dates are null, set final date to blank (____/____/____).

Else if all of RX_SUMM_CHEMO/HORMONE/BRM/TRANSPLNT_ENDOCR are 00, 82-88, 99 or null, set final date to blank (____/____/____).

Else leave the final date blank (____/____/____).

Default value: blank (____/____/____).

5.9. RX_SUMM_DATE_OTHER_YYYY, MM, DD

Summarized from: DT_OTHER (YYYY, MM, DD)

Values priority: earliest date.

Over-writable values priority: blank (____/____/____).

Recoding rules: none

Review rules: none

Recalculation rules:

- A. If RX_SUMM_OTHER is 1-6, calculate the earliest; if all dates are null, set final date to blank (____/____/____).
- B. Else if either RX_SUMM_OTHER is 0, 7-9, set final date to blank (____/____/____).

C. Else leave the final date blank (____/____/____)..

Default value: blank (____/____/____).

5.10. RX_SUMM_DATE_CHEMO_YYYY, MM, DD

Summarized from: DT_CHEMO (YYYY, MM, DD)

Values priority: earliest date.

Over-writable values priority: blank (____/____/____).

Recoding rules: none

Review rules: none

Recalculation rules:

- A. If RX_SUMM_CHEMO is 01-79, calculate the earliest date considering only 9-filled dates and real dates; if all dates are null, set final date to blank (____/____/____).
- B. Else if RX_SUMM_CHEMO is 00, 82-88, 99, set final date to blank (____/____/____).
- C. Else leave the final date blank (____/____/____)..

Default value: blank (____/____/____).if RX_SUMM_DATE_SYSTEMIC default is used.

5.11. RX_SUMM_DATE_BRM_YYYY, MM, DD

Summarized from: DT_BRM (YYYY, MM, DD)

Values priority: earliest date.

Over-writable values priority: blank (____/____/____).

Recoding rules: none

Review rules: none

Recalculation rules:

If RX_SUMM_BRM is 01-79, calculate the earliest date considering only 9-filled dates and real dates; if all dates are null, set final date to blank (____/____/____).

Else if RX_SUMM_BRM is 00, 82-88, 99, set final date to blank (____/____/____).

Else leave the final date blank (____/____/____)..

Default value: blank (____/____/____).if RX_SUMM_DATE_SYSTEMIC default is used.

5.12. RX_SUMM_DATE_HORMONE_YYYY, MM, DD

Summarized from: DT_HORMONE (YYYY, MM, DD)

Values priority: earliest date.

Over-writable values priority: blank (____/____/____).

Recoding rules: none

Review rules: none

Recalculation rules:

If RX_SUMM_HORMONE is 01-79, calculate the earliest date; if all dates are null, set final date to blank (____/____/____).

Else if RX_SUMM_HORMONE is 00, 82-88, 99, set final date to blank (____/____/____).

Else leave the final date blank (____/____/____).

Default value: blank (____/____/____).if RX_SUMM_DATE_SYSTEMIC default is used.

5.13. RX_SUMM_DATE_TRANSPLNT_ENDOCR_YYYY, MM, DD

Summarized from: DT_TRANSPLNT_ENDOCR (YYYY, MM, DD)

Values priority: earliest date.

Over-writable values priority: blank (____/____/____).

Recoding rules: none

Review rules: none

Recalculation rules:

- A. If RX_SUMM_TRANSPLNT_ENDOCR is 01-79, calculate the earliest date ; if all dates are null, set final date to blank (____/____/____).

B. Else if RX_SUMM_TRANSPLNT_ENDOCR is 00, 82-88, 99, set final date to blank (____/____/____). Else leave the final date blank (____/____/____)..

Default value: blank (____/____/____). if RX_SUMM_DATE_SYSTEMIC default is used.

6. NON-COURSE-1 SUMMARIZATION

Non-Course-1 courses are not summarized. If a subsequent course has no non-deleted treatments, it is marked “deleted”.

7. REGISTRY SPECIFIC SUMMARIZATION

7.1. Detroit – Registry-specific summarized fields

MISCELLANEOUS SECTION (ON CTC)

DISPLAY NAME	APPLICATION NAME	DATABASE NAME
Mammogram	registryData.mammogram	MAMMOGRAM

Registry specific fields used in the summarization:

TREATMENT PROCEDURE FIELDS

DISPLAY NAME	APPLICATION NAME	DATABASE NAME
Mammogram	registryData.mammogram	MAMMOGRAM (registry-specific)

Determining the Diagnosis Year

The regular process is applied (using the CTC Year of Diagnosis). If that year is unknown (9999), the earliest year of the Abstracted Dates of the CTC Facility Admissions is used.

TX/TXr Definition

The TX's are the non-deleted Treatment Procedures having a missing Reporting Facility or where the Reporting Facility is the same as the Treatment Facility. The TXr are the non-deleted Treatment Procedures with a Reporting Facility different than the Treatment Facility.

Summarization Process

The Detroit Summarization process is very similar to the standard process explained at the beginning of this document but not exactly the same. Instead of calculating a best TX value, a best TXr value

and merging both, all the values are taken together (TX or TXr without distinction) and the priority list is applied to that set of value to get a best one. That process is described in the next Figure.

Note that the standard process is still used to set the review flag in case the best TX value is non over-writeable, as well as the best TXr value (and they are both different). Conceptually, the standard process is applied to set the review flag and then the Detroit specific process is applied to calculate a best summarized value (the Detroit specific process could also set the review flag for a given field, depending on the review rules of that particular field).




Figure 4: Detroit Summarization Process

Summarizing MAMMOGRAM (Miscellaneous Section)

Summarized from: MAMMOGRAM

Values priority: 9, 0, 1

Over-writable values priority: 9, 0

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: 0

Summarizing RX_SUMM_SURG_PRIM_SITE_03_22

The process described in the regular summarization process is applied. After that, the following recalculation rule is applied: if the resulting summarized field has the value 88 and all the underlying non-deleted treatments (TX or TXr, we do not make the distinction) have the same surgery03 value and that value is different than 88, 00 or blank, it is used as the new summarized value. Note that a treatment having a surgery03 value of 00 is ignored in this process.

For example, suppose a CTC has two TX and one TXr, and the summarization of the field gave 88, the recalculation rules would give the following results:

TX1 value	TX2 value	TXr1 value	Recalculated code	Comment
23	23	23	23	all underlying codes agree
23	00	23	23	00 is ignored
TX1 value	TX2 value	TXr1 value	Recalculated code	Comment
23	blank	23	23	blank is ignored
23	88	23	88	codes do not all agree
23	23	24	88	codes do not all agree
0	0	0	88	all codes are ignored
88	88	88	88	resulting code would not be updated but it does not matter since it is the same as the old code...

RX_SUMM_RAD_REGIONAL_RX_MODALITY

Summarized from: RAD_REGIONAL_RX_MODALITY

Values priority: 99, 00, 98, 20-62, 85, 80 (85 and 80 are considered only for DX year < 2003)

Over-writable values priority: 99, 00

Recoding rules: 50-55/60-62 + 20-43 -> 80 (applied only if DX year is < 2003). This field is set to blank for 2018+ cases.

Review rules: none

Recalculation rules: if combined TX/TXr values are all 00 and 99 (and both values are present)

- if summarized radiation is 0, 7 or 8 then RX_SUMM_RAD_REGIONAL_RX_MODALITY is set to 00
- if summarized radiation is 1-6 or 9 then RX_SUMM_RAD_REGIONAL_RX_MODALITY is set to 99
- otherwise a review is needed

Default value: none

RX_SUMM_RAD_BOOST_RX_MODALITY

Summarized from: RAD_BOOST_RX_MODALITY

Values priority: 99, 00, 98, 20-62

Over-writable values priority: 99, 00

Recoding rules: This field is set to blank for 2018+ cases.

Review rules: none

Recalculation rules: if combined TX/TXr values are all 00 and 99 (and both values are present)

- if summarized radiation is 0, 7 or 8 or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 0 or 00 then RX_SUMM_RAD_BOOST_RX_MODALITY is set to 00
- if summarized radiation is 1-6 or 9 or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 20-99 then RX_SUMM_RAD_BOOST_RX_MODALITY is set to 99
- otherwise a review is needed

Default value: none

DATE_OF_1ST_CRS_RX_CO (YYYY/MM/DD)

Summarized from: DATE_OF_1ST_CRS_RX_CO (YYYY, MM, DD). For Course 1, the course start date is also taken into account (ref #82804).

Values priority: earliest date.

Over-writable values priority: none

Recoding rules: none

Review rules: none

Default value: blank (____/____/____)

Notes: the value is never replaced by a blank date.

7.2. Louisiana

Extra date fields are summarized in the radiation section:

RX_SUMM_DT_RAD_ENDED_YYYY, MM, DD

Summarized from: DT_RADIATION_ENDED (YYYY, MM, DD)

Values priority: latest date. Depending on the value of RX_SUMM_RADIATION if DX Year is 2017 or earlier, and PHASE_I_RADIATION_TREATMENT_MODALITY IF DX Year is 2018 or later.

Over-writable values priority: blank (____/____/____)

Recoding rules: none

Review rules: none

Recalculation rules:

DX Year <= 2017:

A. If RX_SUMM_RADIATION is 1-6 or 9,

i) Calculate the latest date from the TX/TXr values. If the result is blank, set final date to blank (____/____/____).

B. Else if RX_SUMM_RADIATION is 0, 7-9, set date to blank (____/____/____) Else, set date to blank (____/____/____)

DX Year >= 2018:

A. If PHASE_I_RADIATION_TREATMENT_MODALITY is 01-16 or 98,

i) Calculate the latest date from the TX/TXr values. If the result is blank, set final date to blank (____/____/____).

B. Else if PHASE_I_RADIATION_TREATMENT_MODALITY is 00 or 99, set date to blank (____/____/____).

C. Else, set date to blank (____/____/____).

Default value: blank (/ /)

RX_SUMM_RAD_LOCATION_OF_RX

Summarized from: RAD_LOCATION_OF_RX

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 0. If RX_SUMM_RADIATION is 9, then value will be 9.

RX_SUMM_RAD_TREATMENT_VOLUME

Summarized from: RAD_TREATMENT_VOLUME

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 00. If RX_SUMM_RADIATION is 9, then value will be 99. This field is set to blank for 2018+ cases.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_REGIONAL_RX_MODALITY

Summarized from: RAD_REGIONAL_RX_MODALITY

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 00. If RX_SUMM_RADIATION is 9, then value will be 99. This field is set to blank for 2018+ cases.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_REGIONAL_DOSE_CGY

Summarized from: RAD_REGIONAL_DOSE_CGY

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 00000. If RX_SUMM_RADIATION is 9, then value will be 99999. This field is set to blank for 2018+ cases.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_BOOST_RX_MODALITY

Summarized from: RAD_BOOST_RX_MODALITY

Values priority

: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 20-98, the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 0 or 00, the value will be 00. If RX_SUMM_RADIATION is 9, or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is then value will be 99. This field is set to blank for 2018+ cases.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_BOOST_DOSE_CGY

Summarized from: RAD_BOOST_DOSE_CGY

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 00000. If RX_SUMM_RADIATION is 9, then value will be 99999. This field is set to blank for 2018+ cases.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_NO_OF_TX_VOL

Summarized from: RAD_NO_OF_TREATMENT_VOL

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 000. If RX_SUMM_RADIATION is 9, then value will be 999. This field is set to blank for 2018+ cases.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_ELAPSED_RX_DAYS

Summarized from: RAD_ELAPSED_RX_DAYS

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 000. If RX_SUMM_RADIATION is 9, then value will be 999. This field is set to blank for 2018+ cases.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_RX_COMPLETION_STAT

Summarized from: RAD_RX_COMPLETION_STATUS

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 0. If RX_SUMM_RADIATION is 9, then value will be 9. This field is set to blank for 2018+ cases.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_INTENT_OF_TREATMT

Summarized from: RAD_INTENT_OF_TREATMENT

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 0. If RX_SUMM_RADIATION is 9, then value will be 9. This field is set to blank for 2018+ cases.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_LOCAL_CONTROL_STAT

Summarized from: RAD_LOCAL_CONTROL_STATUS : If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 0. If RX_SUMM_RADIATION is 9, then value will be 9. This field is set to blank for 2018+ cases.

Recoding rules: This field is set to blank for 2018+ cases

The summarization of some non-course-one fields is done differently in LA:

BRM (NON-COURSE-ONE)

The best BRM value is calculated using the following properties:

Summarized from: BRM

Values priority

Values priority: 99, 00, 88, 86, 82, 85, 87, 01, 04, 02, 03, 05, 06

Over-writable values priority: 99, 00, 88, 86, 82, 85, 87

Recoding rules: 01 + (02-06) -> 06

Recalculation rules: if the best calculated value is blank, 82, 85 or 86, it is replaced by 00. Then only the second digit of the value is kept.

HORM (NON-COURSE-ONE)

The best BRM value is calculated using the following properties:

Summarized from: BRM

Values priority: 99, 00, 88, 86, 82, 85, 87, 01, 02, 03

Over-writable values priority: 99, 00, 88, 86, 82, 85, 87

Recoding rules: 01 + (02-03) -> 03

Recalculation rules: if the best calculated value is blank, 82, 85 or 86, it is replaced by 00. Then only the second digit of the value is kept.

7.3. Seattle

Extra fields are summarized in the radiation section:

Values priority

RX_SUMM_RAD_REGIONAL_RX_MODALITY

Summarized from: RAD_REGIONAL_RX_MODALITY

: 99, 00, 98, 20-62, 85, 80 (85 and 80 are considered only for DX year < 2003) **Over-writable values priority:** 99, 00

Recoding rules: 50-55/60-62 + 20-43 -> 4=80 (applied only if DX year is < 2003). This field is set to blank for 2018+ cases.

Review rules: none

Recalculation rules: if combined TX/TXr values are all 00 and 99 (and both values are present)

- if summarized radiation is 0, 7 or 8 then RX_SUMM_RAD_REGIONAL_RX_MODALITY is set to 00
- if summarized radiation is 1-6 or 9 then RX_SUMM_RAD_REGIONAL_RX_MODALITY is set to 99
- otherwise a review is needed

Default value: none

RX_SUMM_RAD_BOOST_RX_MODALITY

Summarized from: RAD_BOOST_RX_MODALITY

Values priority: 99, 00, 98, 20-62

Over-writable values priority: 99, 00

Recoding rules: This field is set to blank for 2018+ cases.

Review rules: none

Recalculation rules: if combined TX/TXr values are all 00 and 99 (and both values are present)

- if summarized radiation is 0, 7 or 8 or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 0 or 00 then RX_SUMM_RAD_BOOST_RX_MODALITY is set to 00
- if summarized radiation is 1-6 or 9 or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 20-99 then RX_SUMM_RAD_BOOST_RX_MODALITY is set to 99
- otherwise a review is needed

Values priority

Default value: none

7.4. New-Jersey

Extra fields are summarized in the radiation section:

RX_SUMM_RAD_REGIONAL_RX_MODALITY

Summarized from: RAD_REGIONAL_RX_MODALITY

:

- 99, 00, 98, 20-32, 40-43, 40-43, 50-55, 60-62, 80, 85 (80 and 85 are considered only for DX year < 2003) if summarized radiation is 1-5
- 00, 99, 98, 20-32, 40-43, 40-43, 50-55, 60-62, 80, 85 (80 and 85 are considered only for DX year < 2003) if summarized radiation is not 1-5

Over-writable values priority: none

Recoding rules: This field is set to blank for 2018+ cases.

Review rules: none

Recalculation rules: if combined TX/TXr values are all 00 and 99 (and both values are present)

- if summarized radiation is 0, 7 or 8 or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 0 or 00 then RX_SUMM_RAD_BOOST_RX_MODALITY is set to 00
- if summarized radiation is 1-6 or 9 or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 20-99 then RX_SUMM_RAD_BOOST_RX_MODALITY is set to 99
- otherwise a review is needed

Default value: none

RX_SUMM_RAD_BOOST_RX_MODALITY

Summarized from: RAD_BOOST_RX_MODALITY

Values priority: 99, 00, 98, 20-62

Over-writable values priority: 99, 00

Recoding rules: This field is set to blank for 2018+ cases.

Values priority

Review rules: none

Recalculation rules: if combined TX/TXr values are all 00 and 99 (and both values are present)

- if summarized radiation is 0, 7 or 8 then
RX_SUMM_RAD_BOOST_RX_MODALITY is set to 00
- if summarized radiation is 1-6 or 9 then
RX_SUMM_RAD_BOOST_RX_MODALITY is set to 99
- otherwise a review is needed

Default value: none

7.5. New-York

Extra fields are summarized in the radiation section:

RX_SUMM_RAD_REGIONAL_RX_MODALITY

Summarized from: RAD_REGIONAL_RX_MODALITY

Values priority: 99, 00, 98, 20-62, 85, 80 (85 and 80 are considered only for DX year < 2003)

Over-writable values priority: 99, 00

Recoding rules: 50-55/60-62 + 20-43 -> 4=80 (applied only if DX year is < 2003). This field is set to blank for 2018+ cases.

Review rules: none

Recalculation rules: if combined TX/TXr values are all 00 and 99 (and both values are present)

- if summarized radiation is 0, 7 or 8 then RX_SUMM_RAD_REGIONAL_RX_MODALITY is set to 00
- if summarized radiation is 1-6 or 9 then RX_SUMM_RAD_REGIONAL_RX_MODALITY is set to 99
- otherwise a review is needed

Default value: none

RX_SUMM_RAD_BOOST_RX_MODALITY

Summarized from: RAD_BOOST_RX_MODALITY

Values priority: 99, 00, 98, 20-62

Over-writable values priority: 99, 00

Recoding rules: This field is set to blank for 2018+ cases.

Review rules: none

Recalculation rules: if combined TX/TXr values are all 00 and 99 (and both values are present)

- if summarized radiation is 0, 7 or 8 or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 0 or 00 then RX_SUMM_RAD_BOOST_RX_MODALITY is set to 00
- if summarized radiation is 1-6 or 9 or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 20-99 then RX_SUMM_RAD_BOOST_RX_MODALITY is set to 99
- otherwise a review is needed

Default value: none

RX_SUMM_SURG_PRIM_SITE_03_22

Default value: if DX year >= 1998 (or 9999)

- If CTC.rx_summ_surg_prim_site_03_22 = 00 and any of the following conditions are met, set to 98:
 - Primary Site is in (C420, C421, C423, C424, C760-C765, C767, C768, C809)
 - Histology ICD-O-3 (2001+) is in (9764, 9800-9809, 9832, 9840-9920, 9931, 9945, 9946, 9950, 9960-9964, 9980-9989)

- Histology ICD-O-3 (2001+) is in (9750, 9760-9762, 9811-9818, 9820, 9826, 9831, 9833-9837, 9940, 9948) and Date of Diagnosis Year is before 2010
- Histology ICD-O-3 (2001+) is in (9727, 9733, 9741, 9742, 9765-9769, 9930, 9965-9967, 9975, 9991, 9992) and Date of Diagnosis Year is 2010 or later
- Otherwise set to 00

RX_SUMM_SURGICAL_MARGINS

Default value:

- If any of the following are true, set to 9:
 - Primary site = C420, C421, C423, or C424, C760-C768, C809 (C422 is NOT included)
 - Date of diagnosis < 2010 and (histology ICDO3 = [9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989] OR (histology ICDO3 = [9590-9596, 9650-9699, 9702-9719, 9727-9729] AND Primary Site = C770-C779))
 - Date of diagnosis >= 2010 and (histology ICDO3 = [9727, 9733, 9741-9742, 9764-9809, 9832, 9840- 9931, 9945-9946, 9950-9967, 9975-9992] OR (histology ICDO3 = [9590-9726, 9728-9732, 9734-9740, 9750-9762, 9811-9831, 9940, 9948, 9971] AND Primary Site = C770-C779))
- Otherwise set to 8

CALCULATION_METHOD (NON-COURSE ONE)

Set Course CALCULATION_METHOD to 1 (COC).

RX_SUMM_DT_RADIATION_YYYY

Summarized from: DT_RADIATION (YYYY, MM, DD)

Values priority: earliest date.

Over-writable values priority: blank (____/____/____)

Recoding rules: none

Review rules: none

Recalculation rules:

The process described in the regular summarization process is applied.

If RX_SUMM_RAD_REGIONAL_RX_MODALITY is 20-98 inclusive, then rule B will be applied. If RX_SUMM_RAD_REGIONAL_RX_MODALITY is 99, then rule E will be applied.

Default value: blank (____/____/____)

7.6. Minnesota

Extra fields are summarized in the radiation section:

`RX_SUMM_RAD_LOCATION_OF_RX`

Summarized from: `RAD_LOCATION_OF_RX`

Values priority: none

Over-writable values priority: none

Recoding rules: none

Review rules: none

Recalculation rules: if a best radiation TX was found, take `RAD_LOCATION_OF_RX` from that TX

if `RX_SUMM_RADIATION` is 0, 7 or 8 then `RX_SUMM_RAD_LOCATION_OF_RX` is set to 0

if `RX_SUMM_RADIATION` is 9 then `RX_SUMM_RAD_LOCATION_OF_RX` is set to

9

otherwise a review is needed

Default value: none

RX_SUMM_DT_RADIATION (YYYY, MM, DD)

The process described in the regular summarization process is applied. If RX_SUMM_RADIATION is blank or 0 and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 20-98 inclusive, then rule B will be applied. If RX_SUMM_RADIATION is blank or 0 and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 99, then rule E will be applied.

RX_SUMM_SURG_RAD_SEQ

The process described in the regular summarization process is applied.

When determining if radiation was given, the following extra condition is considered as radiation given:

- RX_SUMM_RADIATION is blank or 0 and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 20-98 inclusive)

RX_SUMM_SURG_PRIM_SITE_03_22

The process described in the regular summarization process is applied.

For rule B. if 1998 <= DX year <= 2002, the value of RX_SUMM_RECONSTRUCTION_1ST will be 9.

7.7. Utah

RX_SUMM_RAD_REGIONAL_RX_MODALITY

Summarized from: RAD_REGIONAL_RX_MODALITY

Values priority: 99, 00, 98, 20-62, 85, 80 (85 and 80 are considered only for DX year < 2003)

Over-writable values priority: 99, 00

Recoding rules: 50-55/60-62 + 20-43 -> 4=80 (applied only if DX year is < 2003). This field is set to blank for 2018+ cases

Review rules: none

Recalculation rules: if combined TX/TXr values are all 00 and 99 (and both values are present)

- if summarized radiation is 0, 7 or 8 then
RX_SUMM_RAD_REGIONAL_RX_MODALITY is set to 00
- if summarized radiation is 1-6 or 9 then
RX_SUMM_RAD_REGIONAL_RX_MODALITY is set to 99
- otherwise a review is needed

Default value: none

7.8. Kentucky

RX_SUMM_RAD_REGIONAL_RX_MODALITY

Summarized from: RAD_REGIONAL_RX_MODALITY

Values priority: 99, 00, 98, 20-62, 85, 80 (85 and 80 are considered only for DX year < 2003)

Over-writable values priority: 99, 00

Recoding rules: 50-55/60-62 + 20-43 -> 4=80 (applied only if DX year is < 2003). This field is set to blank for 2018+ cases

Review rules: none

Recalculation rules: if combined TX/TXr values are all 00 and 99 (and both values are present)

- if summarized radiation is 0, 7 or 8 then
RX_SUMM_RAD_REGIONAL_RX_MODALITY is set to 00
- if summarized radiation is 1-6 or 9 then
RX_SUMM_RAD_REGIONAL_RX_MODALITY is set to 99
- otherwise a review is needed

Default value: none

RX_SUMM_RAD_BOOST_RX_MODALITY

Summarized from: RAD_BOOST_RX_MODALITY

Values priority: 99, 00, 98, 20-62

Over-writable values priority: 99, 00

Recoding rules: This field is set to blank for 2018+ cases

Review rules: none

Recalculation rules: if combined TX/TXr values are all 00 and 99 (and both values are present)

- if summarized radiation is 0, 7 or 8 or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY is 0 or 00 then RX_SUMM_RAD_BOOST_RX_MODALITY is set to 00
- if summarized radiation is 1-6 or 9 or DX year is a year when the current registry was NPCR reportable and RX_SUMM_RAD_REGIONAL_RX_MODALITY 20-99 then then RX_SUMM_RAD_BOOST_RX_MODALITY is set to 99
- otherwise a review is needed

Default value: none

RX_SUMM_RAD_LOCATION_OF_RX

Summarized from: RAD_LOCATION_OF_RX

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 0. If RX_SUMM_RADIATION is 9, then value will be 9.

RX_SUMM_RAD_TREATMENT_VOLUME

Summarized from: RAD_TREATMENT_VOLUME

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 00. If RX_SUMM_RADIATION is 9, then value will be 99.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_REGIONAL_DOSE_CGY

Summarized from: RAD_REGIONAL_DOSE_CGY

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 00000. If RX_SUMM_RADIATION is 9, then value will be 99999.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_BOOST_DOSE_CGY

Summarized from: RAD_BOOST_DOSE_CGY

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 00000. If RX_SUMM_RADIATION is 9, then value will be 99999.

Recoding rules: This field is set to blank for 2018+ cases

RX_SUMM_RAD_NO_OF_TX_VOL

Summarized from: RAD_NO_OF_TREATMENT_VOL

Values priority: If there is only one TX/TXr with a radiation value ≥ 1 and ≤ 6 , the value will be copied from that TX/TXr. Otherwise, if RX_SUMM_RADIATION is 0, 7, or 8, the value will be 000. If RX_SUMM_RADIATION is 9, then value will be 999.

Recoding rules: This field is set to blank for 2018+ cases

Summarizing COURSE_START_DATE (Non-Course-1)

The DATE_OF_1ST CRS_RX_CO_C YYYY, MM, DD is added to the date fields used in the regular summarization.

REASON_NO_NON_DEF_SURG

Summarized from: REASON_NO_NON_DEF_SURG

Recalculation rules:

- Select the treatment procedure with valid Reason No Non Def Surg value and Date DX/Staging Procedure closest to CTC Date of Diagnosis. Date DX/Staging Procedure before the Date of Diagnosis is better than after the Date of diagnosis.
- If there are multiple treatment procedures with the best Date DX/Staging Procedure, select the treatment procedure with best DX/Staging Procedure using the same value priority used to summarize the RX_SUMM_DX_STG_PROC.
- If there are multiple treatment procedure with best DX/Staging Procedure values, if all of them have same Reason No Non Def Surg value, use that value, otherwise set to blank.

7.9 Idaho

NON-Course 1 COURSE_START_DATE (YYYY/MM/DD)

Summarized from: Same as 6.10 rule but also includes Treatment Procedure Date of 1st CRS RX COC.

7.10 Illinois

RX_SUMM_DATE_SYSTEMIC_YYYY, MM, DD

Summarized from: DT_SYSTEMIC (YYYY, MM, DD)

Values priority: earliest date.

Over-writable values priority: blank (____/____/____)

Recoding rules: none

Review rules: none

Recalculation rules:

If the registry supports the summarization of RX_SUMM_DATE_TRANSPLNT_ENDOCR_YYYY/MM/DD:

Calculate the earliest date from among RX_SUMM_DATE_CHEMO_YYYY/MM/DD,
RX_SUMM_DATE_HORMONE_YYYY/MM/DD, RX_SUMM_DATE_BRM_YYYY/MM/DD, and
RX_SUMM_DATE_TRANSPLNT_ENDOCR_YYYY/MM/DD.

If there are no real dates, then the systemic date is set to blank (____/____/____).

Else leave the final date blank (____/____/____).

Otherwise:

If RX_SUMM_CHEMO/HORMONE/BRM/TRANSPLNT_ENDOCR is 01-79, calculate the earliest date of all TX and TXr
considering only 9-filled dates and real dates; if all dates are null, set final date to blank (____/____/____).

Else if all of RX_SUMM_CHEMO/HORMONE/BRM/TRANSPLNT_ENDOCR are 00, 82-88, 99, set final date to blank (____/____/____).

Else leave the final date blank (____/____/____).

Default value: blank (____/____/____)

7.11 Arkansas

COURSE_START_DATE (YYYY/MM/DD)

Values priority: First try summarizing using the base rule from page 17. If the result is an unknown date, Course Start Date is set to the earliest DATE_OF_1ST_CRS_RX_CO.

Over-writable values priority: blank (____/____/____)

Recoding rules: none

Review rules: none

Recalculation rules: none

Default value: blank (____/____/____)

7.12 Texas

`RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022)`

The process described in the regular summarization process is applied.
For Rule B, `rx_summ_surg_prim_site_0322` is always used to summarize.

7.13 Lite

`RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022)`

The process described in the regular summarization process is applied.
For Rule B, if `dxYear >= 1998` and `dxYear <= 2002` and `rx_summ_surg_site_9802` is blank, then `rx_summ_surg_prim_site_0322` is summarized as if the `dxYear` is ≥ 2003 .

7.14 NCCR

`COURSE_START_DATE`

The process described in the regular summarization process is applied.
If result from the regular summarization process is blank, and treatment is given, set to `CTC DATE_OF_1ST_CRS_RX_CO`.

RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022)

The process described in the regular summarization process is applied.

For Rule B, if dxYear \geq 1998 and dxYear \leq 2002 and rx_summ_surg_site_9802 is blank or 00, then rx_summ_surg_prim_site_0322 is summarized as if the dxYear is \geq 2003.

7.15 Indiana

RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022)

The process described in the regular summarization process is applied.

For Rule B, rx_summ_surg_prim_site_0322 is always used to summarize.

7.16 California

RX_SUMM_SURG_PRIM_SITE_0322 (2003 - 2022)

The process described in the regular summarization process is applied.

For Rule B, if the result is blank, 00 or 88, rule A is applied. If the result from rule A is also blank, 00 or 88, then the original result from rule B will be retained.

APPENDIX A – SURGERY PRIORITY LISTS

NOTE: The two-digit codes listed below are for Surg Prim Site 03-22.

‘A’ codes are used for Surg Prim Site 2023. ‘A’ codes can be constructed from two-digit codes in this manner: an ‘A’ code has the same value and meaning as a two-digit code listed below, with a leading A and trailing 0. (10 becomes A100, 25 becomes A250, 99 becomes A990).

The ‘B’ codes listed below are also used for Surg Prim Site 2023. A ‘B’ code starts with B and the code values and meanings have been revised. ‘A’ codes should not be used if ‘B’ codes are defined for the site in question. As of 2024, the following sites have ‘B’ codes: Breast, Colon, Lung, Pancreas, Skin, Thyroid.

Site-Specific Surgery Codes

Oral Cavity

Lip C000–C009, Base of Tongue C019, Other Parts of Tongue C020–C029,

Gum C030–C039, Floor of Mouth C040–C049, Palate C050–C059,

Other Parts of Mouth C060–C069

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser
7	20	Local tumor excision, NOS
8	27	Excisional biopsy
9	26	Polypectomy
10	21	Photodynamic therapy (PDT)
11	22	Electrocautery

12	23	Cryosurgery
13	24	Laser ablation
14	25	Laser excision
15	30	Wide excision, NOS
16	40	Radical excision of tumor, NOS
17	41	Radical excision of tumor ONLY Combination of 41 WITH resection in continuity with mandible (marginal, segmental, hemi-, or total resection)
18	42	
19	43	Combination of 41 WITH resection in continuity with maxilla (partial, subtotal, or total resection)
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Parotid and Other Unspecified Glands

Parotid Gland C079, Major Salivary Glands C080–C089

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser
7	20	Local tumor excision, NOS
8	27	Excisional biopsy
9	26	Polypectomy
10	21	Photodynamic therapy (PDT)
11	22	Electrocautery
12	23	Cryosurgery
13	24	Laser ablation
14	25	Laser excision Less than total parotidectomy, NOS; less than total removal of major salivary gland,
15	30	NOS

16	31	Facial nerve spared
17	32	Facial nerve sacrificed
18	33	Superficial lobe ONLY
19	34	Facial nerve spared
20	35	Facial nerve sacrificed
21	36	Deep lobe (Total)
22	37	Facial nerve spared
23	38	Facial nerve sacrificed
24	40	Total parotidectomy, NOS; total removal of major salivary gland, NOS
25	41	Facial nerve spared
26	42	Facial nerve sacrificed
27	50	Radical parotidectomy, NOS; radical removal of major salivary gland, NOS
28	51	without removal of temporal bone
29	52	with removal of temporal bone
30	53	with removal of overlying skin (requires graft or flap coverage)
14.5	80	Parotidectomy, NOS
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Pharynx

Tonsil C090–C099, Oropharynx C100–C109, Nasopharynx C110–C119

Pyriform Sinus C129, Hypopharynx C130–C139, Pharynx C140

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser
7	15	Stripping

8	20	Local tumor excision, NOS
9	27	Excisional biopsy
10	26	Polypectomy
11	21	Photodynamic therapy (PDT)
12	22	Electrocautery
13	23	Cryosurgery
14	24	Laser ablation
15	25	Laser excision
16	28	Stripping
17	30	Pharyngectomy, NOS
18	31	Limited/partial pharyngectomy; tonsillectomy, bilateral tonsillectomy
19	32	Total pharyngectomy
20	40	Pharyngectomy WITH laryngectomy OR removal of contiguous bone tissue, NOS
21	41	WITH laryngectomy (laryngopharyngectomy)
22	42	WITH bone [mandibulectomy]
23	43	WITH both 41 and 42
24	50	Radical pharyngectomy (includes total mandibular resection), NOS
25	51	WITHOUT laryngectomy
26	52	WITH laryngectomy
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Esophagus

C150–C159

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy Code Description

- 1 0 None; no surgery of primary site; autopsy ONLY
- 2 10 Local tumor destruction, NOS
- 3 11 Photodynamic therapy (PDT)
- 4 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 5 13 Cryosurgery
- 6 14 Laser
- 7 20 Local tumor excision, NOS
- 8 27 Excisional biopsy
- 9 26 Polypectomy
- 10 21 Photodynamic therapy (PDT)
- 11 22 Electrocautery
- 12 23 Cryosurgery
- 13 24 Laser ablation
- 14 25 Laser excision
- 15 30 Partial esophagectomy
- 16 40 Total esophagectomy, NOS
- 17 50 Esophagectomy, NOS WITH laryngectomy and/or gastrectomy, NOS
- 18 51 WITH laryngectomy
- 19 52 WITH gastrectomy, NOS
- 20 53 Partial gastrectomy
- 21 54 Total gastrectomy
- 22 55 Combination of 51 WITH any of 52-54
- 14.5 80 Esophagectomy, NOS
- 1.5 90 Surgery, NOS
- 0.5 99 Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Stomach

C160– C169

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser
7	20	Local tumor excision, NOS
8	27	Excisional biopsy
9	26	Polypectomy
10	21	Photodynamic therapy (PDT)
11	22	Electrocautery
12	23	Cryosurgery
13	24	Laser ablation
14	25	Laser excision
15	30	Gastrectomy, NOS (partial, subtotal, hemi-)
16	31	Antrectomy, lower (distal-less than 40% of stomach)***
17	32	Lower (distal) gastrectomy (partial, subtotal, hemi-)
18	33	Upper (proximal) gastrectomy (partial, subtotal, hemi-)
19	40	Near-total or total gastrectomy, NOS
20	41	Near-total gastrectomy
21	42	Total gastrectomy
22	50	Gastrectomy, NOS WITH removal of a portion of esophagus

23	51	Partial or subtotal gastrectomy
24	52	Near total or total gastrectomy
25	60	Gastrectomy with a resection in continuity with the resection of other organs, NOS***
26	61	Partial or subtotal gastrectomy, in continuity with the resection of other organs***
27	62	Near total or total gastrectomy, in continuity with the resection of other organs***
28	63	Radical gastrectomy, in continuity with the resection of other organs***
14.5	80	Gastrectomy, NOS
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Colon

C180– C189

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser
7	20	Local tumor excision, NOS
8	27	Excisional biopsy
9	26	Polypectomy, NOS
10	28	Polypectomy-endoscopic
11	29	Polypectomy-surgical excision
12	21	Photodynamic therapy (PDT)

13 22 Electrocautery
14 23 Cryosurgery
15 24 Laser ablation
16 25 Laser excision
17 30 Partial colectomy, [but less than hemicolectomy] segmental resection
18 32 Plus resection of contiguous organ; example: small bowel, bladder
19 40 Subtotal colectomy/hemicolectomy (total right or left colon and a portion of transverse colon)
20 41 Plus resection of contiguous organ; example: small bowel, bladder
21 50 Total colectomy (removal of colon from cecum to the rectosigmoid junction; may include a portion of the rectum)
22 51 Plus resection of contiguous organ; example: small bowel, bladder
23 60 Total proctocolectomy (removal of colon from cecum to the rectosigmoid junction, including the entire rectum)
24 61 Plus resection of contiguous organ; example: small bowel, bladder
25 70 Colectomy or coloproctectomy with resection of contiguous organ(s), NOS (where there is not enough information to code 32, 41, 51, or 61)
16.5 80 Colectomy, NOS
1.5 90 Surgery, NOS
0.5 99 Unknown if surgery performed; death certificate ONLY
101 B000 None; no surgery of primary site; autopsy ONLY
102 B100 Local tumor destruction, NOS, any form of local tumor destruction, includes electrocautery, and/or fulguration
103 B200 Local tumor excision, NOS
104 B260 Polypectomy, NOS
105 B270 Excisional biopsy
106 B280 Polypectomy-endoscopic
107 B281 Polypectomy-endoscopic mucosal resection or dissection
108 B290 Polypectomy-open approach surgical excision, or laparoscopic
109 B220 Any combination of B200 or B260-B290 WITH electrocautery

110 B291 Wide Local Excision with Tumor
 111 B800 Colectomy, NOS
 112 B330 Appendectomy for appendiceal primaries only, includes incidental findings
 113 B300 Partial colectomy, removal of one or more segments with colon resection but less than half of colon is removed.
 114 B320 Partial colectomy [but less than hemicolectomy], PLUS resection of contiguous organ; example: small bowel, bladder
 115 B400 Hemicolectomy (total right or left colon and a portion of transverse colon)
 116 B401 Subtotal colectomy (total right or left colon and entire/all of transverse colon)
 117 B410 Subtotal colectomy PLUS resection of contiguous organ; example: small bowel, bladder
 118 B500 Total colectomy (removal of colon from cecum to the rectosigmoid junction; may include a portion of the rectum)
 119 B510 Total colectomy PLUS resection of contiguous organ; example: small bowel, bladder
 120 B600 Total proctocolectomy (removal of colon from cecum to the rectosigmoid junction, including the entire rectum)
 121 B610 Total proctocolectomy PLUS resection of contiguous organ; example: small bowel, bladder
 122 B700 Colectomy or proctocolectomy with resection of contiguous organ(s), NOS
 101.5 B900 Surgery, NOS
 100.5 B990 Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Rectosigmoid

C199

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery

- 6 14 Laser ablation
- 7 20 Local tumor excision, NOS
- 8 27 Excisional biopsy
- 9 26 Polypectomy
- 10 21 Photodynamic therapy (PDT)
- 11 22 Electrocautery
- 12 23 Cryosurgery
- 13 24 Laser ablation
- 14 25 Laser excision
- 15 30 Wedge or segmental resection; partial proctosigmoidectomy, NOS
- 16 31 Plus resection of contiguous organs; example: small bowel, bladder
- 17 40 Pull through WITH sphincter preservation (colo-anal anastomosis)
- 18 50 Total proctectomy
- 19 51 Total colectomy
- 20 55 Total colectomy WITH ileostomy, NOS
- 21 56 Ileorectal reconstruction
- 22 57 Total colectomy WITH other pouch; example: Koch pouch
- 23 60 Total proctocolectomy, NOS [combination of 50 and 51]
- 24 65 Total proctocolectomy WITH ileostomy, NOS
- 25 66 Total proctocolectomy WITH ileostomy and pouch
- 26 70 Colectomy or proctocolectomy resection in continuity with other organs; pelvic exenteration
- 14.5 80 Colectomy, NOS; Proctectomy, NOS
- 1.5 90 Surgery, NOS
- 0.5 99 Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Rectum

C209

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser
7	20	Local tumor excision, NOS
8	27	Excisional biopsy
9	26	Polypectomy
10	21	Photodynamic therapy (PDT)
11	22	Electrocautery
12	23	Cryosurgery
13	24	Laser ablation
14	25	Laser excision
15	28	Curette and fulguration
16	30	Wedge or segmental resection; partial proctectomy, NOS
17	40	Pull through WITH sphincter preservation (colo-anal anastomosis)
18	50	Total proctectomy
19	60	Total proctocolectomy, NOS
20	70	Proctectomy or proctocolectomy with resection in continuity with other organs; pelvic exenteration
15.5	80	Proctectomy, NOS
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Anus

C210-C218

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY

2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser
7	15	Thermal ablation
8	20	Local tumor excision, NOS
9	27	Excisional biopsy
10	26	Polypectomy
11	21	Photodynamic therapy (PDT)
12	22	Electrocautery
13	23	Cryosurgery
14	24	Laser ablation
15	25	Laser excision
16	60	Abdominal perineal resection, NOS (APR; Miles procedure)
17	61	APR and sentinel node excision
18	62	APR and unilateral inguinal lymph node dissection
19	63	APR and bilateral inguinal lymph node dissection
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Liver and Intrahepatic Bile Ducts

C220–C221

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY

- 2 10 Local tumor destruction, NOS
- 3 11 Photodynamic therapy (PDT)
- 4 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 5 13 Cryosurgery
- 6 14 Laser
- 7 15 Alcohol (Percutaneous Ethanol Injection-PEI)
- 8 16 Heat-Radio-frequency ablation (RFA)
- 9 17 Other (ultrasound, acetic acid)
- 10 20 Wedge or segmental resection, NOS
- 11 21 Wedge resection
- 12 22 Segmental resection, NOS
- 13 23 One 14 24 Two
- 15 25 Three
- 16 26 Segmental resection AND local tumor destruction
- 17 30 Lobectomy, NOS
- 18 36 Right lobectomy
- 19 37 Left lobectomy
- 20 38 Lobectomy AND local tumor destruction
- 21 50 Extended lobectomy, NOS (extended: resection of a single lobe plus a segment of another lobe)
- 22 51 Right lobectomy
- 23 52 Left lobectomy
- 24 59 Extended lobectomy AND local tumor destruction
- 25 60 Hepatectomy, NOS
- 26 61 Total hepatectomy and transplant
- 27 65 Excision of a bile duct (for an intrahepatic bile duct primary only)
- 28 66 Excision of a bile duct PLUS partial hepatectomy Surgery

29	75	Bile duct and hepatectomy WITH transplant
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Pancreas

C250–C259

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	25	Local excision of tumor, NOS
3	30	Partial pancreatectomy, NOS; example: distal
4	35	Local or partial pancreatectomy and duodenectomy
5	36	WITHOUT distal/partial gastrectomy
6	37	WITH partial gastrectomy (Whipple)
7	40	Total pancreatectomy
8	60	Total pancreatectomy and subtotal gastrectomy or duodenectomy
9	70	Extended pancreatectoduodenectomy
2.5	80	Pancreatectomy, NOS
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY
101	B000	None; no surgery of primary site; autopsy ONLY
102	B250	Local excision of tumor, NOS, Example Enucleation
103	B800	Pancreatectomy, NOS
104	B300	Partial pancreatectomy, NOS; example: Distal pancreatectomy or subtotal pancreatectomy
105	B350	Local or partial pancreatectomy and duodenectomy, NOS, Example: Pancreaticoduodenectomy (Whipple Procedure)
106	B351	Local or partial pancreatectomy and duodenectomy WITHOUT distal/partial gastrectomy, pylorus preserving Whipple

107	B352	Local or partial pancreatectomy and duodenectomy WITH partial gastrectomy, Classic Whipple
108	B400	Total pancreatectomy
109	B600	Total pancreatectomy and subtotal gastrectomy and/or duodenectomy, extended pancreatoduodenectomy
101.5	B900	Surgery, NOS
100.5	B990	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Larynx

C320–C329

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser
7	15	Stripping
8	20	Local tumor excision, NOS
9	27	Excisional biopsy
10	26	Polypectomy
11	21	Photodynamic therapy (PDT)
12	22	Electrocautery
13	23	Cryosurgery
14	24	Laser ablation
15	25	Laser excision
16	28	Stripping

17	30	Partial excision of the primary site, NOS; subtotal/partial laryngectomy NOS; hemilaryngectomy NOS
18	31	Vertical laryngectomy
19	32	Anterior commissure laryngectomy
20	33	Supraglottic laryngectomy
21	40	Total or radical laryngectomy, NOS
22	41	Total laryngectomy ONLY
23	42	Radical laryngectomy ONLY
24	50	Pharyngolaryngectomy
16.5	80	Laryngectomy, NOS
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Specific Surgery Codes

Lung

C340–C349

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	19	Local tumor destruction or excision, NOS
3	15	Local tumor destruction, NOS
4	12	Laser ablation or cryosurgery
5	13	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
6	20	Excision or resection of less than one lobe, NOS
7	23	Excision, NOS
8	24	Laser excision
9	25	Bronchial sleeve resection ONLY
10	21	Wedge resection

11 22 Segmental resection, including linguectomy
12 30 Resection of [at least one] lobe or bilobectomy, but less than the whole lung (partial pneumonectomy,
13 33 Lobectomy WITH mediastinal lymph node dissection
14 45 Lobe or bilobectomy extended, NOS
15 46 WITH chest wall
16 47 WITH pericardium
17 48 WITH diaphragm
18 55 Pneumonectomy, NOS
19 56 WITH mediastinal lymph node dissection (radical pneumonectomy)
20 65 Extended pneumonectomy
21 66 Extended pneumonectomy plus pleura or diaphragm
22 70 Extended radical pneumonectomy
9.5 80 Resection of lung, NOS
1.5 90 Surgery, NOS
0.5 99 Unknown if surgery performed; death certificate ONLY
101 B000 None; no surgery of primary site; autopsy ONLY
102 B150 Local tumor destruction, NOS
103 B120 Laser ablation or cryosurgery
104 B130 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
105 B190 Local tumor destruction or excision, NOS
106 B200 Excision or resection of less than one lobe, NOS
107 B210 Wedge resection
108 B220 Segmental resection, including linguectomy
109 B230 Excision, NOS
110 B240 Laser excision
111 B250 Bronchial sleeve resection ONLY

- 112 B800 Resection of lung, NOS
- 113 B300 Resection of lobe or bilobectomy, but less than the whole lung (partial pneumonectomy, NOS)
- 114 B320 Bronchial sleeve lobectomy/bilobectomy
- 115 B330 Lobectomy WITH mediastinal lymph node dissection
- 116 B450 Lobe or bilobectomy extended, NOS
- 117 B460 Lobe or bilobectomy extended WITH chest wall
- 118 B470 Lobe or bilobectomy extended WITH pericardium
- 119 B480 Lobe or bilobectomy extended WITH diaphragm
- 120 B550 Pneumonectomy, NOS
- 121 B560 Pneumonectomy WITH mediastinal lymph node dissection (radical pneumonectomy)
- 122 B650 Extended pneumonectomy, NOS
- 123 B660 Extended pneumonectomy plus pleura or diaphragm
- 101.5 B900 Surgery, NOS
- 100.5 B990 Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Skin

C440–C449

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser ablation
7	20	Local tumor excision, NOS

- 8 27 Excisional biopsy
- 9 26 Polypectomy
- 10 21 Photodynamic therapy (PDT)
- 11 22 Electrocautery
- 12 23 Cryosurgery
- 13 24 Laser ablation
- 14 25 Laser excision
- 15 30 Biopsy of primary tumor followed by a gross excision of the lesion (does not have to be done under the
- 16 31 Shave biopsy followed by a gross excision of the lesion
- 17 32 Punch biopsy followed by a gross excision of the lesion
- 18 33 Incisional biopsy followed by a gross excision of the lesion
- 19 34 Mohs surgery, NOS
- 20 35 Mohs with 1-cm margin or less
- 21 36 Mohs with more than 1-cm margin
- 22 45 Wide excision or reexcision of lesion or minor (local) amputation with margins more than 1 cm, NOS.
- 23 46 WITH margins more than 1 cm and less than or equal to 2 cm
- 24 47 WITH margins greater than 2 cm
- 25 60 Major amputation
- 1.5 90 Surgery, NOS
- 0.5 99 Unknown if surgery performed; death certificate ONLY
- 101 B000 None; no surgery of primary site; autopsy ONLY
- 102 B100 Local tumor destruction, NOS
- 103 B110 Photodynamic therapy (PDT)
- 104 B120 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 105 B130 Cryosurgery
- 106 B140 Laser

107	B200	Local tumor excision, NOS; Excisional biopsy, NOS
108	B220	Shave biopsy, NOS
109	B230	Punch biopsy, NOS
110	B240	Elliptical biopsy (aka fusiform)
111	B300	Mohs surgery, NOS
112	B310	Mohs surgery performed on the same day (all Mohs procedures performed during the same day)
113	B320	Mohs surgery performed on different days (slow Mohs)(each Mohs procedure performed on different day)
114	B500	Biopsy (NOS) of primary tumor followed by wide excision of the lesion; Wide Excision NOS, Re-excision
115	B510	Incisional biopsy followed by wide excision
116	B520	Shave biopsy followed by wide excision
117	B530	Punch biopsy followed by wide excision
118	B540	Elliptical biopsy (aka fusiform) followed by wide excision
119	B600	Major amputation
101.5	B900	Surgery, NOS
100.5	B990	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Bones, Joints, and Articular Cartilage C400–C419

Peripheral Nerves and Autonomic Nervous System C470–C479

Connective, Subcutaneous, and Other Soft Tissues C490–C499

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	19	Local tumor destruction or excision, NOS
3	15	Local tumor destruction
4	25	Local excision
5	26	Partial resection

6	30	Radical excision or resection of lesion WITH limb salvage
7	40	Amputation of limb
8	41	Partial amputation of limb
9	42	Total amputation of limb
10	50	Major amputation, NOS
11	51	Forequarter, including scapula
12	52	Hindquarter, including ilium/hip bone
13	53	Hemipelvectomy, NOS
14	54	Internal hemipelvectomy
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Breast

C500–C509

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	19	Local tumor destruction, NOS
3	20	Partial mastectomy, NOS; less than total mastectomy, NOS
4	21	Partial mastectomy WITH nipple resection
5	22	Lumpectomy or excisional biopsy
6	23	Reexcision of the biopsy site for gross or microscopic residual disease
7	24	Segmental mastectomy (including wedge resection, quadrantectomy, tylectomy)
8	30	Subcutaneous mastectomy
9	40	Total (simple) mastectomy, NOS

10 41 WITHOUT removal of uninvolvled contralateral breast
11 43 Reconstruction, NOS
12 44 Tissue
13 45 Implant
14 46 Combined (Tissue and implant)
15 42 WITH removal of uninvolvled contralateral breast
16 47 Reconstruction, NOS
17 48 Tissue
18 49 Implant
19 75 Combined (Tissue and implant)
20 76 Bilateral mastectomy for a single tumor involving both breasts, as for bilateral inflammatory carcinoma
21 50 Modified radical mastectomy
22 51 WITHOUT removal of uninvolvled contralateral breast
23 53 Reconstruction, NOS
24 54 Tissue
25 55 Implant
26 56 Combined (Tissue and Implant)
27 52 WITH removal of uninvolvled contralateral breast
28 57 Reconstruction, NOS
29 58 Tissue
30 59 Implant
31 63 Combined (Tissue and Implant)
32 60 Radical mastectomy, NOS
33 61 WITHOUT removal of uninvolvled contralateral breast
34 64 Reconstruction, NOS
35 65 Tissue

36 66 Implant
37 67 Combined (Tissue and Implant)
38 62 WITH removal of unininvolved contralateral breast
39 68 Reconstruction, NOS
40 69 Tissue
41 73 Implant
42 74 Combined (Tissue and Implant)
43 70 Extended radical mastectomy
44 71 WITHOUT removal of unininvolved contralateral breast
45 72 WITH removal of unininvolved contralateral breast
2.5 80 Mastectomy, NOS
1.5 90 Surgery, NOS
0.5 99 Unknown if surgery performed; death certificate ONLY
101 B000 None; no surgery of primary site; autopsy ONLY
102 B200 Partial mastectomy; less than total mastectomy; lumpectomy, segmental mastectomy, quadrantectomy, tylectomy, with or without nipple resection.
103 B210 Excisional breast biopsy - Diagnostic excision, no pre-operative biopsy proven diagnosis of cancer
104 B215 Excisional breast biopsy, for atypia
105 B240 Reexcision of margins from primary tumor site for gross or microscopic residual disease whenless than total mastectomy performed
106 B290 Central lumpectomy, only performed for a prior diagnosis of cancer, which includes removal of the nipple areolar complex
107 B800 Mastectomy, NOS (including extended radical mastectomy)
108 B300 Skin-sparing mastectomy
109 B310 Skin-sparing mastectomy WITHOUT removal of unininvolved contralateral breast
110 B320 Skin-sparing mastectomy WITH removal of unininvolved contralateral breast
111 B400 Nipple-sparing mastectomy
112 B410 Nipple-sparing mastectomy WITHOUT removal of unininvolved contralateral breast

113 B420 Nipple-sparing mastectomy WITH removal of uninvolved contralateral breast
 114 B500 Areolar-Sparing Mastectomy
 115 B510 Areolar-Sparing Mastectomy WITHOUT removal of uninvolved contralateral breast
 116 B520 Areolar-Sparing Mastectomy WITH removal of uninvolved contralateral breast
 117 B600 Total (simple) mastectomy
 118 B610 Total (simple) mastectomy WITHOUT removal of uninvolved contralateral breast
 119 B620 Total (simple) mastectomy WITH removal of uninvolved contralateral breast
 120 B700 Radical mastectomy, NOS
 121 B710 Radical mastectomy WITHOUT removal of uninvolved contralateral breast
 122 B720 Radical mastectomy WITH removal of uninvolved contralateral breast
 123 B760 Radical mastectomy - Bilateral mastectomy for a single tumor involving both breasts, as for bilateral inflammatory carcinoma
 101.5 B900 Surgery, NOS
 100.5 B990 Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Cervix Uteri

C530–C539

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931 -9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser
7	15	Loop Electrocautery Excision Procedure (LEEP)
8	16	Laser ablation

- 9 17 Thermal ablation
- 10 20 Local tumor excision, NOS
- 11 26 Excisional biopsy, NOS
- 12 27 Cone biopsy
- 13 24 Cone biopsy WITH gross excision of lesion
- 14 29 Trachelectomy; removal of cervical stump; cervicectomy
- 15 21 Electrocautery
- 16 22 Cryosurgery
- 17 23 Laser ablation or excision
- 18 25 Dilatation and curettage; endocervical curettage (for insitu only)
- 19 28 Loop electrocautery excision procedure (LEEP)
- 20 30 Total hysterectomy (simple, pan-) WITHOUT removal of tubes and ovaries
- 21 40 Total hysterectomy (simple, pan-) WITH removal of tubes and/or ovary
- 22 50 Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy
- 23 51 Modified radical hysterectomy
- 24 52 Extended hysterectomy
- 25 53 Radical hysterectomy; Wertheim procedure
- 26 54 Extended radical hysterectomy
- 27 60 Hysterectomy, NOS, WITH or WITHOUT removal of tubes and ovaries
- 28 61 WITHOUT removal of tubes and ovaries
- 29 62 WITH removal of tubes and ovaries
- 30 70 Pelvic exenteration
- 31 71 Anterior exenteration
- 32 72 Posterior exenteration
- 33 73 Total exenteration
- 34 74 Extended exenteration

1.5 90 Surgery, NOS
0.5 99 Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Corpus Uteri

C540–C559

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

[SEER Note: For invasive cancers, dilation and curettage is NOT coded as Surgery of Primary Site]

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	19	Local tumor destruction or excision, NOS
3	10	Local tumor destruction, NOS
4	11	Photodynamic therapy (PDT)
5	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
6	13	Cryosurgery
7	14	Laser
8	15	Loop Electrocautery Excision Procedure (LEEP)
9	16	Thermal ablation
10	20	Local tumor excision, NOS; simple excision, NOS
11	24	Excisional biopsy
12	25	Polypectomy
13	26	Myomectomy
14	21	Any combination of 20 or 24–26 WITH Electrocautery
15	22	Any combination of 20 or 24–26 WITH Cryosurgery
16	23	Any combination of 20 or 24–26 WITH Laser ablation or excision
17	30	Subtotal hysterectomy/supracervical hysterectomy/fundectomy WITH or WITHOUT removal of tube(s) andovary(ies)
18	31	WITHOUT tube(s) and ovary(ies)

19	32	WITH tube(s) and ovary(ies)
20	40	Total hysterectomy (simple, pan-) WITHOUT removal of tube(s) and ovary(ies)
21	50	Total hysterectomy (simple, pan-) WITH removal of tube(s) and/or ovary(ies)
22	60	Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy
23	61	Modified radical hysterectomy
24	62	Extended hysterectomy
25	63	Radical hysterectomy; Wertheim procedure
26	64	Extended radical hysterectomy
27	65	Hysterectomy, NOS, WITH or WITHOUT removal of tube(s) and ovary(ies)
28	66	WITHOUT removal of tube(s) and ovary(ies)
29	67	WITH removal of tube(s) and ovary(ies)
30	75	Pelvic exenteration
31	76	Anterior exenteration
32	77	Posterior exenteration
33	78	Total exenteration
34	79	Extended exenteration
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Ovary

C569

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	17	Local tumor destruction, NOS
3	25	Total removal of tumor or (single) ovary, NOS

- 4 26 Resection of ovary (wedge, subtotal, or partial) ONLY, NOS; unknown if hysterectomy done
- 5 27 WITHOUT hysterectomy
- 6 28 WITH hysterectomy
- 7 35 Unilateral (salpingo-) oophorectomy; unknown if hysterectomy done
- 8 36 WITHOUT hysterectomy
- 9 37 WITH hysterectomy
- 10 50 Bilateral (salpingo-) oophorectomy; unknown if hysterectomy done
- 11 51 WITHOUT hysterectomy
- 12 52 WITH hysterectomy
- 13 55 Unilateral or bilateral (salpingo-) oophorectomy WITH OMENTECTOMY, NOS; partial or total; unknown if hysterectomy done
- 14 56 WITHOUT hysterectomy
- 15 57 WITH hysterectomy
- 16 60 Debulking; cytoreductive surgery, NOS
- 17 61 WITH colon (including appendix) and/or small intestine resection (not incidental)
- 18 62 WITH partial resection of urinary tract (not incidental)
- 19 63 Combination of 61 and 62
- 20 70 Pelvic exenteration, NOS
- 21 71 Anterior exenteration
- 22 72 Posterior exenteration
- 23 73 Total exenteration
- 24 74 Extended exenteration
- 2.5 80 (Salpingo-) oophorectomy, NOS
- 1.5 90 Surgery, NOS
- 0.5 99 Unknown if surgery performed; death certificate ONLY

Specific Surgery Codes

Prostate

C619

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	18	Local tumor destruction or excision, NOS
3	19	Transurethral resection (TURP), NOS
4	10	Local tumor destruction, [or excision] NOS
5	14	Cryoprostatectomy
6	15	Laser ablation
7	16	Hyperthermia
8	17	Other method of local tumor destruction
9	20	Local tumor excision, NOS
10	21	Transurethral resection (TURP), NOS
11	22	TURPâ€"cancer is incidental finding during surgery for benign disease
12	23	TURPâ€"patient has suspected/known cancer
13	24	Cryosurgery
14	25	Laser
15	26	Hyperthermia
16	30	Subtotal, segmental, or simple prostatectomy, which may leave all or part of the capsule intact
17	50	Radical prostatectomy, NOS; total prostatectomy, NOS
18	70	Prostatectomy WITH resection in continuity with other organs; pelvic exenteration
15.5	80	Prostatectomy, NOS
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Specific Surgery Codes

Testis

C620-C629

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	12	Local tumor destruction, NOS
3	20	Local or partial excision of testicle
4	30	Excision of testicle, WITHOUT cord
5	40	Excision of testicle WITH cord or cord not mentioned (radical orchectomy)
3.5	80	Orchiectomy, NOS (unspecified whether partial or total testicle removed)
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate only

Site-Specific Surgery Codes

Kidney, Renal Pelvis, and Ureter

Kidney C649, Renal Pelvis C659, Ureter C669

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser
7	15	Thermal ablation
8	20	Local tumor excision, NOS
9	27	Excisional biopsy
10	26	Polypectomy

11	21	Photodynamic therapy (PDT)
12	22	Electrocautery
13	23	Cryosurgery
14	24	Laser ablation
15	25	Laser excision
16	30	Partial or subtotal nephrectomy (kidney or renal pelvis) or partial ureterectomy (ureter)
17	40	Complete/total/simple nephrectomy for kidney parenchyma
18	50	Radical nephrectomy
19	70	Any nephrectomy (simple, subtotal, complete, partial, total, radical) in continuity with the resection of other organ(s) (colon, bladder)
15.5	80	Nephrectomy, NOS
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Bladder

C670– C679

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS
3	11	Photodynamic therapy (PDT)
4	12	Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
5	13	Cryosurgery
6	14	Laser
7	15	Intravesical therapy
8	16	Bacillus Calmette-Guerin (BCG) or other immunotherapy
9	20	Local tumor excision, NOS

- 10 27 Excisional biopsy
- 11 26 Polypectomy
- 12 21 Photodynamic therapy (PDT)
- 13 22 Electrocautery
- 14 23 Cryosurgery
- 15 24 Laser ablation
- 16 25 Laser excision
- 17 30 Partial cystectomy
- 18 50 Simple/total/complete cystectomy
- 19 60 Radical cystectomy (male only)
- 20 61 Radical cystectomy PLUS ileal conduit
- 21 62 Radical cystectomy PLUS continent reservoir or pouch, NOS
- 22 63 Radical cystectomy PLUS abdominal pouch (cutaneous)
- 23 64 Radical cystectomy PLUS insitu pouch (orthotopic)
- 24 70 Pelvic exenteration, NOS
- 25 71 Radical cystectomy (female only); anterior exenteration
- 26 72 Posterior exenteration
- 27 73 Total exenteration
- 28 74 Extended exenteration
- 16.5 80 Cystectomy, NOS
- 1.5 90 Surgery, NOS
- 0.5 99 Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Brain [and other parts of central nervous system]

Meninges C700-C709, **Brain** C710-C719,

Spinal Cord, Cranial Nerves and Other Parts of Central Nervous System C720-C729
 (Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Tumor destruction, NOS
3	20	Local excision (biopsy) of lesion or mass; excisional biopsy
4	21	Subtotal resection of tumor, lesion or mass in brain
5	22	Resection of tumor of spinal cord or nerve
6	30	Radical, total, gross resection of tumor, lesion or mass in brain
7	40	Partial resection of lobe of brain, when the surgery can not be coded as 20-30
8	55	Gross total resection of lobe of brain (lobectomy)
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Thyroid Gland

C739

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	13	Local tumor destruction, NOS
3	25	Removal of less than a lobe, NOS
4	26	Local surgical excision
5	27	Removal of a partial lobe ONLY
6	20	Lobectomy and/or isthmectomy
7	21	Lobectomy ONLY
8	22	Isthmectomy ONLY
9	23	Lobectomy WITH isthmus
10	30	Removal of a lobe and partial removal of the contralateral lobe

11	40	Subtotal or near total thyroidectomy
12	50	Total thyroidectomy
10.5	80	Thyroidectomy, NOS
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY
101	B000	None; no surgery of primary site; autopsy ONLY
102	B130	Local tumor destruction, NOS
103	B200	Removal of less than a lobe, NOS
104	B210	Local surgical excision
105	B220	Removal of a partial lobe ONLY
106	B250	Lobectomy and/or isthmectomy, NOS
107	B251	Lobectomy ONLY (right or left)
108	B252	Isthmectomy ONLY
109	B253	Lobectomy WITH isthmus
110	B800	Thyroidectomy, NOS
111	B300	Removal of a lobe and partial removal of the contralateral lobe
112	B400	Subtotal or near total thyroidectomy
113	B500	Total thyroidectomy
101.5	B900	Surgery, NOS
100.5	B990	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Hematopoietic/Reticuloendothelial/

Immunoproliferative/Myeloproliferative Disease

C420, C421, C423, C424 (with any histology) or

M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989 (with any site)

Hierarchy Code Description

1	98	All hematopoietic/reticuloendothelial/immunoproliferative/myeloproliferative disease sites and/or histologies.
0.5	99	Death certificate only

Site-Specific Surgery Codes

**Hematopoietic/Reticuloendothelial/
Immunoproliferative/Myeloproliferative Disease**

C422

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	19	Local tumor destruction or excision, NOS
3	21	Partial splenectomy
4	22	Total splenectomy
2.5	80	Splenectomy, NOS
1.5	90	Surgery, NOS
0.5	99	Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

Unknown And Ill-Defined Primary Sites

C760-C768, C809

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description
1	98	All unknown and ill-defined disease sites, WITH or WITHOUT surgical treatment
0.5	99	Death certificate only

Site-Specific Surgery Codes

Lymph Nodes

C770-C779

(**Except** for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Hierarchy	Code	Description

- 1 0 None; no surgery of primary site; autopsy ONLY
- 2 19 Local tumor destruction or excision, NOS
- 3 15 Local tumor destruction, NOS
- 4 25 Local tumor excision, NOS
- 5 30 Lymph node dissection, NOS
- 6 31 One chain
- 7 32 Two or more chains
- 8 40 Lymph node dissection, NOS PLUS splenectomy
- 9 41 One chain
- 10 42 Two or more chains
- 11 50 Lymph node dissection, NOS and partial/total removal of adjacent organ(s)
- 12 51 One chain
- 13 52 Two or more chains
- 14 60 Lymph node dissection, NOS and partial/total removal of adjacent organ(s) PLUS splenectomy (Includes staging laparotomy for lymphoma)
- 15 61 One chain
- 16 62 Two or more chains
- 1.5 90 Surgery, NOS
- 0.5 99 Unknown if surgery performed; death certificate ONLY

Site-Specific Surgery Codes

All Other Sites

C142–C148, C170–C179, C239, C240–C249, C260–C269, C300–C301, C310–C319, C339, C379, C380–C388, C390–C399, C480–C488, C510–C519, C529, C570–C579, C589, C600–C609, C630–C639, C680–C689, C690–C699, C740–C749, C750–C759 (**Except** for M9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

Hierarchy	Code	Description
1	0	None; no surgery of primary site; autopsy ONLY
2	10	Local tumor destruction, NOS

- 3 11 Photodynamic therapy (PDT)
- 4 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 5 13 Cryosurgery
- 6 14 Laser
- 7 20 Local tumor excision, NOS
- 8 27 Excisional biopsy
- 9 26 Polypectomy
- 10 21 Photodynamic therapy (PDT)
- 11 22 Electrocautery
- 12 23 Cryosurgery
- 13 24 Laser ablation
- 14 25 Laser excision
- 15 30 Simple/partial surgical removal of primary site
- 16 40 Total surgical removal of primary site; enucleation
- 17 41 Total enucleation (for eye surgery only)
- 18 50 Surgery stated to be "debulking"
- 19 60 Radical surgery
- 1.5 90 Surgery, NOS
- 0.5 99 Unknown if surgery performed; death certificate ONLY