

Table I-16
Lifetime Risk (Percent) of Dying from Cancer by Site, Race and Sex
Total U.S., 1997-99

Site	All Races		Whites		Blacks	
	Males	Females	Males	Females	Males	Females
All Sites	23.90	20.36	23.93	20.54	24.69	20.15
Oral cavity and Pharynx	0.41	0.21	0.39	0.21	0.56	0.21
Esophagus	0.71	0.23	0.70	0.21	0.89	0.33
Stomach	0.64	0.43	0.58	0.38	0.96	0.70
Colon and Rectum	2.43	2.36	2.44	2.34	2.39	2.65
Liver and Intrahepatic bile duct	0.61	0.37	0.57	0.35	0.65	0.40
Pancreas	1.15	1.17	1.15	1.16	1.16	1.37
Larynx	0.24	0.06	0.23	0.06	0.40	0.09
Lung and Bronchus	7.52	4.87	7.59	5.04	7.60	4.03
Melanoma of skin	0.35	0.20	0.40	0.22	0.03	0.05
Breast	0.03	3.12	0.03	3.12	0.04	3.39
Cervix uteri	-	0.29	-	0.26	-	0.54
Corpus and Uterus, NOS	-	0.51	-	0.49	-	0.71
Ovary	-	1.04	-	1.08	-	0.75
Prostate	3.13	-	2.95	-	4.78	-
Testis	0.02	-	0.02	-	0.01	-
Urinary bladder	0.73	0.33	0.78	0.33	0.39	0.34
Kidney and Renal pelvis	0.57	0.34	0.58	0.35	0.44	0.28
Brain and Other nervous system	0.50	0.41	0.54	0.45	0.23	0.22
Thyroid	0.04	0.06	0.04	0.06	0.02	0.05
Hodgkin lymphoma	0.05	0.04	0.06	0.04	0.04	0.03
Non-Hodgkin lymphoma	0.99	0.89	1.05	0.94	0.54	0.47
Multiple myeloma	0.45	0.41	0.43	0.38	0.64	0.69
Leukemia	0.94	0.73	0.99	0.75	0.63	0.55